



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: STUNALARA (OPERATIONS) PTY LTD

SUITE 90, 102 RAILWAY STREET

WEST PERTH

PERTH WA 6005

Page: 1

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 12-AUG-2022

This copy reported on 22-AUG-2022

Account: STUNPTYLTD

QC CERTIFICATE PH22180371

Project: ROCK

This report is for 3 samples of Rock submitted to our lab in Perth, WA, Australia on 23-JUN-2022.

The following have access to data associated with this certificate:

PAUL FERGUSON

MARK LESTER

ROBERT REID

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| WEI-21 | Received Sample Weight |
| CRU-QC | Crushing QC Test |
| LEV-01 | Waste Disposal Levy |
| BAG-01 | Bulk Master for Storage |
| CRU-21 | Crush entire sample |
| LOG-22 | Sample login - Rcd w/o BarCode |
| CRU-31 | Fine crushing - 70% <2mm |
| PUL-32 | Pulverize 1000g to 85% < 75 um |
| PUL-QC | Pulverizing QC Test |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|----------|------------------------------------|------------|
| Au-ICP21 | Au 30g FA ICP-AES Finish | ICP-AES |
| ME-MS61L | Super Trace Lowest DL 4A by ICP-MS | |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: STUNALARA (OPERATIONS) PTY LTD
SUITE 90, 102 RAILWAY STREET
WEST PERTH
PERTH WA 6005

Project: ROCK

Page: 2 – A
Total # Pages: 2 (A – D)
Plus Appendix Pages
Finalized Date: 12-AUG-2022
Account: STUNPTYLTD

QC CERTIFICATE OF ANALYSIS PH22180371

| Sample Description | Method Analyte Units LOD | Au-ICP21 ppm | ME-MS61L Ag ppm | ME-MS61L Al % | ME-MS61L As ppm | ME-MS61L Ba ppm | ME-MS61L Be ppm | ME-MS61L Bi ppm | ME-MS61L Ca % | ME-MS61L Cd ppm | ME-MS61L Ce ppm | ME-MS61L Co ppm | ME-MS61L Cr ppm | ME-MS61L Cs ppm | ME-MS61L Cu ppm | ME-MS61L Fe % |
|----------------------------|-----------------------------------|-----------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|---------------------|
| | | 0.001 | 0.002 | 0.01 | 0.02 | 1 | 0.02 | 0.002 | 0.01 | 0.005 | 0.01 | 0.005 | 0.3 | 0.01 | 0.02 | 0.002 |
| STANDARDS | | | | | | | | | | | | | | | | |
| AMIS0448 | | 1.265 | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | 1.230 | | | | | | | | | | | | | | |
| Upper Bound | | 1.390 | | | | | | | | | | | | | | |
| EMOG-17 | | | 68.4 | 4.67 | 594 | 266 | 1.90 | 6.19 | 1.97 | 20.8 | 50.2 | 778 | 56.3 | 7.60 | 8640 | 4.96 |
| Target Range – Lower Bound | | | 60.9 | 4.18 | 522 | 319 | 1.63 | 5.32 | 1.72 | 18.20 | 42.9 | 686 | 49.2 | 6.60 | 7750 | 4.43 |
| Upper Bound | | | 74.5 | 5.13 | 638 | 435 | 2.03 | 6.50 | 2.12 | 22.2 | 52.5 | 838 | 60.8 | 8.08 | 8910 | 5.41 |
| OREAS 243 | | | 3.08 | 6.22 | 86.2 | 254 | 0.50 | 0.075 | 5.51 | 0.761 | 14.90 | 38.4 | 85.0 | 1.24 | 182.0 | 7.51 |
| Target Range – Lower Bound | | | 2.73 | 5.73 | 76.5 | 213 | 0.45 | 0.067 | 5.02 | 0.706 | 13.40 | 35.4 | 76.2 | 1.13 | 161.0 | 6.79 |
| Upper Bound | | | 3.35 | 7.03 | 93.5 | 291 | 0.59 | 0.087 | 6.16 | 0.874 | 16.40 | 43.2 | 93.8 | 1.41 | 185.0 | 8.31 |
| OREAS 610 | | | 47.0 | 5.53 | 2800 | 81 | 1.45 | 210 | 0.24 | 11.50 | 46.6 | 7.27 | 36.9 | 2.14 | 9260 | 2.22 |
| Target Range – Lower Bound | | | 44.5 | 5.38 | 2550 | 76 | 1.31 | 202 | 0.21 | 10.90 | 42.0 | 6.94 | 34.9 | 1.93 | 9030 | 2.13 |
| Upper Bound | | | 54.3 | 6.60 | 3120 | 105 | 1.65 | 246 | 0.28 | 13.30 | 51.4 | 8.50 | 43.3 | 2.39 | >10000 | 2.61 |
| TAZ-20 | | 0.303 | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | 0.283 | | | | | | | | | | | | | | |
| Upper Bound | | 0.321 | | | | | | | | | | | | | | |
| BLANKS | | | | | | | | | | | | | | | | |
| BLANK | | <0.001 | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | <0.001 | | | | | | | | | | | | | | |
| Upper Bound | | 0.002 | | | | | | | | | | | | | | |
| BLANK | | | <0.002 | <0.01 | 0.02 | <1 | <0.02 | 0.003 | <0.01 | <0.005 | 0.01 | <0.005 | 0.3 | <0.01 | <0.02 | <0.002 |
| Target Range – Lower Bound | | | <0.002 | <0.01 | <0.02 | <1 | <0.02 | <0.002 | <0.01 | <0.005 | <0.01 | <0.005 | <0.3 | <0.01 | <0.02 | <0.002 |
| Upper Bound | | | 0.004 | 0.02 | 0.04 | 2 | 0.04 | 0.004 | 0.02 | 0.010 | 0.02 | 0.010 | 0.6 | 0.02 | 0.04 | 0.004 |
| DUPLICATES | | | | | | | | | | | | | | | | |
| ORIGINAL | | | 1.000 | 2.55 | 10.55 | 375 | 0.73 | 12.35 | 0.09 | 0.161 | 120.0 | 3.77 | 11.8 | 0.38 | 96.9 | 0.700 |
| DUP | | | 0.852 | 2.40 | 9.68 | 343 | 0.67 | 11.20 | 0.09 | 0.124 | 106.0 | 3.45 | 9.7 | 0.32 | 90.0 | 0.630 |
| Target Range – Lower Bound | | | 0.878 | 2.34 | 9.59 | 331 | 0.65 | 11.20 | 0.08 | 0.130 | 107.5 | 3.42 | 9.9 | 0.32 | 90.2 | 0.630 |
| Upper Bound | | | 0.974 | 2.61 | 10.65 | 387 | 0.76 | 12.35 | 0.10 | 0.155 | 118.5 | 3.80 | 11.6 | 0.38 | 96.7 | 0.700 |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: STUNALARA (OPERATIONS) PTY LTD

SUITE 90, 102 RAILWAY STREET

WEST PERTH

PERTH WA 6005

Project: ROCK

Page: 2 - B

Total # Pages: 2 (A - D)

Plus Appendix Pages

Finalized Date: 12-AUG-2022

Account: STUNPTYLTD

QC CERTIFICATE OF ANALYSIS PH22180371

| Sample Description | Method Analyte Units LOD | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L | ME-MS61L |
|----------------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Ga | Ge | Hf | In | K | La | Li | Mg | Mn | Mo | Na | Nb | Ni | P | Pb |
| | | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm |
| | | 0.05 | 0.05 | 0.004 | 0.005 | 0.01 | 0.005 | 0.2 | 0.01 | 0.2 | 0.02 | 0.001 | 0.005 | 0.08 | 0.001 | 0.01 |
| STANDARDS | | | | | | | | | | | | | | | | |
| AMIS0448 | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| EMOG–17 | | 12.35 | 0.11 | 2.04 | 0.940 | 1.68 | 24.9 | 28.6 | 0.97 | 773 | 1135 | 1.115 | 14.55 | 7700 | 0.082 | 7430 |
| Target Range – Lower Bound | | 10.75 | 0.06 | 1.735 | 0.823 | 1.49 | 21.1 | 23.9 | 0.86 | 675 | 997 | 0.998 | 12.80 | 6820 | | 6570 |
| Upper Bound | | 13.25 | 0.30 | 2.13 | 1.015 | 1.85 | 25.9 | 29.7 | 1.08 | 825 | 1220 | 1.220 | 15.65 | 8330 | | 8030 |
| OREAS 243 | | 15.35 | 0.05 | 1.895 | 0.083 | 0.62 | 6.43 | 13.5 | 3.13 | 1250 | 1.78 | 1.985 | 3.64 | 64.9 | 0.047 | 39.0 |
| Target Range – Lower Bound | | 13.80 | <0.05 | 1.660 | 0.066 | 0.57 | 6.03 | 10.9 | 2.86 | 1135 | 1.72 | 1.835 | 3.33 | 58.4 | 0.039 | 34.5 |
| Upper Bound | | 17.00 | 0.21 | 2.04 | 0.094 | 0.72 | 7.39 | 13.7 | 3.52 | 1385 | 2.14 | 2.25 | 4.08 | 71.6 | 0.049 | 42.1 |
| OREAS 610 | | 24.1 | 0.12 | 2.06 | 3.73 | 1.83 | 21.0 | 27.9 | 0.14 | 72.3 | 4.49 | 0.755 | 7.93 | 23.3 | 0.050 | 646 |
| Target Range – Lower Bound | | 21.9 | <0.05 | 1.805 | 3.51 | 1.77 | 18.35 | 25.4 | 0.13 | 70.0 | 4.32 | 0.737 | 7.44 | 22.1 | 0.049 | 596 |
| Upper Bound | | 26.9 | 0.28 | 2.22 | 4.30 | 2.19 | 22.4 | 31.4 | 0.18 | 86.0 | 5.32 | 0.903 | 9.10 | 27.1 | 0.062 | 728 |
| TAZ–20 | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| BLANKS | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| BLANK | | <0.05 | <0.05 | <0.004 | <0.005 | <0.01 | <0.005 | <0.2 | <0.01 | 0.2 | <0.02 | 0.002 | <0.005 | <0.08 | <0.001 | 0.22 |
| Target Range – Lower Bound | | <0.05 | <0.05 | <0.004 | <0.005 | <0.01 | <0.005 | <0.2 | <0.01 | <0.2 | <0.02 | <0.001 | <0.005 | <0.08 | <0.001 | <0.01 |
| Upper Bound | | 0.10 | 0.10 | 0.008 | 0.010 | 0.02 | 0.010 | 0.4 | 0.02 | 0.4 | 0.04 | 0.002 | 0.010 | 0.16 | 0.002 | 0.02 |
| DUPLICATES | | | | | | | | | | | | | | | | |
| ORIGINAL | | 3.37 | 0.11 | 4.69 | 0.054 | 2.91 | 60.1 | 1.7 | 0.12 | 76.8 | 1.80 | 0.056 | 2.21 | 4.28 | 0.069 | 703 |
| DUP | | 3.01 | 0.10 | 4.14 | 0.048 | 2.74 | 53.5 | 1.5 | 0.12 | 60.2 | 1.58 | 0.053 | 1.925 | 3.91 | 0.064 | 654 |
| Target Range – Lower Bound | | 2.98 | <0.05 | 4.19 | 0.043 | 2.67 | 54.0 | 1.3 | 0.10 | 64.9 | 1.59 | 0.051 | 1.960 | 3.81 | 0.062 | 645 |
| Upper Bound | | 3.40 | 0.16 | 4.64 | 0.059 | 2.98 | 59.6 | 1.9 | 0.14 | 72.1 | 1.79 | 0.058 | 2.18 | 4.38 | 0.071 | 712 |



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: STUNALARA (OPERATIONS) PTY LTD
SUITE 90, 102 RAILWAY STREET
WEST PERTH
PERTH WA 6005

Project: ROCK

Page: 2 – C
Total # Pages: 2 (A – D)
Plus Appendix Pages
Finalized Date: 12-AUG-2022
Account: STUNPTYLTD

QC CERTIFICATE OF ANALYSIS PH22180371

| Sample Description | Method Analyte Units LOD | ME-MS61L Rb ppm 0.02 | ME-MS61L Re ppm 0.0004 | ME-MS61L S % 0.01 | ME-MS61L Sb ppm 0.02 | ME-MS61L Sc ppm 0.01 | ME-MS61L Se ppm 0.006 | ME-MS61L Sn ppm 0.02 | ME-MS61L Sr ppm 0.02 | ME-MS61L Ta ppm 0.01 | ME-MS61L Te ppm 0.005 | ME-MS61L Th ppm 0.004 | ME-MS61L Ti % 0.001 | ME-MS61L Tl ppm 0.002 | ME-MS61L U ppm 0.01 | ME-MS61L V ppm 0.1 |
|----------------------------|-----------------------------------|-------------------------------|---------------------------------|----------------------------|-------------------------------|-------------------------------|--------------------------------|-------------------------------|-------------------------------|-------------------------------|--------------------------------|--------------------------------|------------------------------|--------------------------------|------------------------------|-----------------------------|
| STANDARDS | | | | | | | | | | | | | | | | |
| AMIS0448 | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| EMOG-17 | | 110.0 | 0.327 | 3.30 | 802 | 8.23 | 6.39 | 2.84 | 210 | 0.93 | 1.350 | 10.90 | 0.329 | 2.14 | 3.33 | 75.8 |
| Target Range – Lower Bound | | 99.0 | 0.288 | 2.91 | 643 | 7.26 | 5.64 | 2.41 | 184.5 | 0.83 | 1.145 | 10.35 | 0.289 | 1.910 | 2.92 | 67.4 |
| Upper Bound | | 121.0 | 0.352 | 3.57 | 869 | 8.90 | 6.90 | 2.99 | 226 | 1.03 | 1.415 | 12.65 | 0.355 | 2.59 | 3.59 | 82.6 |
| OREAS 243 | | 17.00 | 0.0026 | 0.53 | 2.19 | 36.4 | 0.575 | 1.28 | 98.9 | 0.23 | 0.117 | 1.290 | 0.601 | 0.298 | 0.40 | 259 |
| Target Range – Lower Bound | | 16.10 | 0.0021 | 0.46 | 1.88 | 32.3 | 0.513 | 1.11 | 88.2 | 0.22 | 0.112 | 1.245 | 0.539 | 0.279 | 0.37 | 232 |
| Upper Bound | | 19.70 | 0.0040 | 0.59 | 2.60 | 39.5 | 0.641 | 1.40 | 108.0 | 0.30 | 0.148 | 1.535 | 0.661 | 0.382 | 0.47 | 284 |
| OREAS 610 | | 61.7 | 0.0012 | 3.92 | 287 | 3.03 | 29.0 | 27.2 | 309 | 0.63 | 40.9 | 9.03 | 0.157 | 1.685 | 2.63 | 28.4 |
| Target Range – Lower Bound | | 58.5 | <0.0004 | 3.65 | 254 | 2.74 | 26.2 | 24.4 | 275 | 0.60 | 37.4 | 8.05 | 0.149 | 1.560 | 2.36 | 27.4 |
| Upper Bound | | 71.5 | 0.0017 | 4.49 | 344 | 3.38 | 32.0 | 29.8 | 337 | 0.76 | 45.8 | 9.85 | 0.185 | 2.12 | 2.90 | 33.7 |
| TAZ-20 | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| BLANKS | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| BLANK | | <0.02 | 0.0004 | <0.01 | <0.02 | 0.02 | <0.006 | 0.02 | <0.02 | <0.01 | <0.005 | <0.004 | <0.001 | 0.002 | <0.01 | 0.1 |
| Target Range – Lower Bound | | <0.02 | <0.0004 | <0.01 | <0.02 | <0.01 | <0.006 | <0.02 | <0.02 | <0.01 | <0.005 | <0.004 | <0.001 | <0.002 | <0.01 | <0.1 |
| Upper Bound | | 0.04 | 0.0008 | 0.02 | 0.04 | 0.02 | 0.012 | 0.04 | 0.04 | 0.02 | 0.010 | 0.008 | 0.002 | 0.004 | 0.02 | 0.2 |
| DUPLICATES | | | | | | | | | | | | | | | | |
| ORIGINAL | | 58.4 | 0.0005 | 0.03 | 1.69 | 7.13 | 0.364 | 0.80 | 180.0 | 0.20 | 0.005 | 5.82 | 0.053 | 0.232 | 2.03 | 25.8 |
| DUP | | 52.8 | 0.0005 | 0.03 | 1.54 | 6.31 | 0.322 | 0.69 | 168.5 | 0.18 | 0.005 | 5.53 | 0.046 | 0.198 | 1.85 | 22.1 |
| Target Range – Lower Bound | | 52.8 | <0.0004 | 0.02 | 1.47 | 6.37 | 0.320 | 0.69 | 165.5 | 0.17 | <0.005 | 5.39 | 0.046 | 0.197 | 1.83 | 22.7 |
| Upper Bound | | 58.4 | 0.0008 | 0.04 | 1.76 | 7.07 | 0.366 | 0.80 | 183.0 | 0.21 | 0.010 | 5.96 | 0.053 | 0.233 | 2.05 | 25.2 |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: STUNALARA (OPERATIONS) PTY LTD

SUITE 90, 102 RAILWAY STREET

WEST PERTH

PERTH WA 6005

Project: ROCK

Page: 2 – D

Total # Pages: 2 (A – D)

Plus Appendix Pages

Finalized Date: 12-AUG-2022

Account: STUNPTYLTD

QC CERTIFICATE OF ANALYSIS PH22180371

| Sample Description | Method Analyte Units LOD | ME-MS61L W ppm 0.008 | ME-MS61L Y ppm 0.01 | ME-MS61L Zn ppm 0.2 | ME-MS61L Zr ppm 0.1 |
|----------------------------|-----------------------------------|-------------------------------|------------------------------|------------------------------|------------------------------|
| STANDARDS | | | | | |
| AMIS0448 | | | | | |
| Target Range – Lower Bound | | | | | |
| Upper Bound | | | | | |
| EMOG-17 | | 4.02 | 16.35 | 7690 | 68.7 |
| Target Range – Lower Bound | | 3.39 | 14.40 | 6800 | 56.0 |
| Upper Bound | | 4.61 | 17.60 | 8320 | 76.0 |
| OREAS 243 | | 35.8 | 20.4 | 168.0 | 62.3 |
| Target Range – Lower Bound | | 32.0 | 18.25 | 144.0 | 51.8 |
| Upper Bound | | 43.4 | 22.3 | 176.0 | 70.3 |
| OREAS 610 | | 7.22 | 6.48 | 1685 | 58.3 |
| Target Range – Lower Bound | | 6.43 | 5.92 | 1580 | 51.8 |
| Upper Bound | | 8.71 | 7.26 | 1930 | 70.3 |
| TAZ-20 | | | | | |
| Target Range – Lower Bound | | | | | |
| Upper Bound | | | | | |
| BLANKS | | | | | |
| BLANK | | | | | |
| Target Range – Lower Bound | | | | | |
| Upper Bound | | | | | |
| BLANK | | <0.008 | <0.01 | <0.2 | <0.1 |
| Target Range – Lower Bound | | <0.008 | <0.01 | <0.2 | <0.1 |
| Upper Bound | | 0.016 | 0.02 | 0.4 | 0.2 |
| DUPLICATES | | | | | |
| ORIGINAL | | 0.529 | 27.1 | 40.5 | 169.5 |
| DUP | | 0.498 | 24.7 | 34.1 | 150.5 |
| Target Range – Lower Bound | | 0.467 | 24.6 | 35.2 | 148.0 |
| Upper Bound | | 0.560 | 27.2 | 39.4 | 172.0 |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: STUNALARA (OPERATIONS) PTY LTD

SUITE 90, 102 RAILWAY STREET

WEST PERTH

PERTH WA 6005

Project: ROCK

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 12-AUG-2022

Account: STUNPTYLTD

QC CERTIFICATE OF ANALYSIS PH22180371

CERTIFICATE COMMENTS

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist
Au-ICP21

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 79 Distinction Road, Wangara, WA, Australia

Au-ICP21

BAG-01

CRU-21

CRU-31

CRU-QC

LEV-01

LOG-22

ME-MS61L

PUL-32

PUL-QC

WEI-21