



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: **VENTURE MINERALS LIMITED**
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Page: 1
Total # Pages: 2 (A – C)
Plus Appendix Pages
Finalized Date: 31-JAN-2023
Account: VENMIN

CERTIFICATE BU22329958

Project: Mt Lindsay

P.O. No.: VMS362

This report is for 25 samples of Drill Core submitted to our lab in Burnie, TAS,
Australia on 16-NOV-2022.

The following have access to data associated with this certificate:

ALEXANDRA LINTNER
RITWIK NAITHANI

ANGELIQUE MARTIN
STUART OWEN

SERGI MASCLANS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
SND-ALS	Send samples to internal laboratory
LEV-01	Waste Disposal Levy
CRU-31	Fine crushing - 70% <2mm
PUL-23	Pulv Sample - Split/Retain
LOG-24	Pulp Login - Rcd w/o Barcode
PUL-QC	Pulverizing QC Test
DRY-21	High Temperature Drying

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	33 element four acid ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - A

Total # Pages: 2 (A - C)

Plus Appendix Pages

Finalized Date: 31-JAN-2023

Account: VENMIN

CERTIFICATE OF ANALYSIS BU22329958

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
AWAC001		1.43	<0.5	0.05	<5	10	<0.5	2	0.01	<0.5	496	3660	11	7.27	<10	0.01
AWAC002		1.24	0.7	0.08	48	10	<0.5	2	0.02	<0.5	1045	3500	6	8.18	<10	0.01
AWAC003		1.09	<0.5	0.15	11	20	<0.5	3	0.03	<0.5	834	2700	6	6.03	<10	0.01
AWAC004		1.56	<0.5	0.02	<5	<10	<0.5	2	0.02	<0.5	111	1440	2	3.79	<10	<0.01
AWAC005		2.16	<0.5	0.02	9	<10	<0.5	<2	0.02	<0.5	173	1720	3	4.49	<10	<0.01
AWAC006		1.90	<0.5	0.02	<5	<10	<0.5	<2	0.01	<0.5	128	1690	2	4.54	<10	<0.01
AWAC007		1.53	<0.5	0.02	<5	<10	<0.5	2	0.01	<0.5	197	1880	2	5.24	<10	<0.01
AWAC008		1.20	<0.5	0.02	<5	<10	<0.5	2	0.01	<0.5	245	1640	1	5.88	<10	<0.01
AWAC009		1.91	<0.5	0.02	<5	<10	<0.5	2	0.01	<0.5	144	1795	1	4.01	<10	<0.01
AWAC010		1.62	<0.5	0.04	<5	<10	<0.5	<2	0.02	<0.5	224	1695	1	3.89	<10	0.01
AWAC011		1.74	<0.5	0.02	<5	<10	<0.5	<2	0.01	<0.5	158	1705	1	4.75	<10	<0.01
AWAC012		1.13	<0.5	0.03	6	<10	<0.5	<2	0.01	<0.5	154	3750	2	5.47	<10	0.01
AWAC013		1.82	<0.5	0.05	<5	<10	<0.5	2	0.02	<0.5	207	1630	3	4.99	<10	<0.01
AWAC014		1.22	<0.5	0.04	<5	10	<0.5	2	0.01	<0.5	274	1690	2	5.55	<10	<0.01
AWAC015		1.25	<0.5	0.03	<5	<10	<0.5	4	0.02	<0.5	163	1685	1	4.87	<10	<0.01
AWAC016		1.33	<0.5	0.02	<5	<10	<0.5	<2	0.02	<0.5	114	953	<1	4.11	<10	<0.01
AWAC017		1.02	1.7	3.08	80	230	0.8	<2	0.73	<0.5	14	2630	11	1.95	10	2.10
AWAC018		0.81	<0.5	0.06	<5	10	<0.5	<2	0.03	<0.5	486	3080	1	7.30	<10	0.01
AWAC019		1.56	<0.5	0.03	<5	<10	<0.5	3	0.01	<0.5	207	2360	1	4.57	<10	<0.01
AWAC020		1.58	<0.5	0.03	<5	<10	<0.5	<2	0.02	<0.5	145	1275	1	4.20	<10	0.01
AWAC021		1.55	<0.5	0.03	<5	<10	<0.5	2	0.02	<0.5	177	1480	<1	4.34	<10	<0.01
AWAC022		1.45	<0.5	0.01	<5	<10	<0.5	<2	0.02	<0.5	161	1050	<1	3.68	<10	<0.01
AWAC023		1.15	<0.5	0.07	<5	<10	<0.5	3	0.02	<0.5	215	1910	1	4.74	<10	<0.01
AWAC024		1.36	<0.5	0.09	<5	<10	<0.5	<2	0.01	<0.5	151	1455	1	3.75	<10	<0.01
AWAC024S		<0.02	<0.5	2.84	5	300	1.3	4	5.20	0.5	5800	31	5640	1.17	10	0.65



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - B

Total # Pages: 2 (A - C)

Plus Appendix Pages

Finalized Date: 31-JAN-2023

Account: VENMIN

CERTIFICATE OF ANALYSIS BU22329958

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
		ppm	ppm	%	ppm	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		10	10	0.01	5	1	0.01	0.0001	10	2	0.01	5	1	1	20
AWAC001		<10	<10	19.95	3870	1	0.01	0.481	10	9	0.01	5	2	4	<20
AWAC002		<10	<10	20.1	3840	1	0.01	0.563	10	58	0.02	38	5	6	<20
AWAC003		<10	<10	21.6	3820	1	0.01	0.410	10	54	0.01	29	4	10	<20
AWAC004		<10	<10	23.1	781	<1	0.01	0.280	10	8	0.01	<5	2	6	<20
AWAC005		<10	<10	22.8	1725	<1	<0.01	0.269	<10	19	0.01	7	2	7	<20
AWAC006		<10	<10	22.7	865	1	0.01	0.287	<10	9	0.01	<5	2	6	<20
AWAC007		<10	<10	22.6	976	<1	0.01	0.460	10	2	0.01	<5	3	3	<20
AWAC008		<10	<10	22.0	2130	<1	0.01	0.389	<10	7	0.01	<5	2	7	<20
AWAC009		<10	<10	23.3	964	<1	<0.01	0.296	<10	8	0.01	<5	2	3	<20
AWAC010		<10	<10	22.8	1380	<1	0.01	0.376	<10	3	0.01	<5	3	5	<20
AWAC011		<10	<10	21.9	869	<1	0.01	0.362	<10	7	0.01	<5	2	2	<20
AWAC012		<10	<10	21.4	843	<1	0.01	0.398	<10	22	0.01	11	2	2	<20
AWAC013		<10	<10	22.6	1505	<1	0.01	0.273	<10	4	0.01	<5	3	4	<20
AWAC014		<10	<10	21.3	2240	<1	0.01	0.317	<10	8	0.01	<5	3	4	<20
AWAC015		<10	<10	22.3	1300	<1	0.01	0.301	<10	4	0.01	<5	3	5	<20
AWAC016		<10	<10	22.5	922	<1	0.01	0.271	<10	3	0.01	<5	2	3	<20
AWAC017		40	20	0.84	250	1	0.38	0.0085	170	177	0.04	135	3	50	20
AWAC018		<10	<10	21.1	3080	1	0.01	0.414	10	6	0.01	<5	4	18	<20
AWAC019		<10	<10	23.7	1465	<1	0.01	0.329	<10	<2	0.01	<5	3	7	<20
AWAC020		<10	<10	22.4	1050	<1	0.01	0.346	<10	4	0.01	<5	2	4	<20
AWAC021		<10	<10	22.4	1260	<1	0.01	0.398	<10	3	<0.01	<5	3	4	<20
AWAC022		<10	<10	22.5	1300	<1	<0.01	0.395	<10	<2	<0.01	<5	1	6	<20
AWAC023		<10	<10	21.7	1600	<1	0.01	0.411	10	<2	0.01	<5	4	6	<20
AWAC024		<10	<10	22.6	1130	<1	0.01	0.356	10	4	0.01	<5	1	4	<20
AWAC024S		30	100	5.16	1440	2	0.04	0.0027	410	16	0.28	<5	6	57	<20

Australian Laboratory Services Pty. Ltd.



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 31-JAN-2023

Account: VENMIN

CERTIFICATE OF ANALYSIS BU22329958

CERTIFICATE COMMENTS

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Brisbane Sample Preparation. Corporate Accreditation No:825, Corporate Site No:818. Technical Signatory: Christopher Snowdon, ICPAES Reporting Chemist
ME-ICP61

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia
ME-ICP61

Applies to Method:

Processed at ALS Burnie located at 39 River Road, Burnie, TAS, Australia.

CRU-31

DRY-21

LEV-01

LOG-24

PUL-23

PUL-QC

SND-ALS

WEI-21