



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Page: 1

Total # Pages: 4 (A – C)

Plus Appendix Pages

Finalized Date: 13-NOV-2023

Account: VENMIN

QC CERTIFICATE AD23291932

Project: Mt Lindsay

P.O. No.: VMS377

This report is for 56 samples of Soil submitted to our lab in Adelaide, SA, Australia on 12-OCT-2023.

The following have access to data associated with this certificate:

ALEXANDRA LINTNER
RITWIK NAITHANI

ANGELIQUE MARTIN
STUART OWEN

SERGI MASCLANS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-24	Pulp Login – Rcd w/o Barcode
LOG-22	Sample login – Rcd w/o BarCode
PUL-31L	Pulverize 250g soil to 85% < 75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS85	Lithium Borate Fusion – Select Elements	ICP-MS
ME-ICP61	34 element four acid ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - A

Total # Pages: 4 (A - C)

Plus Appendix Pages

Finalized Date: 13-NOV-2023

Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23291932

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm
		0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01	10
STANDARDS																
EMOG-17		65.9	4.46	553	570	1.7	<2	1.88	19.2	728	53	8130	4.72	10	1.61	20
EMOG-17		67.2	4.56	557	640	1.7	<2	1.95	19.6	742	52	8210	4.82	10	1.65	20
Target Range – Lower Bound		60.4	4.18	517	310	0.7	<2	1.72	17.7	685	49	7740	4.42	<10	1.49	<10
Upper Bound		75.0	5.13	643	440	2.9	10	2.12	22.7	839	62	8910	5.42	30	1.85	40
MRCA-21		8.1	7.39	20	1210	2.5	2	1.76	2.0	30	41	920	3.29	20	2.79	50
MRCA-21		8.5	7.41	20	1210	2.5	<2	1.79	1.9	30	46	933	3.30	20	2.76	50
MRCA-21		8.0	7.50	21	1220	2.5	3	1.74	1.8	28	40	930	3.25	20	2.75	50
Target Range – Lower Bound		7.0	6.83	8	1050	1.7	<2	1.58	1.1	27	38	876	3.05	<10	2.58	30
Upper Bound		9.8	8.37	30	1440	4.0	6	1.96	3.3	35	49	1010	3.75	40	3.18	80
OREAS 147																
Target Range – Lower Bound																
Upper Bound																
OREAS 20a																
Target Range – Lower Bound																
Upper Bound																
OREAS 460																
Target Range – Lower Bound																
Upper Bound																
OREAS 902		<0.5	4.53	556	170	2.2	7	4.13	<0.5	965	51	3070	3.18	10	3.23	40
OREAS 902		0.5	4.41	551	170	2.2	9	4.07	<0.5	962	50	3010	3.10	10	3.10	30
OREAS 902		<0.5	4.67	567	180	2.3	7	4.20	<0.5	980	48	3150	3.21	10	3.23	40
Target Range – Lower Bound		<0.5	4.26	512	130	1.1	4	3.64	<0.5	832	45	2800	2.86	<10	2.88	<10
Upper Bound		1.4	5.22	636	210	3.3	13	4.47	1.0	1020	57	3220	3.52	30	3.54	60
OREAS-45h		<0.5	7.88	22	330	1.0	<2	0.14	<0.5	87	604	771	19.40	20	0.20	10
OREAS-45h		<0.5	7.84	21	330	1.0	<2	0.14	<0.5	86	604	760	19.10	20	0.20	10
Target Range – Lower Bound		<0.5	7.18	6	270	<0.5	<2	0.11	<0.5	78	541	712	17.55	<10	0.17	<10
Upper Bound		1.2	8.80	28	390	2.1	4	0.16	1.0	98	663	822	21.5	40	0.24	30
SY-5																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 13-NOV-2023
Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23291932

Sample Description	Method Analyte Units LOD	ME-ICP61 Li ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni % 0.0001	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10
STANDARDS																
EMOG-17		30	0.93	722	1080	1.07	0.737	750	7010	3.11	742	7	193	20	0.31	<10
EMOG-17		30	0.96	740	1075	1.09	0.747	770	7150	3.14	763	8	200	20	0.31	10
Target Range - Lower Bound		<10	0.86	670	996	0.99	0.682	700	6570	2.91	638	6	184	<20	0.28	<10
Upper Bound		50	1.08	830	1220	1.23	0.833	880	8030	3.57	874	10	227	50	0.36	20
MRCA-21		60	0.71	7860	23	1.93	0.0910	820	872	0.42	21	8	167	20	0.35	10
MRCA-21		60	0.72	8140	24	1.87	0.0913	840	899	0.42	26	8	170	<20	0.36	<10
MRCA-21		60	0.71	8060	23	1.96	0.0914	840	892	0.42	23	8	168	20	0.35	<10
Target Range - Lower Bound		40	0.65	7360	22	1.79	0.0848	770	814	0.38	14	7	156	<20	0.32	<10
Upper Bound		80	0.82	9000	29	2.21	0.1040	970	1000	0.49	40	11	192	60	0.42	20
OREAS 147																
Target Range - Lower Bound																
Upper Bound																
OREAS 20a																
Target Range - Lower Bound																
Upper Bound																
OREAS 460																
Target Range - Lower Bound																
Upper Bound																
OREAS 902		10	2.49	460	11	0.05	0.0170	660	10	1.67	<5	6	31	20	0.19	10
OREAS 902		10	2.43	448	11	0.04	0.0165	670	12	1.61	<5	6	29	<20	0.18	<10
OREAS 902		10	2.50	467	12	0.04	0.0171	700	14	1.70	<5	7	31	<20	0.19	<10
Target Range - Lower Bound		<10	2.22	409	10	0.02	0.0147	610	9	1.57	<5	5	25	<20	0.16	<10
Upper Bound		30	2.74	511	15	0.07	0.0181	770	18	1.95	12	9	32	50	0.22	20
OREAS-45h		10	0.23	387	1	0.10	0.0422	220	16	0.04	<5	55	26	<20	0.87	<10
OREAS-45h		20	0.23	379	1	0.10	0.0419	220	11	0.03	<5	55	26	<20	0.84	<10
Target Range - Lower Bound		<10	0.20	337	<1	0.07	0.0380	200	7	<0.01	<5	50	23	<20	0.78	<10
Upper Bound		30	0.27	423	4	0.11	0.0466	260	16	0.06	11	64	31	50	0.98	20
SY-5																
Target Range - Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - C

Total # Pages: 4 (A - C)

Plus Appendix Pages

Finalized Date: 13-NOV-2023

Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23291932

Sample Description	Method Analyte Units LOD	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn % 0.0002	ME-MS85 Sn ppm 0.5	ME-MS85 W ppm 0.5	ME-MS85 Ce ppm 0.1	ME-MS85 Cr ppm 5	ME-MS85 Nd ppm 0.1
STANDARDS										
EMOG-17		<10	71	<10	0.731					
EMOG-17		<10	74	10	0.738					
Target Range - Lower Bound		<10	67	<10	0.680					
Upper Bound		20	84	20	0.832					
MRCA-21		<10	62	20	0.0798					
MRCA-21		<10	61	10	0.0829					
MRCA-21		<10	61	10	0.0822					
Target Range - Lower Bound		<10	57	<10	0.0740					
Upper Bound		20	71	30	0.0908					
OREAS 147						756	5.4	1110	74	363
Target Range - Lower Bound						687	4.7	1080	55	341
Upper Bound						841	7.3	1320	81	417
OREAS 20a						5.4	4.6	79.5	88	36.6
Target Range - Lower Bound						2.9	2.7	73.7	73	31.6
Upper Bound						5.3	5.0	90.3	101	38.8
OREAS 460						16.0	4.7	1815	395	820
Target Range - Lower Bound						13.9	3.8	1620	349	739
Upper Bound						18.1	6.3	1980	437	903
OREAS 902		<10	54	10	0.0008					
OREAS 902		<10	52	<10	0.0008					
OREAS 902		<10	55	<10	0.0008					
Target Range - Lower Bound		<10	48	<10	0.0003					
Upper Bound		30	60	20	0.0012					
OREAS-45h		<10	256	<10	0.0038					
OREAS-45h		<10	258	<10	0.0035					
Target Range - Lower Bound		<10	236	<10	0.0034					
Upper Bound		20	290	20	0.0046					
SY-5						4.4	0.6	471	158	210
Target Range - Lower Bound						1.4	<0.5	413	131	187.0
Upper Bound						3.7	1.0	505	172	229



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - A

Total # Pages: 4 (A - C)

Plus Appendix Pages

Finalized Date: 13-NOV-2023

Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23291932

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
		0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
		10													
BLANKS															
BLANK		<0.5	0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	1	<1	0.02	<10	<0.01
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01
BLANK		<0.5	<0.01	<5	<10	<0.5	3	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01
Target Range - Lower Bound		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01
Upper Bound		1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	20	0.02
BLANK															
BLANK															
Target Range - Lower Bound															
Upper Bound															
DUPLICATES															
STS539															
DUP															
Target Range - Lower Bound															
Upper Bound															
STS587		<0.5	0.20	<5	<10	0.5	<2	0.01	<0.5	8	5820	2	1.01	<10	0.02
DUP		<0.5	0.20	<5	<10	0.5	<2	0.01	<0.5	9	5960	2	1.01	<10	0.02
Target Range - Lower Bound		<0.5	0.18	<5	<10	<0.5	<2	<0.01	<0.5	7	5590	<1	0.95	<10	<0.01
Upper Bound		1.0	0.22	10	20	1.0	4	0.02	1.0	10	6190	3	1.07	20	0.03
STS588															
DUP															
Target Range - Lower Bound															
Upper Bound															
STS591		<0.5	8.88	8	30	0.5	<2	0.06	<0.5	10	276	121	13.70	30	0.16
DUP		<0.5	8.56	6	30	0.5	<2	0.05	<0.5	10	268	118	13.15	30	0.16
Target Range - Lower Bound		<0.5	8.27	<5	20	<0.5	<2	0.04	<0.5	9	257	114	12.75	20	0.14
Upper Bound		1.0	9.17	10	40	1.0	4	0.07	1.0	12	287	125	14.10	40	0.18
STS595															
DUP															
Target Range - Lower Bound															
Upper Bound															



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - B
Total # Pages: 4 (A - C)
Plus Appendix Pages
Finalized Date: 13-NOV-2023
Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23291932

Sample Description	Method Analyte Units LOD	ME-ICP61 Li ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni % 0.0001	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10
BLANKS																
BLANK		<10	<0.01	<5	<1	<0.01	<0.0001	<10	<2	<0.01	<5	<1	<1	<20	<0.01	<10
BLANK		<10	<0.01	<5	<1	<0.01	0.0001	<10	<2	<0.01	<5	<1	<1	<20	<0.01	<10
BLANK		<10	<0.01	<5	<1	<0.01	<0.0001	<10	<2	<0.01	<5	<1	<1	<20	<0.01	<10
BLANK		<10	<0.01	<5	<1	<0.01	0.0001	<10	<2	<0.01	<5	<1	<1	<20	<0.01	<10
BLANK		<10	<0.01	<5	<1	<0.01	<0.0001	<10	<2	<0.01	<5	<1	1	<20	<0.01	<10
Target Range - Lower Bound		<10	<0.01	<5	<1	<0.01	<0.0001	<10	<2	<0.01	<5	<1	<1	<20	<0.01	<10
Upper Bound		20	0.02	10	2	0.02	0.0002	20	4	0.02	10	2	2	40	0.02	20
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
DUPLICATES																
STS539																
DUP																
Target Range - Lower Bound																
Upper Bound																
STS587		20	0.08	138	<1	0.01	0.0005	50	2	0.01	<5	1	2	<20	0.17	<10
DUP		20	0.09	146	1	0.01	0.0008	50	2	0.01	<5	1	1	<20	0.17	<10
Target Range - Lower Bound		<10	0.07	130	<1	<0.01	0.0005	40	<2	<0.01	<5	<1	<1	<20	0.15	<10
Upper Bound		30	0.10	154	2	0.02	0.0008	60	4	0.02	10	2	2	40	0.19	20
STS588																
DUP																
Target Range - Lower Bound																
Upper Bound																
STS591		30	0.19	652	2	0.03	0.0057	600	12	0.13	<5	33	13	<20	1.88	<10
DUP		30	0.19	638	2	0.03	0.0054	580	12	0.12	<5	32	12	<20	1.83	<10
Target Range - Lower Bound		20	0.17	608	<1	0.02	0.0052	550	9	0.11	<5	30	11	<20	1.75	<10
Upper Bound		40	0.21	682	3	0.04	0.0059	630	15	0.14	10	35	14	40	1.96	20
STS595																
DUP																
Target Range - Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - C

Total # Pages: 4 (A - C)

Plus Appendix Pages

Finalized Date: 13-NOV-2023

Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23291932

Sample Description	Method Analyte Units LOD	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn % 0.0002	ME-MS85 Sn ppm 0.5	ME-MS85 W ppm 0.5	ME-MS85 Ce ppm 0.1	ME-MS85 Cr ppm 5	ME-MS85 Nd ppm 0.1
BLANKS										
BLANK		<10	<1	<10	<0.0002					
BLANK		<10	<1	<10	<0.0002					
BLANK		<10	<1	<10	<0.0002					
BLANK		<10	<1	<10	<0.0002					
BLANK		<10	<1	<10	0.0002					
Target Range - Lower Bound		<10	<1	<10	<0.0002					
Upper Bound		20	2	20	0.0004					
BLANK						<0.5	<0.5	<0.1	<5	<0.1
BLANK						<0.5	<0.5	<0.1	<5	<0.1
Target Range - Lower Bound						<0.5	<0.5	<0.1	<5	<0.1
Upper Bound						1.0	1.0	0.2	10	0.2
DUPLICATES										
STS539						4.6	1.7	24.5	228	10.9
DUP						3.0	1.6	26.0	211	11.1
Target Range - Lower Bound						3.1	1.1	23.9	204	10.4
Upper Bound						4.5	2.2	26.6	235	11.7
STS587		<10	15	<10	0.0037					
DUP		<10	15	<10	0.0037					
Target Range - Lower Bound		<10	13	<10	0.0033					
Upper Bound		20	17	20	0.0041					
STS588						46.0	2.3	52.9	5100	23.1
DUP						40.6	2.1	64.1	5060	28.5
Target Range - Lower Bound						40.6	1.6	55.5	4820	24.4
Upper Bound						46.0	2.8	61.5	5340	27.2
STS591		<10	348	<10	0.0056					
DUP		<10	341	<10	0.0055					
Target Range - Lower Bound		<10	326	<10	0.0051					
Upper Bound		20	363	20	0.0060					
STS595						3.2	1.4	27.3	220	9.9
DUP						3.8	1.4	27.7	218	9.7
Target Range - Lower Bound						2.8	0.8	26.0	203	9.2
Upper Bound						4.2	2.0	29.0	235	10.4



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 4 - A

Total # Pages: 4 (A - C)

Plus Appendix Pages

Finalized Date: 13-NOV-2023

Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23291932

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
		0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
NRS012 DUP Target Range - Lower Bound Upper Bound		DUPLICATES													
ORIGINAL		<0.5	8.64	7	20	<0.5	<2	7.49	<0.5	49	121	101	8.40	20	0.14
DUP		<0.5	8.60	7	20	<0.5	<2	7.65	<0.5	50	124	102	8.53	10	0.15
Target Range - Lower Bound		<0.5	8.18	<5	<10	<0.5	<2	7.18	<0.5	46	115	97	8.03	<10	0.13
Upper Bound		1.0	9.06	10	30	1.0	4	7.96	1.0	53	130	106	8.90	20	0.16
BR1876		<0.5	7.42	<5	1800	1.2	2	1.18	<0.5	5	15	15	2.12	20	3.44
DUP		<0.5	7.42	<5	1810	1.2	2	1.17	<0.5	5	15	14	2.13	20	3.44
Target Range - Lower Bound		<0.5	7.04	<5	1660	0.6	<2	1.11	<0.5	4	13	13	2.01	<10	3.26
Upper Bound		1.0	7.80	10	1950	1.8	4	1.24	1.0	6	17	16	2.24	30	3.62
ORIGINAL		<0.5	6.90	5	220	0.7	<2	6.68	<0.5	47	60	83	9.19	20	0.90
DUP		<0.5	6.99	<5	220	0.7	<2	6.60	<0.5	46	59	85	9.28	20	0.92
Target Range - Lower Bound		<0.5	6.59	<5	190	<0.5	<2	6.30	<0.5	43	56	80	8.76	<10	0.85
Upper Bound		1.0	7.30	10	250	1.0	4	6.98	1.0	50	63	88	9.71	30	0.97



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 4 – B

Total # Pages: 4 (A – C)

Plus Appendix Pages

Finalized Date: 13-NOV-2023

Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23291932

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl
		ppm	%	ppm	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
		10	0.01	5	1	0.01	0.0001	10	2	0.01	5	1	1	20	0.01	10
NRS012 DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
	ORIGINAL	10	3.87	1190	<1	0.79	0.0137	280	<2	0.08	<5	31	83	<20	0.44	<10
	DUP	10	3.85	1215	<1	0.80	0.0140	280	2	0.08	<5	29	85	<20	0.44	<10
	Target Range – Lower Bound	<10	3.66	1135	<1	0.75	0.0131	260	<2	0.07	<5	28	79	<20	0.41	<10
Upper Bound	20	4.06	1270	2	0.84	0.0146	300	4	0.09	10	33	89	40	0.47	20	
BR1876 DUP Target Range – Lower Bound Upper Bound		20	0.42	301	2	2.95	0.0006	830	30	0.04	<5	6	451	<20	0.20	<10
	DUP	20	0.43	309	3	2.96	0.0006	830	29	0.04	<5	6	452	20	0.20	<10
	Target Range – Lower Bound	<10	0.39	285	<1	2.80	0.0005	780	26	0.03	<5	5	428	<20	0.18	<10
	Upper Bound	30	0.46	325	4	3.11	0.0007	880	33	0.05	10	7	475	40	0.22	20
ORIGINAL DUP Target Range – Lower Bound Upper Bound		20	3.44	1525	1	1.70	0.0047	700	<2	0.06	<5	37	214	<20	0.86	<10
	DUP	20	3.44	1510	<1	1.73	0.0049	700	4	0.06	<5	37	217	<20	0.86	<10
	Target Range – Lower Bound	<10	3.26	1435	<1	1.62	0.0045	660	<2	0.05	<5	34	204	<20	0.81	<10
	Upper Bound	30	3.62	1600	2	1.81	0.0051	750	4	0.07	10	40	227	40	0.91	20



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 13-NOV-2023

Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23291932

CERTIFICATE COMMENTS

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist
ME-ICP61

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 79 Distinction Road, Wangara, WA, Australia

ME-ICP61

ME-MS85

PUL-31L

Applies to Method:

Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia.

LEV-01

LOG-22

LOG-24

WEI-21