



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Page: 1

Total # Pages: 4 (A – C)

Plus Appendix Pages

Finalized Date: 15-JAN-2024

Account: VENMIN

## CERTIFICATE AD23340688

Project: Mt Lindsay

P.O. No.: VNS380

This report is for 110 samples of Soil submitted to our lab in Burnie, TAS, Australia on 23-NOV-2023.

The following have access to data associated with this certificate:

ALEXANDRA LINTNER  
RITWIK NAITHANI

ANGELIQUE MARTIN  
STUART OWEN

SERGI MASCLANS

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-24	Pulp Login – Rcd w/o Barcode
PUL-31L	Pulverize 250g soil to 85% < 75um
SPL-21	Split sample – riffle splitter
LOG-22	Sample login – Rcd w/o BarCode
PUL-QC	Pulverizing QC Test

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS85	Lithium Borate Fusion – Select Elements	ICP-MS
B-ICP69	Boron – HF Digest ICP-AES	ICP-AES
ME-ICP61	34 element four acid ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - A

Total # Pages: 4 (A - C)

Plus Appendix Pages

Finalized Date: 15-JAN-2024

Account: VENMIN

## CERTIFICATE OF ANALYSIS AD23340688

Sample Description	Method Analyte Units LOD	WEI-21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
		kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
NRS032		0.46	<0.5	11.15	<5	300	1.3	3	0.44	<0.5	36	358	59	15.65	30
NRS033		0.54	<0.5	11.70	<5	60	0.7	4	0.46	<0.5	11	269	60	16.00	40
NRS034		0.50	<0.5	11.85	<5	60	1.0	4	0.23	<0.5	20	310	54	15.00	40
NRS035		0.51	<0.5	13.20	<5	70	1.1	4	0.24	<0.5	30	278	51	14.70	40
NRS036		0.52	<0.5	9.53	<5	310	2.1	6	0.34	0.5	74	336	93	19.85	30
NRS037		0.55	<0.5	6.20	<5	270	1.4	2	0.49	<0.5	80	278	47	14.30	20
NRS038		0.42	<0.5	10.65	<5	190	1.7	6	0.30	<0.5	30	466	53	17.15	30
NRS040		0.51	<0.5	11.90	<5	70	1.0	3	0.08	0.5	18	203	50	15.25	40
NRS045		0.37	<0.5	10.55	5	40	1.2	<2	0.05	<0.5	12	305	39	10.50	30
NRS046		0.49	<0.5	7.31	<5	170	1.0	2	0.28	<0.5	46	126	79	14.55	20
NRS047		0.50	<0.5	8.60	<5	120	1.5	3	0.10	<0.5	48	282	59	15.60	30
NRS052		0.45	<0.5	12.15	7	50	0.7	<2	0.10	<0.5	10	66	39	8.81	30
NRS053		0.48	<0.5	6.82	<5	110	1.0	4	0.18	<0.5	40	46	73	14.65	20
NRS054		0.52	<0.5	5.47	<5	280	0.8	<2	0.77	<0.5	25	30	48	6.32	10
NRS055		0.36	<0.5	8.32	<5	370	1.3	<2	0.21	<0.5	45	313	83	10.80	30
NRS056		0.19	<0.5	5.63	<5	120	1.1	<2	0.25	<0.5	36	187	36	11.50	20
NRS059		0.58	<0.5	5.28	5	110	0.6	4	0.11	<0.5	7	171	21	15.95	20
NRS066		0.40	<0.5	11.80	<5	10	0.9	6	0.01	<0.5	8	169	64	15.50	50
NRS067		0.62	<0.5	11.30	<5	20	0.6	4	0.10	<0.5	11	314	78	21.1	50
NRS080		0.75	<0.5	2.12	<5	100	0.5	<2	0.07	<0.5	6	43	22	6.66	10
NRS080s		<0.02	1.4	3.93	492	170	0.7	13	3.66	<0.5	547	31	8840	23.8	20
NRS082		0.58	<0.5	4.03	<5	80	0.5	2	0.07	<0.5	7	65	20	7.96	10
NRS083		0.69	<0.5	1.70	<5	70	<0.5	<2	0.03	<0.5	6	46	12	5.23	<10
NRS084		0.75	<0.5	1.77	<5	70	0.5	<2	0.03	<0.5	6	54	13	5.80	10
NRS085		0.60	<0.5	2.91	<5	80	0.9	<2	0.05	<0.5	7	48	16	3.31	10
NRS086		0.44	<0.5	5.35	5	60	0.8	<2	0.08	<0.5	6	83	18	8.38	10
NRS087		0.18	<0.5	8.66	<5	80	1.0	2	0.11	<0.5	8	77	42	3.42	20
NRS088		0.21	<0.5	8.81	6	50	1.0	<2	0.13	<0.5	11	74	49	6.98	20
NRS089		0.53	<0.5	5.36	<5	70	0.7	2	0.06	<0.5	6	68	20	3.54	10
NRS090		0.78	<0.5	3.60	<5	60	0.6	<2	0.08	<0.5	13	113	35	11.65	10
NRS091		0.59	<0.5	3.43	<5	60	0.7	<2	0.04	<0.5	14	134	30	15.35	10
NRS092		0.48	<0.5	3.33	<5	100	0.8	<2	0.10	<0.5	9	95	23	12.60	10
NRS093		0.56	<0.5	2.40	<5	70	0.6	<2	0.03	<0.5	6	112	14	14.35	10
NRS094		0.60	<0.5	2.44	<5	100	0.6	<2	0.05	<0.5	8	51	25	5.96	10
NRS095		0.71	<0.5	2.19	<5	110	0.7	<2	0.05	<0.5	4	38	20	4.82	10
NRS096		0.51	<0.5	3.37	<5	80	0.7	2	0.04	<0.5	12	111	21	16.05	10
NRS097		0.77	<0.5	6.27	<5	40	0.7	<2	0.02	<0.5	8	92	43	10.60	20
NRS098		0.43	<0.5	11.05	5	40	0.8	<2	0.01	<0.5	10	107	42	6.66	20
NRS099		0.64	<0.5	3.06	<5	50	<0.5	2	0.03	<0.5	5	65	17	5.30	10
NRS100		0.71	<0.5	4.16	5	60	0.5	<2	0.03	<0.5	6	69	19	5.95	10



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED  
LEVEL3  
24 OUTRAM STREET  
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - B  
Total # Pages: 4 (A - C)  
Plus Appendix Pages  
Finalized Date: 15-JAN-2024  
Account: VENMIN

CERTIFICATE OF ANALYSIS AD23340688

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
		ppm	ppm	%	ppm	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		10	10	0.01	5	1	0.01	0.0001	10	2	0.01	5	1	1	20
NRS032		20	10	0.10	2080	3	0.04	0.0100	1470	9	0.06	<5	39	50	<20
NRS033		20	<10	0.12	1655	2	0.10	0.0059	1030	7	0.10	<5	28	57	<20
NRS034		40	<10	0.11	1425	4	0.04	0.0092	1070	8	0.06	<5	28	49	<20
NRS035		30	<10	0.12	1520	3	0.04	0.0109	1140	8	0.06	<5	35	35	<20
NRS036		20	10	0.20	1770	3	0.06	0.0167	1510	10	0.05	7	40	34	<20
NRS037		30	10	0.39	1050	2	0.20	0.0164	790	11	0.04	8	24	49	<20
NRS038		20	10	0.12	1680	2	0.04	0.0119	1230	15	0.05	6	44	39	<20
NRS040		20	<10	0.08	1440	3	0.08	0.0066	1110	7	0.16	<5	26	27	<20
NRS045		10	10	0.08	266	2	0.04	0.0084	400	8	0.03	<5	29	14	<20
NRS046		20	10	0.15	1890	2	0.10	0.0067	730	19	0.04	<5	35	26	<20
NRS047		20	<10	0.06	1610	3	0.04	0.0101	850	8	0.04	<5	23	32	<20
NRS052		10	20	0.09	220	2	0.05	0.0030	290	12	0.03	<5	39	14	<20
NRS053		20	20	0.11	1175	1	0.09	0.0022	510	22	0.04	<5	37	24	<20
NRS054		20	10	0.23	745	1	0.55	0.0020	280	15	0.03	<5	20	47	<20
NRS055		20	10	0.46	484	1	0.15	0.0240	440	7	0.03	<5	25	24	<20
NRS056		20	10	0.20	598	2	0.18	0.0069	370	18	0.02	5	19	35	<20
NRS059		10	20	0.08	349	2	0.15	0.0025	380	25	0.03	<5	17	23	<20
NRS066		10	<10	0.05	352	4	0.29	0.0059	480	7	0.25	5	26	13	<20
NRS067		30	<10	0.07	582	4	0.13	0.0037	770	11	0.11	<5	30	23	<20
NRS080		20	10	0.04	271	1	0.13	0.0011	120	20	0.01	<5	11	17	<20
NRS080s		160	20	1.06	3840	191	0.63	0.0072	870	14	2.48	8	10	191	<20
NRS082		20	10	0.06	213	1	0.10	0.0017	140	16	0.01	<5	15	14	<20
NRS083		10	10	0.03	215	1	0.08	0.0007	90	11	0.01	<5	7	11	<20
NRS084		10	10	0.03	219	1	0.08	0.0008	90	14	0.01	<5	7	12	<20
NRS085		20	10	0.05	226	1	0.08	0.0014	180	15	0.02	5	10	13	<20
NRS086		20	20	0.06	147	1	0.06	0.0015	170	15	0.02	<5	13	16	<20
NRS087		10	20	0.13	198	1	0.06	0.0040	120	15	0.01	<5	27	16	<20
NRS088		10	20	0.18	74	2	0.05	0.0030	110	15	0.02	<5	23	17	<20
NRS089		10	20	0.09	216	<1	0.06	0.0018	100	11	0.01	<5	14	13	<20
NRS090		10	10	0.05	420	1	0.08	0.0019	140	14	0.01	5	17	14	<20
NRS091		10	10	0.04	370	1	0.06	0.0020	210	14	0.02	5	16	10	<20
NRS092		10	10	0.06	664	1	0.07	0.0015	250	17	0.02	<5	14	21	<20
NRS093		10	10	0.03	191	1	0.07	0.0009	160	22	0.01	<5	10	12	<20
NRS094		20	20	0.04	296	1	0.10	0.0014	130	17	0.01	<5	13	14	<20
NRS095		20	10	0.04	172	1	0.12	0.0008	110	19	0.01	<5	9	16	<20
NRS096		10	10	0.05	284	1	0.08	0.0017	200	19	0.01	<5	16	14	<20
NRS097		10	10	0.05	239	1	0.05	0.0020	140	14	0.02	<5	24	8	<20
NRS098		10	10	0.08	174	1	0.04	0.0034	120	9	0.02	<5	27	10	<20
NRS099		10	10	0.04	288	1	0.07	0.0012	100	11	0.01	<5	10	10	<20
NRS100		10	10	0.05	147	1	0.07	0.0016	90	11	0.01	<5	13	12	<20



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - C

Total # Pages: 4 (A - C)

Plus Appendix Pages

Finalized Date: 15-JAN-2024

Account: VENMIN

## CERTIFICATE OF ANALYSIS AD23340688

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-MS85	ME-MS85	B-ICP69	ME-MS85	ME-MS85	ME-MS85	PUL-QC	ME-ICP61
		Ti	U	V	W	Zn	Sn	W	B	Nd	Ce	Cr	Pass75um	Sn
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		10	10	1	10	0.0002	0.5	0.5	10	0.1	0.1	5	0.01	10
NRS032		<10	<10	202	<10	0.0073	3.5	2.4		20.7	49.2	411	99.0	<10
NRS033		<10	<10	246	<10	0.0066	2.9	2.1		17.4	30.2	310	99.0	<10
NRS034		<10	<10	266	<10	0.0081	3.6	<0.5		46.9	67.6	359	99.0	<10
NRS035		<10	<10	237	<10	0.0081	2.9	1.3		26.7	70.1	324		<10
NRS036		<10	<10	352	<10	0.0192	3.4	<0.5		20.6	75.1	381		<10
NRS037		<10	<10	228	<10	0.0200	2.5	2.2		44.5	70.5	306		<10
NRS038		<10	<10	310	<10	0.0105	3.6	2.0		17.8	74.1	508		<10
NRS040		<10	<10	236	<10	0.0075	3.7	1.5		23.6	48.1	247		<10
NRS045		<10	<10	179	<10	0.0051	3.1	1.7		23.1	79.2	347		<10
NRS046		<10	<10	330	<10	0.0114	3.0	2.0		24.9	45.4	139		<10
NRS047		<10	<10	199	<10	0.0099	3.5	<0.5		42.6	72.6	333		<10
NRS052		<10	<10	233	<10	0.0029	4.5	2.8		7.2	16.0	77		<10
NRS053		<10	<10	369	<10	0.0084	3.1	0.5		19.2	66.3	55		<10
NRS054		<10	<10	168	<10	0.0062	2.5	0.5		26.1	52.7	33		<10
NRS055		<10	<10	167	<10	0.0273	3.0	2.1		108.5	81.8	383		<10
NRS056		<10	<10	189	<10	0.0066	3.5	0.7		22.0	48.1	212		<10
NRS059		<10	<10	345	<10	0.0030	3.6	2.4		11.6	27.3	197		<10
NRS066		<10	<10	366	<10	0.0074	4.0	4.2		9.2	18.7	215		<10
NRS067		<10	<10	356	<10	0.0065	4.4	0.6		16.2	33.1	382		<10
NRS080		<10	<10	188	<10	0.0028	2.7	2.2		14.0	34.7	50		<10
NRS080s		<10	30	157	130	0.0030	11.1	141.5		30.3	166.5	40		10
NRS082		<10	<10	167	<10	0.0024	2.9	2.8		15.2	40.2	80		<10
NRS083		<10	<10	114	<10	0.0021	2.5	1.2		11.1	27.0	60		<10
NRS084		<10	<10	129	<10	0.0018	1.9	1.1		12.5	27.3	64		<10
NRS085		<10	<10	99	<10	0.0018	2.8	2.1		22.4	55.2	58		<10
NRS086		<10	<10	201	<10	0.0017	2.9	1.6		15.8	39.9	96		<10
NRS087		<10	<10	192	<10	0.0034	3.7	2.5		15.7	32.3	93		<10
NRS088		10	<10	237	<10	0.0026	2.6	1.2		10.4	27.2	86		<10
NRS089		<10	<10	133	<10	0.0022	3.0	1.4		11.6	27.0	81		<10
NRS090		<10	<10	319	<10	0.0050	2.3	1.2		9.7	22.7	134		<10
NRS091		<10	<10	337	<10	0.0067	2.0	1.4		7.5	18.0	162		<10
NRS092		<10	<10	278	<10	0.0030	2.9	5.7		9.2	20.8	112		<10
NRS093		<10	<10	297	<10	0.0016	2.5	2.8		12.8	31.0	122		<10
NRS094		<10	<10	198	<10	0.0020	2.4	2.8		20.1	44.4	53		<10
NRS095		<10	<10	135	<10	0.0019	2.7	4.4		19.0	45.2	49		<10
NRS096		<10	<10	251	<10	0.0048	2.3	7.2		11.6	24.4	125		<10
NRS097		<10	<10	314	<10	0.0036	2.4	3.2		7.7	16.2	105		<10
NRS098		<10	<10	283	<10	0.0041	2.6	1.4		8.7	19.9	122		<10
NRS099		<10	<10	167	<10	0.0019	3.5	1.8		6.8	17.3	79		<10
NRS100		<10	<10	182	<10	0.0014	1.9	4.2		7.5	19.4	83		<10



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED  
LEVEL3  
24 OUTRAM STREET  
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - A  
Total # Pages: 4 (A - C)  
Plus Appendix Pages  
Finalized Date: 15-JAN-2024  
Account: VENMIN

CERTIFICATE OF ANALYSIS AD23340688

Sample Description	Method Analyte Units LOD	WEI-21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
		kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
NRS101		0.56	<0.5	3.83	6	70	0.8	<2	0.02	<0.5	8	42	42	9.86	10
NRS101s		<0.02	1.1	3.91	494	150	0.7	9	3.59	<0.5	561	29	9170	23.9	20
NRS102		0.54	<0.5	3.28	<5	130	0.9	<2	0.06	<0.5	9	33	44	6.69	10
NRS103		0.45	<0.5	10.25	<5	80	1.0	<2	0.01	<0.5	8	105	42	8.57	20
NRS104		0.68	<0.5	7.03	<5	70	0.8	3	0.02	<0.5	5	83	21	6.73	20
NRS105		0.73	<0.5	2.41	<5	50	0.5	<2	0.02	<0.5	3	31	9	1.50	10
NRS106		0.58	<0.5	2.92	<5	60	<0.5	<2	0.02	<0.5	3	33	13	1.58	10
NRS107		0.75	<0.5	2.07	<5	70	0.5	<2	0.05	<0.5	4	35	11	2.42	<10
NRS108		0.69	<0.5	3.32	<5	160	0.8	<2	0.07	<0.5	15	41	50	11.20	10
NRS109		0.73	<0.5	1.80	<5	110	0.5	<2	0.03	<0.5	5	34	18	7.22	10
NRS110		0.67	<0.5	3.69	<5	80	0.6	2	0.05	<0.5	8	41	21	4.30	10
NRS111		0.67	<0.5	3.09	<5	80	0.6	2	0.04	<0.5	6	76	17	11.95	20
NRS112		0.71	<0.5	3.56	<5	70	0.6	<2	0.03	<0.5	5	62	21	7.50	10
NRS113		0.73	<0.5	2.61	<5	100	0.8	3	0.08	<0.5	4	50	20	14.80	20
NRS114		0.61	<0.5	3.56	5	130	0.7	<2	0.09	<0.5	8	31	39	12.70	10
NRS213		0.48	<0.5	2.98	<5	240	0.6	2	0.38	<0.5	16	269	20	7.56	10
NRS214		0.29	<0.5	5.62	<5	260	0.8	<2	0.23	<0.5	21	226	31	6.96	10
NRS215		0.43	<0.5	3.83	<5	280	0.7	<2	0.17	<0.5	15	215	32	8.77	10
NRS216		0.56	<0.5	5.88	<5	550	0.8	<2	0.60	<0.5	41	234	39	7.84	10
NRS217		1.02	<0.5	3.51	<5	360	0.7	<2	0.20	<0.5	18	198	28	6.38	10
NRS218		0.60	<0.5	3.81	<5	240	0.8	<2	0.23	<0.5	18	419	20	13.40	20
NRS218s		<0.02	1.2	3.97	498	140	0.7	8	3.62	<0.5	565	29	9340	24.2	20
NRS219		0.65	<0.5	3.91	<5	290	0.6	<2	0.24	<0.5	17	278	28	7.22	10
NRS220		0.93	<0.5	3.46	<5	150	0.5	<2	0.22	<0.5	10	222	24	6.76	10
NRS221		0.75	<0.5	3.42	<5	150	0.5	<2	0.11	<0.5	12	178	29	5.52	10
NRS222		0.74	<0.5	2.47	<5	260	0.5	2	0.13	<0.5	9	155	24	5.77	10
NRS223		0.27	<0.5	8.19	<5	160	1.5	2	0.11	<0.5	46	473	31	17.10	30
NRS224		0.46	<0.5	5.67	<5	140	0.7	<2	0.22	<0.5	32	204	30	4.96	10
NRS228		0.38	<0.5	9.45	<5	120	1.3	<2	0.12	<0.5	61	357	34	10.70	30
NRS229		0.46	<0.5	6.97	<5	150	0.6	2	0.43	<0.5	11	535	24	18.15	40
NRS230		0.49	<0.5	14.10	6	140	0.6	3	0.36	<0.5	10	553	22	13.15	50
NRS233		0.73	<0.5	5.58	<5	230	0.9	<2	0.11	<0.5	23	369	34	11.45	20
NRS234		0.55	<0.5	16.00	<5	80	<0.5	5	0.23	<0.5	20	546	45	16.80	50
NRS238		0.42	<0.5	6.09	<5	250	0.8	<2	0.17	<0.5	47	263	41	8.92	20
NRS239		0.70	<0.5	4.01	<5	160	0.6	<2	0.14	<0.5	18	166	24	6.03	10
NRS240		0.59	<0.5	8.06	<5	270	1.2	<2	0.37	0.5	53	329	60	14.30	30
NRS241		0.58	<0.5	7.05	<5	200	1.0	<2	0.36	<0.5	33	293	53	9.16	20
NRS243		0.18	<0.5	8.25	<5	250	1.4	<2	0.17	<0.5	79	264	68	8.79	20
NRS244		0.35	<0.5	8.89	<5	230	1.2	<2	0.24	<0.5	54	252	57	9.23	20
NRS245		0.76	<0.5	2.54	<5	150	0.6	<2	0.08	<0.5	25	107	31	5.41	10



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED  
LEVEL3  
24 OUTRAM STREET  
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - B  
Total # Pages: 4 (A - C)  
Plus Appendix Pages  
Finalized Date: 15-JAN-2024  
Account: VENMIN

CERTIFICATE OF ANALYSIS AD23340688

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
		ppm	ppm	%	ppm	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		10	10	0.01	5	1	0.01	0.0001	10	2	0.01	5	1	1	20
NRS101		10	20	0.05	132	1	0.05	0.0022	160	16	0.01	<5	15	13	<20
NRS101s		160	20	1.07	3900	192	0.63	0.0072	890	16	2.52	9	10	194	<20
NRS102		30	20	0.05	396	1	0.11	0.0007	200	25	0.01	5	19	20	<20
NRS103		10	10	0.10	139	2	0.05	0.0026	160	23	0.02	<5	34	15	<20
NRS104		10	10	0.06	186	1	0.07	0.0017	110	14	0.01	5	22	12	<20
NRS105		10	10	0.03	177	<1	0.05	0.0006	60	11	0.01	<5	8	8	<20
NRS106		10	10	0.03	150	<1	0.04	0.0007	140	7	0.02	<5	8	7	<20
NRS107		10	10	0.03	218	<1	0.06	0.0006	100	11	0.01	<5	8	12	<20
NRS108		20	20	0.05	814	1	0.13	0.0014	200	26	0.01	<5	19	20	<20
NRS109		20	20	0.03	214	1	0.11	0.0008	140	20	0.01	<5	9	14	<20
NRS110		20	20	0.05	296	2	0.09	0.0011	120	19	0.01	<5	16	14	<20
NRS111		20	10	0.05	264	1	0.08	0.0010	210	25	0.01	<5	14	15	<20
NRS112		10	20	0.05	230	1	0.08	0.0011	140	15	0.01	<5	15	11	<20
NRS113		10	20	0.04	219	1	0.10	0.0009	210	30	0.01	<5	15	16	<20
NRS114		10	20	0.07	186	1	0.15	0.0009	140	34	0.01	<5	16	17	<20
NRS213		20	10	0.23	438	1	0.17	0.0035	580	16	0.03	<5	11	36	<20
NRS214		10	10	0.29	227	1	0.17	0.0054	310	13	0.02	<5	18	37	<20
NRS215		20	10	0.23	241	1	0.19	0.0045	350	16	0.02	5	15	28	<20
NRS216		20	10	0.88	588	1	0.32	0.0100	440	16	0.02	<5	25	72	<20
NRS217		20	10	0.21	553	1	0.20	0.0049	310	13	0.02	5	14	38	<20
NRS218		20	10	0.14	414	2	0.13	0.0041	510	22	0.03	6	16	33	<20
NRS218s		160	20	1.08	3940	193	0.64	0.0075	890	14	2.54	10	11	195	<20
NRS219		20	10	0.18	610	2	0.18	0.0044	490	13	0.03	<5	15	34	<20
NRS220		10	10	0.11	323	1	0.11	0.0041	530	14	0.03	5	10	25	<20
NRS221		20	10	0.12	193	1	0.11	0.0038	280	12	0.02	<5	11	22	<20
NRS222		20	10	0.12	229	1	0.15	0.0031	300	12	0.02	<5	8	21	<20
NRS223		20	20	0.25	179	2	0.13	0.0088	330	18	0.02	5	21	24	<20
NRS224		20	10	0.14	731	1	0.08	0.0050	450	13	0.03	<5	23	30	<20
NRS228		30	20	0.21	200	2	0.09	0.0107	310	14	0.02	6	26	31	<20
NRS229		10	10	0.13	693	2	0.07	0.0045	2200	21	0.10	8	13	48	<20
NRS230		10	10	0.14	797	3	0.08	0.0058	1060	14	0.09	7	22	64	<20
NRS233		10	10	0.12	520	1	0.20	0.0049	290	16	0.01	5	21	22	<20
NRS234		<10	10	0.08	696	4	0.04	0.0049	930	11	0.07	9	30	32	<20
NRS238		20	10	0.44	343	1	0.27	0.0081	360	14	0.02	5	25	32	<20
NRS239		20	10	0.10	542	1	0.07	0.0048	660	9	0.04	<5	12	22	<20
NRS240		20	10	0.17	1780	2	0.11	0.0159	960	13	0.04	8	25	64	<20
NRS241		20	10	0.14	1920	1	0.09	0.0111	760	15	0.04	<5	26	49	<20
NRS243		30	10	0.49	265	1	0.18	0.0149	320	11	0.03	<5	34	30	<20
NRS244		20	20	0.39	337	1	0.18	0.0134	380	11	0.03	<5	35	30	<20
NRS245		30	10	0.07	438	1	0.05	0.0036	300	9	0.02	<5	9	19	<20



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - C

Total # Pages: 4 (A - C)

Plus Appendix Pages

Finalized Date: 15-JAN-2024

Account: VENMIN

## CERTIFICATE OF ANALYSIS AD23340688

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-MS85	ME-MS85	B-ICP69	ME-MS85	ME-MS85	ME-MS85	PUL-QC	ME-ICP61
		Ti	U	V	W	Zn	Sn	W	B	Nd	Ce	Cr	Pass75um	Sn
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		10	10	1	10	0.0002	0.5	0.5	10	0.1	0.1	5	0.01	10
NRS101		<10	<10	225	<10	0.0018	2.1	3.2		12.6	30.2	51		<10
NRS101s		<10	30	157	130	0.0031	11.2	136.5		30.8	166.0	39		10
NRS102		<10	<10	217	<10	0.0034	3.5	3.0		21.8	47.4	41		<10
NRS103		<10	<10	236	<10	0.0031	4.8	2.2		12.4	35.2	117		<10
NRS104		<10	<10	216	<10	0.0021	3.9	2.4		9.5	20.2	98		<10
NRS105		<10	<10	86	<10	0.0013	3.8	1.7		5.4	13.2	40	95.0	<10
NRS106		<10	<10	79	<10	0.0013	2.1	1.2		7.4	17.0	39		<10
NRS107		<10	<10	83	<10	0.0013	1.7	2.1		8.5	19.3	40		<10
NRS108		<10	<10	315	<10	0.0026	3.0	2.2		16.4	50.3	45		<10
NRS109		<10	<10	180	<10	0.0018	3.6	2.0		18.8	35.1	40		<10
NRS110		<10	<10	183	<10	0.0031	2.6	3.0		13.4	36.8	49		<10
NRS111		<10	<10	231	<10	0.0022	3.7	2.9		14.2	31.3	83		<10
NRS112		<10	<10	202	<10	0.0017	2.7	1.5		11.0	26.0	79		<10
NRS113		<10	<10	402	<10	0.0018	3.2	2.4		11.6	28.1	55		<10
NRS114		<10	<10	418	<10	0.0025	2.7	2.5		13.2	26.5	37		<10
NRS213		<10	<10	201	<10	0.0029	3.8	3.1		17.6	40.3	323		<10
NRS214		<10	<10	220	<10	0.0035	3.5	1.7		14.2	30.6	242		<10
NRS215		<10	<10	282	<10	0.0037	2.9	2.1		19.9	37.1	244		<10
NRS216		<10	<10	225	<10	0.0056	3.0	2.3		19.9	108.0	273		<10
NRS217		<10	<10	210	<10	0.0037	2.6	1.8		17.6	33.7	220		<10
NRS218		<10	<10	302	<10	0.0030	3.6	2.2		17.3	36.5	478		<10
NRS218s		<10	40	157	130	0.0031	10.5	139.5		30.7	167.0	41		10
NRS219		<10	<10	184	<10	0.0036	3.4	1.7		14.8	31.5	301		<10
NRS220		<10	<10	160	<10	0.0041	3.5	1.6		10.8	24.0	252		<10
NRS221		<10	<10	215	<10	0.0032	2.5	2.5		11.7	26.6	204		<10
NRS222		<10	<10	225	<10	0.0026	2.2	1.3		12.6	27.0	182		<10
NRS223		<10	<10	293	<10	0.0041	2.5	1.3		23.0	43.9	522		<10
NRS224		<10	<10	186	<10	0.0036	3.3	1.5		14.6	37.4	226		<10
NRS228		<10	<10	264	<10	0.0052	2.6	1.7		18.8	40.2	412		<10
NRS229		<10	<10	341	<10	0.0063	3.9	1.1		8.7	24.1	620		<10
NRS230		<10	<10	351	<10	0.0039	4.7	1.7		8.7	23.1	624		<10
NRS233		<10	<10	301	<10	0.0048	2.2	3.2		12.0	27.1	400		<10
NRS234		<10	<10	374	<10	0.0043	4.1	0.7		6.7	43.6	647		<10
NRS238		<10	<10	238	<10	0.0054	2.1	1.0		23.1	41.0	286		<10
NRS239		<10	<10	126	<10	0.0043	2.6	1.4		15.5	39.3	187		<10
NRS240		<10	<10	226	<10	0.0107	3.0	0.8		19.7	59.3	373		<10
NRS241		<10	<10	225	<10	0.0055	3.0	5.8		26.1	62.5	327		<10
NRS243		<10	<10	236	<10	0.0072	2.1	0.8		77.9	104.0	304		<10
NRS244		<10	<10	248	<10	0.0070	2.1	1.1		22.0	30.2	292		<10
NRS245		<10	<10	127	<10	0.0039	2.5	1.1		38.1	43.8	120		<10



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED  
LEVEL3  
24 OUTRAM STREET  
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 4 - A  
Total # Pages: 4 (A - C)  
Plus Appendix Pages  
Finalized Date: 15-JAN-2024  
Account: VENMIN

CERTIFICATE OF ANALYSIS AD23340688

Sample Description	Method Analyte Units LOD	WEI-21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
		kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
NRS246		0.69	<0.5	2.38	<5	270	0.8	<2	0.19	<0.5	148	190	37	6.76	10
NRS246s		<0.02	1.2	3.95	497	190	0.7	10	3.60	<0.5	565	29	9240	24.1	20
NRS248		0.53	<0.5	3.78	<5	260	0.7	<2	0.15	<0.5	25	220	33	7.06	10
NRS249		0.65	<0.5	2.75	<5	220	0.5	<2	0.15	<0.5	16	158	23	5.96	10
NRS250		0.29	<0.5	5.86	<5	150	0.8	<2	0.10	<0.5	17	138	34	4.44	10
NRS251		0.25	<0.5	5.83	<5	190	0.7	<2	0.17	<0.5	24	146	32	5.55	10
NRS252		0.52	<0.5	3.27	<5	220	0.6	<2	0.22	<0.5	21	101	29	4.12	10
NRS253		0.45	<0.5	5.21	<5	630	1.3	<2	0.37	0.5	55	390	43	9.82	10
NRS254		0.50	<0.5	3.55	<5	330	0.9	<2	0.22	<0.5	31	248	26	6.00	10
NRS255		0.19	<0.5	6.15	<5	230	0.9	<2	0.26	<0.5	46	216	38	7.51	10
NRS256		0.46	<0.5	4.85	<5	200	0.6	<2	0.14	<0.5	15	141	31	3.51	10
NRS257		0.67	<0.5	2.29	<5	160	<0.5	<2	0.11	<0.5	6	64	20	2.36	<10
SBSS225		0.69	<0.5	0.91	<5	90	<0.5	<2	0.01	<0.5	<1	16	2	0.51	<10
SBSS226		0.69	<0.5	0.96	<5	70	<0.5	<2	0.01	<0.5	<1	21	2	0.62	<10
SBSS227		0.65	<0.5	0.66	<5	40	<0.5	<2	0.01	<0.5	<1	16	2	0.80	<10
SBSS228		0.56	<0.5	0.77	<5	50	<0.5	<2	0.03	<0.5	<1	19	3	0.86	<10
SBSS229		0.69	<0.5	1.58	23	60	0.5	2	0.09	<0.5	4	109	7	1.74	<10
SBSS230		0.55	<0.5	2.64	<5	200	0.5	2	0.02	<0.5	<1	33	4	0.60	10
SBSS231		0.42	<0.5	4.34	<5	400	0.8	<2	0.01	<0.5	<1	52	2	0.57	10
SBSS232		0.12	<0.5	2.05	<5	180	<0.5	<2	0.03	<0.5	<1	49	4	1.34	10
SBSS233		0.16	<0.5	1.66	<5	110	<0.5	<2	0.03	<0.5	<1	26	3	0.98	10
SBSS234		1.00	<0.5	0.59	<5	50	<0.5	<2	0.01	<0.5	<1	13	2	0.68	<10
SBSS235		1.07	<0.5	0.61	<5	40	<0.5	<2	0.01	<0.5	<1	13	2	0.67	<10
SBSS236		0.69	<0.5	1.16	<5	30	0.6	<2	0.05	<0.5	1	20	4	1.27	<10
SBSS237		0.41	<0.5	1.30	<5	100	<0.5	<2	0.01	<0.5	<1	18	2	0.81	<10
SBSS238		0.30	<0.5	1.94	<5	150	0.5	<2	0.01	<0.5	<1	35	3	1.02	10
SBSS239		0.41	<0.5	2.33	<5	190	0.6	<2	0.01	<0.5	<1	30	3	0.78	10
SBSS240		0.59	<0.5	0.81	<5	70	<0.5	<2	0.06	<0.5	<1	17	3	0.78	<10
SBSS241		0.88	<0.5	0.61	<5	40	<0.5	<2	0.01	<0.5	<1	13	2	0.62	<10
SBSS241s		<0.02	1.2	3.91	498	140	0.7	10	3.59	<0.5	557	31	9150	23.8	20





Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED  
LEVEL3  
24 OUTRAM STREET  
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 4 - B  
Total # Pages: 4 (A - C)  
Plus Appendix Pages  
Finalized Date: 15-JAN-2024  
Account: VENMIN

CERTIFICATE OF ANALYSIS AD23340688

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
		ppm	ppm	%	ppm	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		10	10	0.01	5	1	0.01	0.0001	10	2	0.01	5	1	1	20
NRS246		30	10	0.08	2750	1	0.09	0.0072	400	11	0.02	5	9	29	<20
NRS246s		160	20	1.08	3960	194	0.64	0.0073	890	15	2.55	9	10	198	<20
NRS248		20	10	0.16	481	1	0.22	0.0047	420	13	0.02	<5	15	34	<20
NRS249		10	10	0.13	401	1	0.21	0.0036	370	13	0.02	<5	9	27	<20
NRS250		20	10	0.19	171	1	0.10	0.0041	210	13	0.02	<5	17	25	<20
NRS251		10	10	0.27	194	1	0.12	0.0068	230	10	0.02	<5	14	27	<20
NRS252		10	10	0.09	1025	1	0.08	0.0042	460	11	0.03	<5	11	31	<20
NRS253		30	10	0.57	1025	2	0.23	0.0133	890	28	0.03	6	22	72	<20
NRS254		30	10	0.25	590	1	0.35	0.0041	410	194	0.02	<5	12	44	<20
NRS255		20	10	0.45	393	1	0.32	0.0078	260	14	0.02	5	23	35	<20
NRS256		10	10	0.13	264	1	0.16	0.0056	270	12	0.02	<5	15	21	<20
NRS257		10	10	0.08	190	1	0.13	0.0022	200	17	0.01	<5	5	18	<20
SBSS225		<10	10	0.07	70	<1	0.02	<0.0001	20	2	0.02	<5	2	4	<20
SBSS226		10	20	0.07	83	<1	0.03	0.0001	20	3	0.01	<5	2	5	<20
SBSS227		10	20	0.05	87	<1	0.03	0.0002	40	2	0.02	<5	1	5	<20
SBSS228		10	10	0.09	99	<1	0.05	0.0002	60	3	0.04	<5	2	11	<20
SBSS229		20	20	1.08	1920	2	0.05	0.0034	250	10	0.04	12	5	20	<20
SBSS230		30	10	0.15	153	2	0.08	0.0002	100	6	0.02	<5	5	12	<20
SBSS231		20	20	0.30	135	1	0.04	0.0001	60	7	0.03	<5	8	10	<20
SBSS232		20	20	0.16	167	2	0.04	0.0002	70	6	0.05	<5	4	15	<20
SBSS233		10	20	0.13	122	1	0.03	0.0001	70	4	0.06	<5	3	10	<20
SBSS234		10	20	0.04	86	1	0.02	<0.0001	30	4	0.02	<5	1	4	<20
SBSS235		20	20	0.04	87	<1	0.03	0.0001	50	3	0.02	<5	1	4	<20
SBSS236		30	20	0.13	934	2	0.27	0.0003	240	43	0.04	5	4	20	<20
SBSS237		10	10	0.07	99	<1	0.03	0.0003	40	2	0.03	<5	2	6	<20
SBSS238		10	20	0.14	135	1	0.04	0.0002	50	3	0.03	<5	4	7	<20
SBSS239		20	20	0.14	103	1	0.04	0.0001	50	4	0.02	<5	4	10	<20
SBSS240		10	10	0.09	91	1	0.03	0.0001	70	5	0.04	<5	2	17	<20
SBSS241		10	10	0.05	76	<1	0.03	<0.0001	60	2	0.02	<5	1	4	<20
SBSS241s		160	20	1.07	3910	194	0.63	0.0071	900	15	2.55	9	10	187	<20



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED  
LEVEL3  
24 OUTRAM STREET  
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 4 - C  
Total # Pages: 4 (A - C)  
Plus Appendix Pages  
Finalized Date: 15-JAN-2024  
Account: VENMIN

**CERTIFICATE OF ANALYSIS AD23340688**

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-MS85	ME-MS85	B-ICP69	ME-MS85	ME-MS85	ME-MS85	PUL-QC	ME-ICP61
		Ti	U	V	W	Zn	Sn	W	B	Nd	Ce	Cr	Pass75um	Sn
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm
		10	10	1	10	0.0002	0.5	0.5	10	0.1	0.1	5	0.01	10
NRS246		<10	<10	130	<10	0.0051	2.8	10.4		26.2	117.0	208	96.0	<10
NRS246s		<10	30	157	130	0.0031	10.2	137.0		28.2	160.0	38		10
NRS248		<10	<10	197	<10	0.0047	2.1	1.1		20.9	36.5	259		<10
NRS249		<10	<10	180	<10	0.0040	3.3	5.6		14.6	30.9	168		<10
NRS250		<10	<10	167	<10	0.0040	3.0	1.3		22.2	36.3	152		<10
NRS251		<10	<10	138	<10	0.0049	2.6	1.1		12.6	22.2	167		<10
NRS252		<10	<10	122	<10	0.0047	2.2	1.9		12.2	26.4	114		<10
NRS253		<10	<10	218	<10	0.0084	3.5	5.5		30.6	62.2	434		<10
NRS254		<10	<10	200	<10	0.0040	4.6	1.6		26.1	54.2	290		<10
NRS255		<10	<10	250	<10	0.0058	3.9	3.6		21.6	37.7	253		<10
NRS256		<10	<10	163	<10	0.0036	3.0	1.3		9.3	21.3	164		<10
NRS257		<10	<10	106	<10	0.0051	2.9	0.9		9.2	20.3	75		<10
SBSS225		<10	<10	16	<10	0.0005	241	2.1	40	6.4	12.3	21		10
SBSS226		<10	<10	20	<10	0.0005	832	3.8	120	6.8	14.1	30		10
SBSS227		<10	<10	11	<10	0.0006	634	10.2	220	14.1	30.1	22		10
SBSS228		<10	<10	13	<10	0.0006	700	5.3	290	10.9	23.1	25		10
SBSS229		<10	<10	55	10	0.0025	407	16.4	90	19.7	42.9	122		<10
SBSS230		<10	<10	66	<10	0.0009	97.7	5.2	100	23.7	54.4	39		10
SBSS231		<10	<10	64	10	0.0005	7.3	6.4	80	21.2	44.3	61		<10
SBSS232		<10	<10	45	<10	0.0008	12.9	3.9	60	23.5	47.4	52		<10
SBSS233		<10	<10	21	<10	0.0008	49.7	2.5	60	16.2	34.3	30		<10
SBSS234		<10	<10	9	<10	0.0005	469	2.0	60	15.9	33.4	20		10
SBSS235		<10	<10	9	<10	0.0005	404	2.9	140	20.7	44.7	24		10
SBSS236		<10	<10	54	<10	0.0042	162.5	7.0	150	37.5	81.3	28		10
SBSS237		<10	<10	15	<10	0.0006	24.0	3.7	30	13.0	27.2	23		<10
SBSS238		<10	<10	32	<10	0.0007	268	4.8	100	16.7	33.0	42		20
SBSS239		<10	<10	33	<10	0.0007	98.7	4.6	100	21.6	43.8	36		<10
SBSS240		<10	<10	14	<10	0.0007	441	4.3	90	15.1	30.9	24		10
SBSS241		<10	<10	9	<10	0.0005	668	4.1	170	17.1	34.6	20		10
SBSS241s		<10	40	155	130	0.0031	13.4	137.0		29.3	160.5	38		10



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 15-JAN-2024

Account: VENMIN

**CERTIFICATE OF ANALYSIS AD23340688**

**CERTIFICATE COMMENTS**

**ACCREDITATION COMMENTS**

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Brisbane Sample Preparation. Corporate Accreditation No:825, Corporate Site No:818. Technical Signatory: Christopher Snowdon, ICPAES Reporting Chemist  
ME-ICP61

**LABORATORY ADDRESSES**

Applies to Method:

Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 79 Distinction Road, Wangara, WA, Australia  
B-ICP69

Applies to Method:

Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia.  
LEV-01 LOG-22 LOG-24 PUL-31L  
PUL-QC SPL-21 WEI-21

Applies to Method:

Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia  
ME-ICP61 ME-MS85