Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 23001.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Finalized Date: 24-AUG-2023
Account: NORMETLTD

CERTIFICATE AD23204968

Project: NFL2304

This report is for 98 samples of Soil submitted to our lab in Burnie, TAS, Australia on 26-JUL-2023.

The following have access to data associated with this certificate:

YUNUS OZCAN	BEN PHILLIPS	LEO PILAPIL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
PUL-32m	Pulverize 500g - 85%<75um
PUL-23	Pulv Sample - Split/Retain
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	35 Element Aqua Regia ICP-AES	ICP-AES
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number.Results apply to samples as submitted.All pages of this report have been checked and approved for release.
***** See Appendix Page for comments regarding this certificate *****

Signature:



Cameron Brosnan, Laboratory Manager, Perth

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 23001.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Project: NFL2304

Finalized Date: 24-AUG-2023
Account: NORMETLTD

CERTIFICATE OF ANALYSIS AD23204968

Sample Description	Method	WEI-21	PUL-QC	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Pass75um	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.01	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
113225		0.41	99.0	0.006	<0.2	6.17	5	10	10	<0.5	<2	0.07	<0.5	1	102	68
113226		0.40	99.0	0.003	<0.2	6.41	6	10	10	<0.5	<2	0.03	<0.5	2	114	99
113227		0.42	99.0	0.007	<0.2	6.93	8	<10	10	<0.5	<2	0.04	<0.5	4	111	103
113228		0.44		0.002	<0.2	6.46	10	10	20	<0.5	<2	0.03	<0.5	12	173	123
113229		0.48		0.008	<0.2	6.23	7	10	30	<0.5	<2	0.02	<0.5	3	134	212
113230		0.64		0.008	<0.2	4.20	5	<10	10	<0.5	<2	0.09	<0.5	2	156	104
113231		0.41		0.009	<0.2	4.62	8	10	10	0.9	<2	0.02	<0.5	8	239	76
113232		0.49		0.008	<0.2	3.75	8	<10	10	0.6	<2	0.04	<0.5	3	238	52
113233		0.42		0.008	<0.2	4.81	5	<10	10	1.3	<2	0.01	<0.5	10	367	96
113234		0.60		0.006	<0.2	3.11	3	10	30	1.2	<2	0.04	<0.5	22	158	92
113235		0.62		0.008	<0.2	2.46	10	10	30	<0.5	<2	0.04	<0.5	1	44	51
113236		0.68		0.001	<0.2	2.81	5	<10	10	<0.5	<2	0.08	<0.5	2	290	30
113237		0.60		0.009	0.2	2.94	6	<10	10	<0.5	<2	0.03	<0.5	3	295	47
113238		0.63		0.001	<0.2	2.36	5	<10	30	<0.5	2	0.02	<0.5	1	277	34
113239		0.58		0.001	<0.2	4.43	5	<10	10	<0.5	<2	0.04	<0.5	2	188	96
113240		0.60		0.008	<0.2	2.90	5	<10	10	<0.5	<2	0.05	<0.5	1	122	63
113241		0.70		0.008	<0.2	2.82	3	<10	<10	<0.5	<2	0.05	<0.5	1	124	63
113242		0.92		0.003	<0.2	5.23	7	10	10	<0.5	2	0.02	<0.5	4	130	152
113243		0.75		0.006	<0.2	4.87	8	<10	10	<0.5	<2	0.05	<0.5	4	122	133
113244		0.65		0.001	<0.2	9.09	10	10	10	<0.5	<2	0.03	<0.5	3	144	56
113245		0.70		0.005	<0.2	5.33	8	<10	10	<0.5	<2	0.06	<0.5	2	103	55
113246		0.70		0.005	<0.2	3.86	3	<10	10	<0.5	<2	0.11	<0.5	1	113	41
113247		0.79		0.006	<0.2	3.25	6	<10	10	0.5	<2	0.08	<0.5	3	164	68
113248		0.81		0.003	<0.2	3.26	5	10	10	0.5	<2	0.08	<0.5	3	163	69
113249		0.92		0.002	<0.2	3.49	8	<10	20	1.0	<2	0.02	<0.5	4	68	142
113250		0.39		0.002	<0.2	0.22	4	<10	10	<0.5	<2	>25.0	<0.5	<1	4	5
113251		0.94		0.001	<0.2	5.67	2	<10	10	<0.5	<2	0.09	<0.5	6	245	50
113252		0.79		<0.001	<0.2	4.60	4	<10	10	<0.5	<2	0.06	<0.5	2	307	44
113253		0.56		0.008	<0.2	2.59	<2	<10	10	<0.5	<2	0.05	<0.5	1	154	32
113254		0.47		0.006	<0.2	3.98	2	<10	30	<0.5	<2	0.13	<0.5	1	144	48
113255		0.60		0.009	<0.2	4.63	<2	<10	10	<0.5	<2	0.04	<0.5	2	204	50
113256		0.88		<0.001	<0.2	3.93	2	<10	10	<0.5	<2	0.04	<0.5	2	198	49
113257		0.96		0.005	<0.2	3.23	<2	<10	10	<0.5	<2	0.11	<0.5	2	269	42
113258		1.14		<0.001	0.2	4.91	2	<10	10	<0.5	<2	0.04	<0.5	3	239	37
113259		0.67		0.002	<0.2	5.35	<2	<10	10	<0.5	<2	0.03	<0.5	1	121	102
113260		0.06		0.360	1.9	1.83	37	<10	470	1.3	6	0.73	<0.5	8	45	4420
113261		0.92		0.002	<0.2	8.09	4	<10	10	<0.5	<2	0.07	<0.5	2	173	97
113262		0.97		0.007	<0.2	4.91	<2	<10	10	<0.5	<2	0.07	<0.5	6	181	142
113263		1.00		0.008	<0.2	4.80	<2	<10	20	<0.5	<2	0.08	<0.5	10	155	167
113264		0.98		0.008	<0.2	4.67	<2	<10	10	<0.5	<2	0.09	<0.5	12	135	137

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 23001.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Project: NFL2304

Finalized Date: 24-AUG-2023
Account: NORMETLTD

CERTIFICATE OF ANALYSIS AD23204968

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
	LOD	0.01	10	1	0.01	10	10	0.01	5	1	0.01	1	10	2	0.01	2
113225		9.11	20	2	0.06	10	20	0.07	281	2	0.01	19	290	10	0.04	<2
113226		12.10	30	2	0.07	<10	20	0.06	472	3	0.01	19	250	9	0.10	<2
113227		11.40	20	3	0.04	<10	30	0.06	891	2	0.01	25	320	12	0.05	<2
113228		14.50	20	4	0.04	<10	20	0.05	4150	3	0.01	25	400	18	0.09	<2
113229		15.30	30	2	0.04	<10	10	0.04	307	1	0.01	39	520	7	0.08	<2
113230		12.45	20	3	0.03	<10	<10	0.09	188	1	0.01	18	230	3	0.03	<2
113231		13.20	30	3	0.04	<10	10	0.16	235	1	0.01	49	600	9	0.04	<2
113232		9.69	20	2	0.03	<10	<10	0.10	170	1	0.01	29	420	11	0.03	<2
113233		13.75	20	3	0.04	<10	10	0.26	363	1	0.01	76	530	5	0.03	<2
113234		12.00	10	3	0.15	10	10	0.18	905	1	0.01	33	640	8	0.02	<2
113235		8.26	10	2	0.16	10	<10	0.07	80	2	0.01	6	360	10	0.02	<2
113236		8.84	10	2	0.02	<10	<10	0.07	864	<1	0.01	20	210	9	0.03	<2
113237		11.70	10	2	0.02	<10	<10	0.07	623	1	0.01	23	260	9	0.03	<2
113238		6.44	10	2	0.17	<10	10	0.08	298	<1	0.01	17	140	11	0.02	<2
113239		11.40	20	2	0.02	<10	10	0.09	147	<1	0.01	21	190	3	0.04	<2
113240		7.79	10	1	0.04	<10	10	0.07	162	1	0.01	11	170	3	0.03	<2
113241		8.06	10	2	0.03	<10	10	0.07	117	1	0.01	9	140	4	0.03	<2
113242		14.10	30	3	0.05	<10	10	0.05	161	2	0.01	21	240	9	0.07	<2
113243		12.40	20	2	0.05	<10	20	0.05	560	2	0.01	22	360	11	0.04	<2
113244		16.30	30	4	0.07	<10	30	0.06	695	3	0.01	17	300	13	0.20	<2
113245		10.30	20	2	0.05	<10	20	0.07	595	3	0.01	16	530	11	0.05	<2
113246		7.44	20	2	0.05	10	10	0.05	248	2	0.01	13	440	7	0.03	<2
113247		8.67	10	1	0.06	10	10	0.17	320	1	0.02	30	420	6	0.03	<2
113248		8.70	10	2	0.06	10	10	0.17	312	1	0.01	30	430	6	0.03	<2
113249		12.15	20	<1	0.16	10	<10	0.11	136	2	0.01	22	1120	10	0.03	<2
113250		0.31	<10	<1	0.05	<10	<10	0.88	71	1	0.01	11	60	2	0.23	<2
113251		9.52	20	<1	0.09	10	20	0.09	1695	2	0.01	30	290	15	0.06	<2
113252		10.20	20	<1	0.04	<10	10	0.09	218	2	0.01	25	310	8	0.04	<2
113253		8.56	10	<1	0.03	<10	<10	0.06	179	1	0.01	16	340	6	0.03	<2
113254		9.73	20	<1	0.09	10	10	0.10	276	2	0.02	19	700	10	0.04	<2
113255		9.69	20	<1	0.09	<10	10	0.10	298	1	0.01	28	340	8	0.04	<2
113256		9.61	20	<1	0.08	<10	10	0.09	247	1	0.01	24	340	7	0.04	<2
113257		9.90	10	<1	0.04	<10	<10	0.06	303	1	0.01	23	610	7	0.05	<2
113258		9.51	20	<1	0.04	10	10	0.07	646	1	0.01	38	270	12	0.03	2
113259		9.85	20	<1	0.03	<10	10	0.08	199	1	0.01	20	180	4	0.03	<2
113260		2.70	10	<1	0.90	10	40	0.67	284	80	0.15	15	670	11	0.57	4
113261		13.60	30	<1	0.06	<10	20	0.06	900	3	0.01	28	350	11	0.07	<2
113262		11.60	20	<1	0.04	<10	10	0.08	292	1	0.01	27	410	6	0.04	<2
113263		11.05	20	<1	0.05	<10	10	0.11	669	1	0.01	32	280	3	0.03	<2
113264		10.35	10	<1	0.03	<10	10	0.15	859	1	0.01	26	260	6	0.03	<2

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 23001.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Project: NFL2304

Finalized Date: 24-AUG-2023
Account: NORMETLTD

CERTIFICATE OF ANALYSIS AD23204968

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOD	1	1	20	0.01	10	10	1	10	2
113225		12	9	<20	0.07	<10	<10	325	<10	22
113226		16	6	<20	0.11	<10	<10	340	<10	19
113227		15	7	<20	0.13	<10	<10	353	<10	23
113228		17	8	<20	0.16	10	<10	413	<10	27
113229		55	7	<20	0.32	<10	<10	501	<10	15
113230		24	21	<20	0.20	<10	<10	408	<10	27
113231		20	6	<20	0.36	<10	<10	303	<10	34
113232		21	8	<20	0.24	<10	<10	228	<10	31
113233		22	5	<20	0.31	<10	<10	328	<10	49
113234		15	8	<20	0.30	<10	<10	241	<10	65
113235		5	9	<20	0.04	<10	<10	141	<10	21
113236		12	9	<20	0.15	<10	<10	202	<10	16
113237		16	5	<20	0.16	<10	<10	238	<10	21
113238		11	4	<20	0.05	<10	<10	126	<10	17
113239		31	6	<20	0.13	<10	<10	352	<10	28
113240		9	7	<20	0.08	<10	<10	241	<10	13
113241		9	6	<20	0.07	<10	<10	244	<10	12
113242		26	5	<20	0.17	<10	<10	440	<10	17
113243		20	6	<20	0.15	<10	<10	383	<10	20
113244		23	6	<20	0.13	<10	<10	405	<10	22
113245		10	7	<20	0.09	<10	<10	284	<10	26
113246		6	8	<20	0.08	<10	<10	248	<10	20
113247		11	17	<20	0.06	<10	<10	167	<10	35
113248		11	17	<20	0.06	<10	<10	169	<10	35
113249		14	5	<20	0.09	<10	<10	190	<10	53
113250		1	603	<20	0.01	10	<10	9	<10	8
113251		13	9	<20	0.10	<10	<10	222	<10	25
113252		15	5	<20	0.12	<10	<10	218	<10	21
113253		8	7	<20	0.15	<10	<10	156	<10	22
113254		7	23	<20	0.08	<10	<10	169	<10	16
113255		12	5	<20	0.19	<10	<10	186	<10	22
113256		12	4	<20	0.16	<10	<10	180	<10	21
113257		12	7	<20	0.16	<10	<10	213	<10	25
113258		11	7	<20	0.19	<10	<10	232	<10	21
113259		24	4	<20	0.15	<10	<10	322	<10	21
113260		7	98	<20	0.22	<10	<10	58	<10	83
113261		27	8	<20	0.14	<10	<10	425	<10	21
113262		16	7	<20	0.29	<10	<10	381	<10	24
113263		33	12	<20	0.25	<10	<10	343	<10	27
113264		23	9	<20	0.18	<10	<10	335	<10	26

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 23001.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Project: NFL2304

Finalized Date: 24-AUG-2023
Account: NORMETLTD

CERTIFICATE OF ANALYSIS AD23204968

Sample Description	Method	WEI-21	PUL-QC	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Pass75um	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.01	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
113265		0.94		0.001	<0.2	5.59	<2	<10	10	<0.5	<2	0.02	<0.5	2	145	123
113266		0.81	98.0	0.001	<0.2	4.64	<2	<10	10	<0.5	<2	0.04	<0.5	11	142	106
113267		1.15		0.001	<0.2	5.27	<2	<10	10	<0.5	<2	0.07	<0.5	19	191	123
113268		0.98		0.006	<0.2	6.82	3	<10	10	<0.5	<2	0.04	<0.5	24	194	88
113269		1.06		0.003	<0.2	4.84	<2	<10	10	<0.5	<2	0.02	<0.5	3	133	86
113270		0.87		0.003	<0.2	2.30	<2	<10	20	<0.5	<2	0.04	<0.5	1	232	32
113271		1.09		0.001	<0.2	2.43	<2	<10	20	<0.5	<2	0.04	<0.5	1	228	32
113272		0.88		0.005	<0.2	3.23	<2	<10	10	<0.5	<2	0.06	<0.5	3	257	48
113273		0.63		0.006	<0.2	3.97	2	<10	10	0.6	<2	0.09	<0.5	3	327	31
113274		0.62		0.001	0.2	5.24	<2	<10	10	0.5	<2	0.05	<0.5	6	221	66
113275		0.72		0.010	<0.2	4.52	2	<10	40	0.5	<2	0.05	<0.5	15	304	61
113276		0.75		0.002	<0.2	5.24	<2	<10	60	1.1	<2	0.12	<0.5	25	318	105
113277		0.84		0.005	<0.2	3.93	<2	<10	10	<0.5	<2	0.04	<0.5	1	146	46
113278		0.61		0.005	<0.2	6.66	<2	<10	20	<0.5	<2	0.06	<0.5	67	354	183
113279		0.84		0.005	<0.2	6.51	<2	<10	20	<0.5	<2	0.10	<0.5	72	345	189
113280		0.40		0.003	<0.2	0.23	7	<10	10	<0.5	<2	>25.0	<0.5	<1	4	4
113281		0.93		0.006	<0.2	6.60	2	<10	20	<0.5	<2	0.20	<0.5	8	258	118
113282		0.72		0.001	<0.2	6.41	<2	<10	10	<0.5	<2	0.03	<0.5	3	225	69
113283		0.67		0.001	<0.2	5.76	<2	<10	10	<0.5	<2	0.07	<0.5	15	176	129
113284		0.57		0.002	<0.2	6.50	<2	<10	10	<0.5	<2	0.06	<0.5	12	186	158
113285		0.70		0.008	<0.2	6.04	4	<10	20	0.8	<2	0.02	<0.5	5	363	71
113286		0.98		0.007	<0.2	3.65	3	<10	10	<0.5	<2	0.02	<0.5	<1	227	38
113287		0.69		0.010	<0.2	6.53	2	<10	20	0.5	<2	0.06	<0.5	15	133	193
113288		0.76		0.002	0.2	8.05	3	<10	10	<0.5	<2	0.05	<0.5	1	218	91
113289		0.93		0.002	<0.2	6.64	2	<10	10	<0.5	<2	0.07	<0.5	3	126	221
113290		0.07		1.050	49.4	0.62	380	<10	280	0.5	21	0.80	2.5	4	14	1140
113291		0.83		0.006	<0.2	7.26	<2	<10	10	<0.5	<2	0.03	<0.5	4	123	167
113292		1.02		0.009	<0.2	4.84	2	<10	30	<0.5	<2	0.20	<0.5	17	210	88
113293		0.67		0.004	<0.2	6.49	<2	<10	10	<0.5	<2	0.02	<0.5	2	180	114
113294		0.76		0.010	<0.2	5.79	<2	<10	20	<0.5	<2	0.07	<0.5	32	176	137
113295		0.92		0.004	<0.2	5.32	2	<10	10	<0.5	<2	0.03	<0.5	<1	219	93
113296		0.80		0.003	<0.2	4.64	4	<10	10	<0.5	<2	0.02	<0.5	<1	230	82
113297		0.91		0.007	<0.2	8.11	6	<10	30	<0.5	<2	0.15	<0.5	13	181	122
113298		0.70		0.011	<0.2	7.22	4	<10	30	<0.5	<2	0.13	<0.5	8	165	120
113299		1.21		0.001	<0.2	5.34	<2	<10	10	<0.5	<2	0.04	<0.5	6	158	164
113300		1.04		0.005	<0.2	1.18	28	<10	10	<0.5	<2	0.04	<0.5	1	49	13
113301		0.85		0.004	<0.2	4.63	5	<10	60	1.3	<2	0.02	<0.5	6	205	138
113302		1.08		0.003	<0.2	4.35	5	<10	60	1.2	<2	0.02	<0.5	6	209	132
113303		0.68		<0.001	<0.2	7.16	2	<10	10	0.5	<2	0.01	<0.5	1	239	70
113304		1.21		0.001	<0.2	5.09	8	<10	10	1.0	<2	0.02	<0.5	2	188	106

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 23001.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Project: NFL2304

Finalized Date: 24-AUG-2023
Account: NORMETLTD

CERTIFICATE OF ANALYSIS AD23204968

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
	LOD	0.01	10	1	0.01	10	10	0.01	5	1	0.01	1	10	2	0.01	2
113265		10.60	20	<1	0.03	<10	10	0.08	109	1	0.01	26	120	4	0.03	<2
113266		11.00	10	<1	0.04	<10	10	0.11	1435	1	0.01	23	160	4	0.04	<2
113267		10.90	10	<1	0.06	<10	10	0.11	2600	1	0.01	28	350	4	0.05	<2
113268		12.65	20	<1	0.07	<10	20	0.07	3320	2	0.01	27	210	13	0.05	<2
113269		9.57	20	<1	0.04	<10	10	0.06	1480	2	0.01	21	220	9	0.04	<2
113270		6.37	10	<1	0.10	<10	10	0.08	129	1	0.01	13	130	6	0.02	<2
113271		6.31	10	<1	0.10	<10	10	0.08	164	1	0.01	15	140	6	0.02	<2
113272		9.53	10	<1	0.03	<10	<10	0.07	156	1	0.01	30	230	7	0.03	<2
113273		10.20	20	<1	0.03	<10	<10	0.07	362	1	0.01	34	230	12	0.02	<2
113274		12.40	20	<1	0.04	<10	10	0.09	433	2	0.01	49	250	11	0.03	<2
113275		8.86	10	<1	0.13	<10	20	0.17	1865	1	0.01	48	270	13	0.02	<2
113276		10.20	20	<1	0.24	<10	10	0.29	1020	1	0.01	80	530	12	0.02	<2
113277		8.67	10	<1	0.03	<10	<10	0.07	209	1	0.01	22	150	3	0.02	<2
113278		12.70	20	<1	0.04	<10	10	0.18	1095	1	0.01	47	350	3	0.08	<2
113279		12.80	20	<1	0.04	<10	10	0.23	1165	1	0.01	47	350	3	0.09	<2
113280		0.33	<10	1	0.05	<10	<10	0.92	74	1	0.01	10	70	<2	0.24	<2
113281		14.55	20	<1	0.05	<10	10	0.16	579	1	0.01	45	660	5	0.05	<2
113282		11.50	20	<1	0.05	<10	20	0.08	94	2	0.01	28	160	5	0.07	<2
113283		12.05	20	<1	0.04	<10	10	0.15	262	1	0.01	23	130	4	0.03	<2
113284		12.25	20	<1	0.04	<10	10	0.16	290	1	0.01	29	200	5	0.03	<2
113285		14.15	20	<1	0.07	<10	10	0.14	122	2	0.01	47	750	9	0.04	<2
113286		7.38	10	<1	0.07	<10	10	0.08	46	1	0.01	22	170	8	0.03	<2
113287		15.00	30	<1	0.01	<10	<10	0.04	394	1	0.01	32	690	4	0.04	<2
113288		12.40	20	<1	0.06	<10	20	0.08	203	3	0.01	33	280	8	0.05	<2
113289		16.10	30	<1	0.06	<10	10	0.06	192	2	0.01	32	410	9	0.05	<2
113290		1.76	<10	<1	0.22	10	10	0.08	202	3	0.04	6	240	240	0.87	30
113291		13.45	20	<1	0.06	<10	20	0.08	190	2	0.01	40	290	7	0.05	<2
113292		9.56	10	<1	0.05	<10	10	0.09	2360	1	0.01	31	350	7	0.03	<2
113293		11.40	20	<1	0.04	<10	10	0.09	124	1	0.01	28	190	5	0.04	<2
113294		10.05	20	<1	0.07	<10	10	0.10	807	1	0.01	33	390	5	0.03	<2
113295		10.00	20	<1	0.05	<10	10	0.05	120	1	0.01	25	180	5	0.04	<2
113296		15.30	20	<1	0.03	<10	10	0.04	95	2	0.01	21	200	4	0.05	<2
113297		14.70	20	<1	0.06	<10	30	0.07	4690	4	0.01	36	430	19	0.04	<2
113298		14.00	20	<1	0.06	<10	30	0.06	3790	3	0.01	36	650	16	0.04	<2
113299		13.25	20	<1	0.04	<10	10	0.07	1890	1	0.01	23	230	9	0.09	<2
113300		2.72	<10	<1	0.05	<10	10	0.03	137	1	0.01	6	90	5	0.02	2
113301		12.90	20	<1	0.22	<10	10	0.12	367	2	0.01	37	1320	10	0.06	<2
113302		13.20	20	<1	0.21	<10	10	0.12	347	2	0.01	36	1240	12	0.05	<2
113303		13.25	30	<1	0.14	<10	10	0.13	46	2	0.01	31	470	10	0.03	<2
113304		12.50	20	<1	0.19	<10	<10	0.08	50	2	0.01	33	1210	10	0.04	<2

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 23001.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Project: NFL2304

Finalized Date: 24-AUG-2023
Account: NORMETLTD

CERTIFICATE OF ANALYSIS AD23204968

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOD	1	1	20	0.01	10	10	1	10	2
113265		22	5	<20	0.13	<10	<10	310	<10	20
113266		26	8	<20	0.19	<10	<10	341	<10	23
113267		39	9	<20	0.13	<10	<10	366	<10	38
113268		23	8	<20	0.08	<10	<10	318	<10	23
113269		21	7	<20	0.12	<10	<10	302	<10	22
113270		7	7	<20	0.05	<10	<10	133	<10	9
113271		7	7	<20	0.06	<10	<10	128	<10	10
113272		9	12	<20	0.20	<10	<10	229	<10	19
113273		15	15	<20	0.29	<10	<10	231	<10	19
113274		20	8	<20	0.23	<10	<10	260	<10	31
113275		13	8	<20	0.15	<10	<10	188	<10	40
113276		36	15	<20	0.19	<10	<10	229	<10	57
113277		14	6	<20	0.14	<10	<10	228	<10	21
113278		46	6	<20	0.23	<10	<10	423	<10	45
113279		47	6	<20	0.24	<10	<10	429	<10	45
113280		1	636	<20	0.01	<10	<10	9	<10	8
113281		39	8	<20	0.21	<10	<10	401	<10	33
113282		17	6	<20	0.09	<10	<10	342	<10	18
113283		37	8	<20	0.18	<10	<10	348	<10	24
113284		36	6	<20	0.18	<10	<10	358	<10	31
113285		25	5	<20	0.24	<10	<10	292	<10	31
113286		10	4	<20	0.09	<10	<10	166	<10	12
113287		58	15	<20	0.50	<10	<10	546	<10	19
113288		29	7	<20	0.13	<10	<10	391	<10	21
113289		32	11	<20	0.23	<10	<10	511	<10	19
113290		1	36	<20	0.01	<10	<10	5	<10	368
113291		30	8	<20	0.23	<10	<10	406	<10	20
113292		26	15	<20	0.08	<10	<10	286	<10	20
113293		34	5	<20	0.13	<10	<10	352	<10	19
113294		34	9	<20	0.18	<10	<10	357	<10	27
113295		29	5	<20	0.10	<10	<10	336	<10	10
113296		24	6	<20	0.13	<10	<10	420	<10	12
113297		20	12	<20	0.17	<10	<10	444	<10	35
113298		24	11	<20	0.15	<10	<10	437	<10	34
113299		26	6	<20	0.17	<10	<10	369	<10	23
113300		2	6	<20	0.01	<10	<10	54	<10	10
113301		29	4	<20	0.15	<10	<10	272	<10	75
113302		29	5	<20	0.15	<10	<10	266	<10	70
113303		13	5	<20	0.05	<10	<10	212	<10	19
113304		24	4	<20	0.07	<10	<10	167	<10	40

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 23001.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Finalized Date: 24-AUG-2023
Account: NORMETLTD

Project: NFL2304

CERTIFICATE OF ANALYSIS AD23204968

Sample Description	Method	WEI-21	PUL-QC	Au-ICP21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Pass75um	Au	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu
	Units	kg	%	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
	LOD	0.02	0.01	0.001	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1
113305		0.58		0.008	<0.2	3.65	3	<10	10	0.5	<2	0.09	<0.5	2	127	61
113306		1.01		0.005	<0.2	3.43	5	<10	20	0.5	<2	0.04	<0.5	3	288	45
113307		1.15		<0.001	<0.2	0.02	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	4	1
113308		0.72	99.0	0.008	<0.2	0.26	33	<10	20	<0.5	<2	0.02	<0.5	<1	11	8
113309		2.04		<0.001	<0.2	0.04	9	<10	30	<0.5	<2	0.01	<0.5	<1	5	2
113310		0.43		0.001	<0.2	0.22	5	10	10	<0.5	<2	>25.0	<0.5	<1	3	4
113311		0.82		0.002	<0.2	3.02	5	<10	20	0.6	<2	0.07	<0.5	2	108	55
113312		1.26		<0.001	<0.2	2.54	4	<10	20	0.7	<2	0.03	<0.5	3	104	62
113313		1.46		0.002	<0.2	0.27	16	<10	20	<0.5	<2	0.01	<0.5	<1	21	12
113314		1.15		0.002	<0.2	0.40	31	<10	50	<0.5	<2	0.01	<0.5	1	16	10
113315		1.13		0.001	<0.2	1.14	14	<10	30	<0.5	<2	0.03	<0.5	1	40	23
113316		1.00		<0.001	<0.2	1.76	19	<10	10	<0.5	<2	0.04	<0.5	3	113	29
113317		1.11		0.001	<0.2	4.37	9	<10	20	1.1	<2	0.10	<0.5	8	138	134
113318		0.96		0.001	<0.2	5.29	4	<10	20	1.3	<2	0.04	<0.5	29	113	182
113319		0.97		0.001	<0.2	4.13	3	<10	40	0.8	<2	0.06	<0.5	34	231	105
113320		0.45		0.001	<0.2	0.21	5	<10	10	<0.5	<2	>25.0	<0.5	1	3	4
113321		0.97		0.001	<0.2	3.66	2	<10	30	0.8	<2	0.04	<0.5	15	257	39
113322		0.71		<0.001	<0.2	4.91	3	10	10	<0.5	<2	0.03	<0.5	8	378	65

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 23001.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Finalized Date: 24-AUG-2023
Account: NORMETLTD

Project: NFL2304

CERTIFICATE OF ANALYSIS AD23204968

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Fe	Ga	Hg	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb
	Units	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm
	LOD	0.01	10	1	0.01	10	10	0.01	5	1	0.01	1	10	2	0.01	2
113305		10.95	20	<1	0.05	<10	<10	0.12	64	2	0.01	23	390	10	0.02	<2
113306		10.95	10	<1	0.03	<10	10	0.18	86	2	0.01	35	230	10	0.03	<2
113307		0.42	<10	<1	<0.01	<10	<10	0.01	34	<1	<0.01	2	10	<2	0.01	<2
113308		3.33	<10	<1	0.06	<10	<10	0.02	41	2	0.01	3	130	6	0.03	<2
113309		0.57	<10	<1	0.01	<10	<10	0.01	49	<1	<0.01	2	30	<2	0.01	<2
113310		0.31	<10	1	0.06	<10	<10	0.99	79	<1	0.01	12	60	2	0.26	<2
113311		11.90	10	<1	0.20	10	<10	0.08	246	2	0.01	10	550	10	0.03	<2
113312		7.75	10	<1	0.12	10	10	0.10	155	1	0.01	31	360	10	0.02	<2
113313		7.22	<10	<1	0.04	<10	<10	0.01	71	4	<0.01	3	160	6	0.02	<2
113314		4.98	<10	<1	0.06	<10	<10	0.02	89	5	<0.01	8	230	8	0.02	5
113315		5.39	10	<1	0.11	<10	<10	0.05	45	1	0.01	7	160	9	0.02	<2
113316		7.69	10	<1	0.05	10	<10	0.04	64	2	0.01	18	270	7	0.03	<2
113317		14.25	20	<1	0.17	10	10	0.24	392	3	0.01	51	1200	13	0.02	<2
113318		14.10	20	<1	0.09	10	30	0.43	1355	2	0.01	87	1150	10	0.02	<2
113319		11.75	20	<1	0.07	10	20	0.39	960	1	0.02	87	410	8	0.02	<2
113320		0.30	<10	<1	0.05	<10	<10	0.93	76	1	0.01	12	60	2	0.25	<2
113321		9.53	10	<1	0.03	<10	20	0.59	515	1	0.04	90	210	10	0.01	<2
113322		12.90	20	1	0.06	10	10	0.26	268	1	0.02	63	210	8	0.05	<2

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 23001.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Finalized Date: 24-AUG-2023
Account: NORMETLTD

Project: NFL2304

CERTIFICATE OF ANALYSIS AD23204968

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Sc	Sr	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOD	1	1	20	0.01	10	10	1	10	2
113305		8	16	<20	0.21	<10	<10	188	<10	32
113306		9	10	<20	0.24	<10	<10	203	<10	35
113307		<1	1	<20	<0.01	<10	<10	1	<10	3
113308		1	9	<20	<0.01	<10	<10	42	<10	8
113309		<1	2	<20	<0.01	<10	<10	2	<10	4
113310		1	677	<20	0.01	<10	<10	9	<10	9
113311		11	9	<20	0.09	<10	<10	166	<10	26
113312		12	6	<20	0.04	<10	<10	117	<10	30
113313		1	4	<20	0.01	<10	<10	74	<10	8
113314		1	4	<20	0.01	<10	<10	41	<10	22
113315		2	7	<20	<0.01	<10	<10	59	<10	13
113316		3	7	<20	0.03	<10	<10	122	<10	19
113317		15	16	<20	0.24	<10	<10	242	<10	60
113318		18	8	<20	0.34	<10	<10	277	<10	89
113319		19	8	<20	0.38	<10	<10	282	<10	67
113320		1	646	<20	0.01	<10	<10	8	<10	8
113321		10	6	<20	0.36	<10	<10	219	<10	72
113322		19	6	<20	0.28	<10	<10	268	<10	35

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 23001.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Finalized Date: 24-AUG-2023
Account: NORMETLTD

Project: NFL2304

CERTIFICATE OF ANALYSIS AD23204968

CERTIFICATE COMMENTS

ACCREDITATION COMMENTS

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist

Applies to Method:		
Au-ICP21	ME-ICP41	

LABORATORY ADDRESSES

Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 79 Distinction Road, Wangara, WA, Australia

Applies to Method:		
Au-ICP21	ME-ICP41	

Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia.

Applies to Method:			
LEV-01	LOG-22	LOG-24	PUL-23
PUL-32m	PUL-QC	WEI-21	