Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 818.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Finalized Date: 19-JAN-2024
Account: NORMETLTD

CERTIFICATE BU24006587

Project: NFL2401

This report is for 148 samples of -80# Soil submitted to our lab in Burnie, TAS, Australia on 8-JAN-2024.

The following have access to data associated with this certificate:

YUNUS OZCAN	BEN PHILLIPS	LEO PILAPIL

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login - Rcd w/o BarCode

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP41	36 Element Aqua Regia ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number.Results apply to samples as submitted.All pages of this report have been checked and approved for release.
***** See Appendix Page for comments regarding this certificate *****

Signature:



Shaun Kenny, Brisbane Laboratory Manager

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 818.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Project: NFL2401

Finalized Date: 19-JAN-2024
Account: NORMETLTD

CERTIFICATE OF ANALYSIS BU24006587

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOD	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
RRS-086		0.11	<0.2	3.55	14	10	30	1.3	<2	0.06	<0.5	14	226	124	13.85	20
RRS-088		0.11	<0.2	2.46	19	10	30	<0.5	<2	0.02	<0.5	1	77	25	7.15	10
RRS-089		0.11	<0.2	3.78	5	10	10	0.5	<2	0.03	<0.5	11	155	69	10.55	20
RRS-090		0.11	<0.2	1.42	20	<10	20	<0.5	<2	0.01	<0.5	1	37	19	2.38	10
RRS-091		0.11	<0.2	2.82	10	<10	30	<0.5	<2	0.03	<0.5	1	99	35	5.50	10
RRS-092		0.11	<0.2	2.46	8	<10	20	<0.5	<2	0.05	<0.5	2	81	32	4.28	10
RRS-093		0.11	<0.2	2.39	17	10	30	<0.5	<2	0.03	<0.5	1	75	31	7.84	10
RRS-094		0.11	<0.2	4.03	27	10	20	<0.5	<2	0.02	<0.5	2	160	41	11.70	30
RRS-095		0.11	0.2	3.03	20	10	20	0.6	<2	0.02	<0.5	1	116	45	8.10	20
RRS-096		0.11	<0.2	1.28	19	<10	10	<0.5	<2	0.04	<0.5	2	62	17	4.80	10
RRS-097		0.11	<0.2	1.78	19	10	20	<0.5	<2	0.03	<0.5	2	121	37	7.20	10
RRS-098		0.11	<0.2	0.14	<2	<10	10	<0.5	<2	0.02	<0.5	1	4	2	0.46	<10
RRS-099		0.11	<0.2	0.19	9	<10	10	<0.5	<2	0.02	<0.5	<1	7	3	0.96	<10
RRS-100		0.11	<0.2	0.11	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	3	2	0.28	<10
RRS-101		0.11	<0.2	0.06	<2	<10	<10	<0.5	<2	0.09	<0.5	<1	2	2	0.40	<10
RRS-102		0.11	<0.2	0.06	12	<10	<10	<0.5	<2	0.01	<0.5	2	3	2	0.97	<10
RRS-103		0.11	<0.2	3.54	19	10	40	<0.5	<2	0.01	<0.5	1	92	62	6.90	10
RRS-104		0.11	<0.2	1.71	<2	<10	20	<0.5	<2	0.02	<0.5	1	63	19	3.61	10
RRS-105		0.11	<0.2	1.94	<2	10	10	<0.5	<2	0.03	<0.5	1	117	40	5.07	10
RRS-106		0.11	<0.2	3.13	<2	10	10	0.6	<2	0.05	<0.5	7	212	81	7.40	10
RRS-107		0.10	<0.2	3.23	3	10	10	<0.5	<2	0.05	<0.5	2	62	71	9.18	20
RRS-108		0.11	<0.2	0.08	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	3	3	0.41	<10
RRS-109		0.11	<0.2	0.05	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	2	3	0.26	<10
RRS-110		0.11	<0.2	0.05	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	2	1	0.23	<10
RRS-111		0.11	<0.2	0.39	19	<10	10	<0.5	<2	0.02	<0.5	<1	14	7	1.83	<10
RRS-112		0.11	<0.2	0.72	4	<10	40	<0.5	<2	0.02	<0.5	<1	13	8	1.55	<10
RRS-113		0.11	<0.2	0.47	27	10	50	<0.5	<2	0.01	<0.5	2	26	23	9.72	<10
RRS-114		0.11	<0.2	1.21	3	10	30	0.6	<2	0.02	<0.5	1	53	27	4.32	10
RRS-115		0.11	<0.2	2.92	10	10	10	0.6	<2	0.04	<0.5	1	170	77	8.52	20
RRS-116		0.11	<0.2	4.04	<2	10	30	1.0	<2	0.01	<0.5	18	227	115	12.85	20
RRS-117		0.11	<0.2	0.05	<2	<10	10	<0.5	<2	0.09	<0.5	<1	2	3	0.37	<10
RRS-118		0.11	<0.2	0.02	<2	<10	<10	<0.5	<2	0.07	<0.5	<1	4	3	0.93	<10
RRS-119		0.11	<0.2	0.04	<2	<10	10	<0.5	<2	0.10	<0.5	<1	2	3	0.46	<10
RRS-120		0.11	<0.2	0.08	<2	<10	<10	<0.5	<2	0.02	<0.5	<1	3	2	0.43	<10
RRS-121		0.11	<0.2	0.18	18	<10	10	<0.5	<2	0.05	<0.5	2	12	6	1.66	<10
RRS-122		0.11	<0.2	2.21	2	<10	80	0.7	<2	0.09	<0.5	11	96	64	1.33	10
RRS-123		0.11	<0.2	2.42	3	10	50	0.8	<2	0.03	<0.5	11	64	41	5.84	10
RRS-124		0.11	<0.2	3.67	2	10	40	0.6	<2	0.08	<0.5	14	170	95	10.20	20
RRS-125		0.11	<0.2	0.02	<2	<10	<10	<0.5	<2	0.01	<0.5	<1	1	2	0.31	<10
RRS-126		0.11	<0.2	0.24	23	<10	20	<0.5	<2	0.05	<0.5	<1	12	7	3.98	<10

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 818.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Finalized Date: 19-JAN-2024
Account: NORMETLTD

Project: NFL2401

CERTIFICATE OF ANALYSIS BU24006587

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	1	0.01	10	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
RRS-086		<1	0.12	10	10	0.15	428	2	0.02	59	1100	12	0.09	<2	18	4
RRS-088		<1	0.10	10	10	0.08	25	1	0.01	12	150	6	0.04	<2	3	7
RRS-089		<1	0.07	10	10	0.07	338	1	0.01	23	360	11	0.09	<2	17	5
RRS-090		<1	0.06	10	10	0.05	14	<1	0.01	10	100	5	0.03	2	4	6
RRS-091		<1	0.07	10	20	0.09	20	1	0.01	17	150	9	0.05	<2	5	8
RRS-092		<1	0.07	10	10	0.08	48	1	0.02	15	290	9	0.05	2	5	11
RRS-093		<1	0.12	10	10	0.07	21	1	0.02	14	260	10	0.05	<2	4	6
RRS-094		<1	0.07	10	20	0.05	29	3	0.01	19	280	12	0.08	<2	8	11
RRS-095		<1	0.08	10	20	0.07	22	2	0.01	19	460	13	0.05	<2	7	7
RRS-096		<1	0.06	<10	10	0.07	60	1	0.01	9	160	6	0.04	2	3	4
RRS-097		<1	0.10	<10	10	0.10	82	1	0.02	15	290	12	0.04	<2	8	6
RRS-098		<1	0.02	<10	<10	0.01	26	<1	0.01	1	50	3	0.03	<2	<1	2
RRS-099		<1	0.03	<10	<10	0.02	23	2	0.01	2	90	<2	0.04	<2	<1	4
RRS-100		<1	0.01	<10	<10	0.01	9	<1	0.01	<1	40	<2	0.03	<2	<1	1
RRS-101		<1	0.01	<10	<10	0.03	69	<1	0.01	2	120	<2	0.04	<2	<1	5
RRS-102		<1	0.01	<10	<10	0.01	29	1	0.01	6	40	<2	0.03	5	<1	1
RRS-103		<1	0.19	<10	20	0.07	24	6	0.02	17	210	15	0.05	<2	4	7
RRS-104		<1	0.17	10	10	0.08	14	<1	0.02	8	140	11	0.03	<2	3	6
RRS-105		<1	0.05	10	10	0.05	95	2	0.02	14	190	5	0.04	<2	8	6
RRS-106		<1	0.05	10	10	0.30	421	<1	0.02	50	380	7	0.04	<2	17	7
RRS-107		1	0.11	10	10	0.11	106	1	0.02	11	290	7	0.04	<2	10	8
RRS-108		<1	0.02	<10	<10	0.01	28	<1	0.01	<1	20	<2	0.02	<2	<1	2
RRS-109		<1	0.02	<10	<10	0.02	24	<1	0.01	2	30	<2	0.03	<2	<1	3
RRS-110		<1	0.01	<10	<10	0.01	18	<1	0.01	1	30	<2	0.03	<2	<1	2
RRS-111		<1	0.03	<10	<10	0.02	38	1	0.01	3	60	5	0.03	2	1	2
RRS-112		<1	0.13	10	<10	0.04	17	2	0.02	1	110	8	0.04	<2	1	9
RRS-113		<1	0.07	<10	<10	0.02	54	4	0.01	13	300	13	0.06	<2	3	7
RRS-114		<1	0.20	10	<10	0.06	19	1	0.02	17	480	9	0.04	<2	3	7
RRS-115		<1	0.07	10	10	0.10	63	2	0.02	31	590	10	0.05	<2	14	6
RRS-116		<1	0.12	10	20	0.25	236	1	0.02	64	620	8	0.05	<2	26	5
RRS-117		<1	0.03	<10	<10	0.02	44	<1	0.02	2	100	<2	0.05	<2	<1	6
RRS-118		<1	0.02	<10	<10	0.03	101	<1	0.01	2	60	<2	0.04	<2	<1	4
RRS-119		<1	0.02	<10	<10	0.03	45	<1	0.01	2	90	<2	0.05	<2	<1	9
RRS-120		<1	0.02	<10	<10	0.01	33	<1	0.01	2	60	<2	0.03	<2	<1	2
RRS-121		<1	0.02	<10	<10	0.05	84	1	0.02	11	120	2	0.03	<2	1	7
RRS-122		<1	0.11	30	20	0.27	85	1	0.03	61	170	7	0.13	<2	11	15
RRS-123		<1	0.11	10	30	0.30	1810	<1	0.02	41	470	16	0.04	<2	7	7
RRS-124		<1	0.07	10	30	0.78	729	<1	0.03	90	590	8	0.04	<2	9	12
RRS-125		<1	0.01	<10	<10	0.02	31	<1	0.02	1	10	<2	0.03	<2	<1	4
RRS-126		<1	0.06	<10	<10	0.03	53	3	0.01	3	140	11	0.04	3	1	9

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 818.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Project: NFL2401

Finalized Date: 19-JAN-2024
Account: NORMETLTD

CERTIFICATE OF ANALYSIS BU24006587

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOD	20	0.01	10	10	1	10	2
RRS-086		<20	0.05	<10	<10	204	<10	61
RRS-088		<20	0.02	<10	<10	143	<10	22
RRS-089		<20	0.07	<10	<10	204	<10	26
RRS-090		<20	0.01	<10	<10	76	<10	17
RRS-091		<20	0.01	<10	<10	153	<10	21
RRS-092		<20	0.02	<10	<10	135	<10	18
RRS-093		<20	0.01	<10	<10	131	<10	37
RRS-094		<20	0.02	<10	<10	255	<10	22
RRS-095		<20	0.01	<10	<10	181	<10	45
RRS-096		<20	0.01	<10	<10	73	<10	12
RRS-097		<20	0.03	<10	<10	117	<10	23
RRS-098		<20	0.01	<10	<10	6	<10	2
RRS-099		<20	<0.01	<10	<10	14	<10	3
RRS-100		<20	<0.01	<10	<10	5	<10	2
RRS-101		<20	<0.01	<10	<10	3	<10	5
RRS-102		<20	0.01	<10	<10	9	<10	13
RRS-103		<20	<0.01	<10	<10	125	<10	20
RRS-104		<20	0.01	<10	<10	48	<10	8
RRS-105		<20	0.05	<10	<10	109	<10	14
RRS-106		<20	0.26	<10	<10	164	<10	52
RRS-107		<20	0.12	<10	<10	164	<10	28
RRS-108		<20	<0.01	<10	<10	4	<10	2
RRS-109		<20	0.01	<10	<10	3	<10	2
RRS-110		<20	<0.01	<10	<10	3	<10	<2
RRS-111		<20	0.01	<10	<10	40	<10	7
RRS-112		<20	0.01	<10	<10	35	<10	3
RRS-113		<20	<0.01	<10	<10	65	<10	58
RRS-114		<20	<0.01	<10	<10	44	<10	24
RRS-115		<20	0.01	<10	<10	180	<10	24
RRS-116		<20	0.25	<10	<10	265	<10	83
RRS-117		<20	<0.01	<10	<10	2	<10	5
RRS-118		<20	0.01	<10	<10	1	<10	3
RRS-119		<20	<0.01	<10	<10	2	<10	4
RRS-120		<20	<0.01	<10	<10	4	<10	2
RRS-121		<20	0.02	<10	<10	14	<10	19
RRS-122		<20	0.06	<10	<10	118	<10	52
RRS-123		<20	0.02	<10	<10	78	<10	47
RRS-124		<20	0.23	<10	<10	205	<10	82
RRS-125		<20	<0.01	<10	<10	1	<10	<2
RRS-126		<20	<0.01	<10	<10	48	<10	15

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 818.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Project: NFL2401

Finalized Date: 19-JAN-2024
Account: NORMETLTD

CERTIFICATE OF ANALYSIS BU24006587

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOD	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
RRS-127		0.11	<0.2	1.49	<2	10	40	<0.5	<2	0.03	<0.5	2	51	23	3.01	10
RRS-128		0.11	<0.2	2.85	4	10	70	0.7	<2	0.12	<0.5	40	209	87	9.98	10
RRS-129		0.11	0.2	3.42	<2	10	70	<0.5	<2	0.10	<0.5	23	112	46	6.42	10
RRS-130		0.10	<0.2	1.76	7	<10	30	<0.5	<2	0.03	<0.5	1	42	14	2.79	10
RRS-132		0.11	<0.2	0.98	6	<10	20	<0.5	<2	0.02	<0.5	<1	20	13	2.46	10
RRS-133		0.11	<0.2	1.07	11	<10	10	<0.5	<2	0.01	<0.5	<1	29	15	4.35	10
RRS-134		0.11	<0.2	0.99	68	10	10	<0.5	<2	0.05	<0.5	2	100	41	18.55	10
RRS-150		0.11	<0.2	1.87	8	10	20	<0.5	<2	0.07	<0.5	2	143	31	6.36	10
RRS-151		0.11	<0.2	0.21	11	<10	10	<0.5	<2	0.29	<0.5	1	8	5	0.91	<10
RRS-152		0.11	<0.2	3.66	11	10	20	0.5	<2	0.07	<0.5	3	206	75	12.40	20
RRS-153		0.11	0.7	0.12	<2	10	50	7.0	2	>25.0	5.6	1	39	33	0.11	<10
RRS-154		0.11	<0.2	3.90	12	10	50	1.1	<2	0.08	<0.5	24	297	120	17.60	20
RRS-155		0.11	<0.2	3.86	28	10	10	0.9	<2	0.05	<0.5	4	204	101	10.75	20
RRS-156		0.11	<0.2	4.11	5	10	10	0.8	<2	0.03	<0.5	3	183	108	12.65	20
RRS-157		0.11	<0.2	3.57	16	10	20	1.0	<2	0.01	<0.5	3	51	118	10.55	20
RRS-158		0.11	<0.2	2.90	6	10	10	<0.5	<2	0.18	<0.5	1	99	21	6.49	10
RRS-159		0.11	<0.2	4.74	49	10	10	0.5	<2	0.01	<0.5	4	539	43	25.3	20
RRS-160		0.11	<0.2	3.56	78	10	10	0.7	<2	0.02	<0.5	6	542	49	29.5	10
RRS-161		0.11	<0.2	2.76	72	10	10	<0.5	<2	0.01	<0.5	2	467	41	25.1	10
RRS-162		0.11	<0.2	1.99	77	10	10	<0.5	<2	0.05	<0.5	5	212	57	9.08	10
RRS-163		0.11	<0.2	4.04	18	10	10	0.7	<2	0.03	<0.5	10	605	76	17.15	20
RRS-164		0.11	<0.2	3.02	4	10	10	0.6	<2	0.05	<0.5	15	578	52	11.05	10
RRS-165		0.11	<0.2	3.84	6	10	50	0.7	<2	0.07	<0.5	56	375	58	10.70	20
RRS-166		0.11	<0.2	1.01	5	<10	10	<0.5	<2	0.03	<0.5	2	101	20	4.53	10
RRS-167		0.11	<0.2	4.14	42	10	10	1.1	<2	0.03	<0.5	10	405	36	26.6	10
RRS-168		0.11	<0.2	2.85	51	10	10	1.0	<2	0.05	<0.5	23	399	29	29.6	10
RRS-169		0.11	<0.2	1.67	10	10	<10	<0.5	<2	0.04	<0.5	9	162	18	10.25	10
RRS-170		0.11	<0.2	0.92	5	<10	<10	<0.5	<2	0.05	<0.5	1	81	12	6.01	10
RRS-171		0.11	<0.2	1.05	5	<10	<10	<0.5	<2	0.04	<0.5	<1	54	12	4.58	10
RRS-172		0.11	<0.2	2.21	21	10	10	0.5	<2	0.01	<0.5	11	198	63	9.03	10
RRS-173		0.11	<0.2	4.13	16	10	10	0.9	<2	0.01	<0.5	5	335	107	13.85	20
RRS-174		0.11	<0.2	2.69	3	10	40	0.7	<2	0.09	<0.5	12	168	56	7.31	10
RRS-237		0.11	<0.2	4.68	<2	10	20	0.9	<2	0.09	<0.5	27	218	166	13.80	30
RRS-238		0.11	<0.2	4.97	2	10	10	0.7	<2	0.07	<0.5	11	209	128	13.50	20
RRS-239		0.11	<0.2	3.13	2	10	<10	0.5	<2	0.06	<0.5	3	152	90	9.59	10
RRS-240		0.11	<0.2	5.02	<2	10	20	<0.5	<2	0.06	<0.5	8	175	96	7.73	20
RRS-241		0.11	<0.2	1.16	4	<10	10	<0.5	<2	0.04	<0.5	<1	27	8	3.47	10
RRS-242		0.11	<0.2	4.44	<2	10	40	0.6	<2	0.36	<0.5	94	114	298	11.85	20
RRS-243		0.11	<0.2	4.90	<2	10	70	<0.5	<2	0.46	<0.5	67	104	357	11.40	20
RRS-244		0.11	<0.2	4.59	<2	10	50	0.5	<2	0.52	<0.5	71	101	163	10.90	20

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 818.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Finalized Date: 19-JAN-2024
Account: NORMETLTD

Project: NFL2401

CERTIFICATE OF ANALYSIS BU24006587

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	1	0.01	10	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
RRS-127		<1	0.18	20	10	0.13	205	1	0.02	16	180	10	0.04	<2	3	9
RRS-128		<1	0.06	20	10	0.13	9200	1	0.02	42	610	17	0.06	<2	12	19
RRS-129		<1	0.09	20	20	0.11	8510	1	0.02	30	380	19	0.06	<2	10	15
RRS-130		<1	0.11	20	10	0.07	16	1	0.02	13	250	11	0.03	<2	3	8
RRS-132		<1	0.11	<10	<10	0.04	21	1	0.01	4	170	8	0.03	<2	1	4
RRS-133		<1	0.07	10	<10	0.03	64	2	0.01	4	130	7	0.04	<2	2	3
RRS-134		<1	0.06	<10	<10	0.03	388	6	0.01	9	570	19	0.08	2	3	6
RRS-150		<1	0.04	10	10	0.07	40	1	0.02	18	360	9	0.04	<2	9	6
RRS-151		<1	0.04	<10	<10	0.02	66	<1	0.01	3	70	3	0.03	2	1	6
RRS-152		<1	0.11	10	10	0.13	97	1	0.05	29	520	11	0.07	<2	19	11
RRS-153		16	0.02	<10	<10	0.47	7	<1	0.03	96	470	11	0.19	<2	2	120
RRS-154		<1	0.06	<10	20	0.56	228	1	0.02	120	780	14	0.16	<2	23	5
RRS-155		<1	0.07	10	10	0.23	95	1	0.02	58	890	9	0.06	<2	13	9
RRS-156		<1	0.06	10	10	0.16	105	1	0.02	39	740	10	0.06	<2	19	6
RRS-157		<1	0.20	10	10	0.10	82	2	0.02	14	880	8	0.06	<2	13	4
RRS-158		<1	0.06	10	10	0.05	22	1	0.02	11	100	6	0.04	<2	8	6
RRS-159		1	0.04	<10	10	0.04	131	2	0.01	28	530	18	0.13	<2	13	3
RRS-160		<1	0.04	<10	10	0.02	161	3	0.01	32	690	19	0.15	<2	10	3
RRS-161		<1	0.04	<10	<10	0.02	306	2	0.01	15	370	22	0.14	<2	6	2
RRS-162		<1	0.10	<10	10	0.07	887	<1	0.02	28	850	9	0.05	<2	13	4
RRS-163		<1	0.08	<10	10	0.05	1490	2	0.02	30	530	17	0.10	<2	23	5
RRS-164		<1	0.05	10	10	0.06	1845	1	0.02	31	240	14	0.06	<2	16	5
RRS-165		<1	0.06	10	10	0.09	11800	2	0.02	35	380	30	0.11	<2	18	9
RRS-166		<1	0.05	10	<10	0.06	236	1	0.02	10	140	5	0.03	<2	3	3
RRS-167		<1	0.04	<10	<10	0.03	221	2	0.01	64	1050	20	0.11	<2	13	3
RRS-168		<1	0.02	<10	<10	0.01	520	2	0.01	52	680	29	0.08	<2	7	3
RRS-169		<1	0.02	10	<10	0.02	215	1	0.01	24	210	9	0.07	<2	4	2
RRS-170		<1	0.01	<10	<10	0.02	145	1	0.01	6	150	4	0.05	<2	1	3
RRS-171		<1	0.02	<10	<10	0.02	36	1	0.01	5	90	4	0.04	<2	1	4
RRS-172		<1	0.07	10	10	0.05	120	2	0.02	26	300	9	0.05	<2	11	5
RRS-173		<1	0.03	<10	10	0.26	74	2	0.02	64	750	13	0.06	<2	23	1
RRS-174		<1	0.05	10	10	0.53	464	<1	0.03	67	390	9	0.04	<2	10	15
RRS-237		<1	0.06	10	10	0.15	536	1	0.02	55	660	12	0.09	<2	47	7
RRS-238		<1	0.08	<10	20	0.14	208	1	0.02	40	460	10	0.07	<2	36	7
RRS-239		<1	0.21	<10	10	0.10	33	<1	0.02	13	480	9	0.05	<2	17	3
RRS-240		<1	0.08	<10	20	0.15	99	1	0.03	41	350	13	0.07	<2	15	7
RRS-241		<1	0.02	<10	10	0.02	29	1	0.01	5	140	4	0.04	<2	1	7
RRS-242		<1	0.05	10	20	0.99	2300	<1	0.04	85	320	3	0.03	<2	26	17
RRS-243		<1	0.05	<10	20	1.00	1775	<1	0.04	78	290	2	0.03	<2	22	25
RRS-244		<1	0.07	<10	30	1.80	2180	<1	0.04	104	460	3	0.02	<2	31	14

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 818.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Finalized Date: 19-JAN-2024
Account: NORMETLTD

Project: NFL2401

CERTIFICATE OF ANALYSIS BU24006587

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOD	20	0.01	10	10	1	10	2
RRS-127		<20	0.01	<10	<10	40	<10	19
RRS-128		<20	0.15	10	<10	179	<10	43
RRS-129		<20	0.10	10	<10	145	<10	30
RRS-130		<20	0.01	<10	<10	83	<10	21
RRS-132		<20	0.01	<10	<10	50	<10	7
RRS-133		<20	0.01	<10	<10	75	<10	6
RRS-134		<20	0.01	<10	<10	141	<10	35
RRS-150		<20	0.04	<10	<10	152	<10	20
RRS-151		<20	0.01	<10	<10	8	<10	8
RRS-152		<20	0.06	<10	<10	246	<10	29
RRS-153		<20	<0.01	<10	<10	5	<10	524
RRS-154		<20	0.31	<10	<10	297	<10	103
RRS-155		<20	0.04	<10	<10	210	<10	42
RRS-156		<20	0.22	<10	<10	247	<10	35
RRS-157		<20	0.04	<10	<10	156	<10	40
RRS-158		<20	0.04	<10	<10	132	<10	12
RRS-159		<20	0.04	<10	<10	315	<10	36
RRS-160		<20	0.04	<10	<10	325	<10	49
RRS-161		<20	0.04	<10	<10	322	<10	20
RRS-162		<20	0.03	<10	<10	167	<10	31
RRS-163		<20	0.07	<10	<10	310	<10	42
RRS-164		<20	0.10	<10	<10	204	<10	36
RRS-165		<20	0.10	10	<10	230	<10	30
RRS-166		<20	0.10	<10	<10	108	<10	22
RRS-167		<20	0.03	<10	<10	241	<10	80
RRS-168		<20	0.03	<10	<10	284	<10	70
RRS-169		<20	0.04	<10	<10	128	<10	41
RRS-170		<20	0.03	<10	<10	88	<10	9
RRS-171		<20	0.02	<10	<10	75	<10	8
RRS-172		<20	0.01	<10	<10	161	<10	28
RRS-173		<20	0.07	<10	<10	249	<10	68
RRS-174		<20	0.27	<10	<10	172	<10	75
RRS-237		<20	0.30	<10	<10	380	<10	55
RRS-238		<20	0.19	<10	<10	338	<10	40
RRS-239		<20	0.01	<10	<10	103	<10	12
RRS-240		<20	0.11	<10	<10	318	<10	33
RRS-241		<20	0.03	<10	<10	102	<10	6
RRS-242		<20	0.55	<10	<10	342	<10	119
RRS-243		<20	0.57	<10	<10	352	<10	115
RRS-244		<20	0.72	<10	<10	354	<10	146

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 818.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Finalized Date: 19-JAN-2024
Account: NORMETLTD

Project: NFL2401

CERTIFICATE OF ANALYSIS BU24006587

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOD	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
RRS-245		0.11	<0.2	4.46	<2	10	60	0.8	<2	0.17	<0.5	58	144	262	14.05	20
RRS-246		0.11	<0.2	4.77	3	10	20	0.8	<2	0.07	<0.5	96	210	187	16.85	20
RRS-247		0.11	<0.2	4.58	3	10	20	0.7	<2	0.06	<0.5	30	214	142	13.20	20
RRS-248		0.11	<0.2	4.77	2	10	10	<0.5	<2	0.04	<0.5	8	221	113	14.00	20
RRS-249		0.11	<0.2	3.71	6	10	70	1.2	<2	0.15	<0.5	60	203	131	15.50	20
RRS-250		0.11	<0.2	3.41	<2	10	100	<0.5	<2	0.22	<0.5	40	192	109	9.58	10
RRS-251		0.11	<0.2	3.13	6	10	30	0.9	<2	0.04	<0.5	10	279	96	11.00	20
RRS-252		0.11	<0.2	2.93	6	10	20	0.8	<2	0.01	<0.5	4	240	60	11.90	20
RRS-253		0.11	<0.2	1.47	<2	10	640	<0.5	<2	0.03	<0.5	3	65	22	5.93	10
RRS-254		0.10	<0.2	3.41	4	10	40	0.6	<2	0.18	<0.5	76	420	95	22.2	20
RRS-255		0.10	<0.2	3.92	<2	10	30	0.5	<2	0.11	<0.5	117	223	64	10.50	20
RRS-256		0.10	<0.2	4.22	<2	10	40	1.2	<2	0.01	<0.5	43	95	326	13.15	30
RRS-257		0.11	<0.2	3.69	7	10	40	1.1	<2	0.08	<0.5	16	166	113	11.40	20
RRS-258		0.11	<0.2	3.31	5	10	40	0.5	<2	0.02	<0.5	2	114	89	11.05	10
RRS-259		0.11	<0.2	4.12	2	10	30	0.5	<2	0.39	<0.5	31	335	147	18.75	20
RRS-260		0.11	<0.2	5.04	<2	10	20	<0.5	<2	0.06	<0.5	2	271	285	13.45	20
RRS-261		0.11	<0.2	5.13	9	10	10	<0.5	<2	0.06	<0.5	8	243	146	23.2	20
RRS-262		0.11	<0.2	4.21	<2	10	20	<0.5	<2	0.11	<0.5	4	120	156	11.75	20
RRS-263		0.11	<0.2	3.66	<2	10	10	<0.5	<2	0.05	<0.5	11	142	140	14.45	20
RRS-264		0.11	<0.2	2.47	2	10	20	<0.5	<2	0.03	<0.5	4	134	52	10.30	10
RRS-265		0.11	<0.2	3.89	4	10	20	0.9	<2	0.04	<0.5	3	220	76	11.15	20
RRS-266		0.11	<0.2	2.75	9	10	20	<0.5	<2	0.01	<0.5	<1	150	99	17.10	20
RRS-267		0.11	<0.2	4.25	5	10	70	0.9	<2	0.12	<0.5	28	151	129	10.30	20
RRS-268		0.11	<0.2	4.93	<2	10	30	<0.5	<2	0.12	<0.5	47	249	427	11.50	20
RRS-269		0.11	<0.2	4.38	<2	10	30	0.5	<2	0.11	<0.5	50	234	190	16.45	20
RRS-270		0.11	<0.2	4.52	<2	10	40	0.5	<2	0.19	<0.5	16	162	156	16.45	20
RRS-271		0.11	<0.2	3.69	19	10	10	1.0	<2	0.05	<0.5	2	749	85	20.7	20
RRS-272		0.11	<0.2	1.49	<2	10	10	<0.5	<2	0.04	<0.5	<1	63	17	3.37	10
RRS-273		0.11	<0.2	4.50	8	10	20	0.5	<2	0.06	<0.5	4	179	84	10.30	20
RRS-274		0.11	<0.2	2.66	<2	10	40	0.9	<2	0.10	<0.5	58	333	56	8.45	10
RRS-275		0.11	<0.2	4.44	2	10	20	1.0	<2	0.08	<0.5	15	245	82	9.16	20
RRS-276		0.10	<0.2	3.19	<2	<10	100	1.0	<2	0.23	<0.5	15	210	55	4.66	20
RRS-277		0.11	<0.2	2.87	<2	10	40	0.7	<2	0.20	<0.5	7	108	74	10.50	20
RRS-278		0.11	<0.2	5.87	4	10	40	<0.5	<2	0.09	<0.5	18	314	65	11.05	30
RRS-279		0.11	<0.2	4.06	3	10	10	0.5	<2	0.10	<0.5	5	219	59	10.30	20
RRS-296		0.11	<0.2	2.87	25	10	10	<0.5	<2	0.02	<0.5	1	104	25	7.59	20
RRS-297		0.11	<0.2	4.49	2	10	10	0.9	<2	0.09	<0.5	14	275	89	13.15	30
RRS-298		0.11	<0.2	3.11	<2	10	10	0.6	<2	0.03	<0.5	3	166	63	9.86	20
RRS-299		0.11	<0.2	3.93	<2	10	10	0.5	<2	0.07	<0.5	6	199	58	11.55	20
RRS-300		0.11	<0.2	2.58	8	10	100	1.0	<2	0.23	<0.5	25	86	31	6.58	10

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 818.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Finalized Date: 19-JAN-2024
Account: NORMETLTD

Project: NFL2401

CERTIFICATE OF ANALYSIS BU24006587

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	1	0.01	10	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
RRS-245		<1	0.09	<10	20	0.72	1465	<1	0.04	78	550	3	0.04	<2	27	21
RRS-246		<1	0.04	<10	20	0.37	4320	<1	0.02	50	490	24	0.08	<2	30	8
RRS-247		<1	0.05	<10	10	0.20	620	1	0.02	60	620	12	0.07	<2	35	5
RRS-248		<1	0.05	<10	10	0.09	256	1	0.02	29	290	14	0.06	<2	27	6
RRS-249		<1	0.07	10	20	0.35	534	2	0.02	93	1000	11	0.03	<2	26	10
RRS-250		<1	0.07	10	20	0.29	1895	<1	0.03	61	400	10	0.06	<2	16	15
RRS-251		<1	0.06	10	10	0.58	192	1	0.04	68	470	11	0.04	<2	14	11
RRS-252		<1	0.12	10	<10	0.11	107	1	0.02	32	890	11	0.05	<2	10	6
RRS-253		<1	0.13	20	<10	0.09	93	<1	0.03	22	240	19	0.05	<2	4	8
RRS-254		<1	0.03	<10	20	0.47	3110	<1	0.03	40	260	18	0.04	<2	18	8
RRS-255		<1	0.04	<10	10	0.49	1845	<1	0.03	47	300	8	0.04	<2	38	10
RRS-256		<1	0.01	10	10	0.35	1030	<1	0.02	38	830	2	0.11	<2	56	3
RRS-257		<1	0.13	10	50	0.37	1175	2	0.02	111	1180	10	0.05	<2	11	17
RRS-258		<1	0.16	10	10	0.11	91	1	0.02	16	670	15	0.07	<2	10	9
RRS-259		<1	0.04	<10	40	0.76	1555	<1	0.03	62	360	29	0.05	<2	21	19
RRS-260		1	0.05	<10	10	0.05	272	1	0.02	19	410	22	0.07	<2	47	9
RRS-261		<1	0.03	<10	10	0.05	1620	2	0.02	19	390	36	0.06	<2	27	14
RRS-262		<1	0.03	<10	10	0.11	816	1	0.02	24	320	6	0.06	<2	30	12
RRS-263		<1	0.05	<10	10	0.11	826	<1	0.02	27	240	8	0.07	<2	22	7
RRS-264		<1	0.14	10	20	0.15	209	<1	0.04	25	370	9	0.04	<2	10	12
RRS-265		<1	0.10	10	10	0.17	74	1	0.02	43	1390	9	0.05	<2	24	6
RRS-266		<1	0.13	10	<10	0.04	19	2	0.02	5	940	20	0.10	<2	17	3
RRS-267		<1	0.10	10	50	0.35	356	1	0.03	84	620	16	0.05	<2	17	11
RRS-268		<1	0.04	<10	30	1.24	764	<1	0.04	72	270	27	0.04	<2	20	6
RRS-269		<1	0.07	<10	20	0.35	1890	<1	0.02	32	440	57	0.05	<2	36	9
RRS-270		<1	0.10	<10	10	0.22	1775	<1	0.02	51	530	5	0.05	<2	34	24
RRS-271		<1	0.02	<10	<10	0.06	378	3	0.02	23	520	16	0.08	<2	19	7
RRS-272		<1	0.11	20	<10	0.05	407	<1	0.03	7	250	5	0.05	<2	3	5
RRS-273		<1	0.07	20	10	0.14	45	1	0.03	35	340	16	0.06	<2	43	9
RRS-274		<1	0.03	10	20	0.90	2500	<1	0.04	170	280	7	0.03	<2	12	16
RRS-275		<1	0.09	10	20	0.17	103	<1	0.02	52	260	11	0.06	<2	26	6
RRS-276		<1	0.07	20	20	0.30	105	<1	0.04	82	730	12	0.04	<2	23	9
RRS-277		<1	0.07	20	10	0.10	2910	1	0.02	23	610	12	0.06	<2	12	30
RRS-278		<1	0.08	10	30	0.08	7600	2	0.02	39	430	24	0.11	<2	21	14
RRS-279		<1	0.03	<10	10	0.12	1340	<1	0.02	27	300	12	0.06	<2	20	11
RRS-296		<1	0.06	10	10	0.05	39	2	0.03	19	270	12	0.08	<2	5	9
RRS-297		<1	0.02	<10	<10	0.08	2140	<1	0.02	46	940	9	0.07	<2	30	9
RRS-298		<1	0.07	10	10	0.07	393	1	0.02	19	520	11	0.05	<2	12	7
RRS-299		<1	0.06	10	10	0.07	1070	<1	0.02	25	300	10	0.05	<2	18	10
RRS-300		<1	0.10	30	30	0.20	353	1	0.02	52	550	13	0.04	<2	11	12

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 818.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Finalized Date: 19-JAN-2024
Account: NORMETLTD

Project: NFL2401

CERTIFICATE OF ANALYSIS BU24006587

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOD	20	0.01	10	10	1	10	2
RRS-245		<20	0.72	<10	<10	480	<10	117
RRS-246		<20	0.34	<10	<10	429	<10	58
RRS-247		<20	0.29	<10	<10	347	<10	56
RRS-248		<20	0.13	<10	<10	349	<10	33
RRS-249		<20	0.22	<10	<10	264	<10	89
RRS-250		<20	0.18	<10	<10	255	<10	70
RRS-251		<20	0.27	<10	<10	233	<10	75
RRS-252		<20	0.13	<10	<10	184	<10	34
RRS-253		<20	0.07	<10	<10	46	<10	25
RRS-254		<20	0.30	<10	<10	576	<10	53
RRS-255		<20	0.33	<10	<10	356	<10	82
RRS-256		<20	0.24	<10	<10	417	<10	68
RRS-257		<20	0.13	<10	<10	190	<10	86
RRS-258		<20	0.10	<10	<10	144	<10	36
RRS-259		<20	0.48	<10	<10	523	<10	84
RRS-260		<20	0.22	<10	<10	418	<10	15
RRS-261		<20	0.22	<10	<10	647	<10	16
RRS-262		<20	0.21	<10	<10	349	<10	19
RRS-263		<20	0.28	<10	<10	361	<10	27
RRS-264		<20	0.14	<10	<10	159	<10	34
RRS-265		<20	0.22	<10	<10	187	<10	39
RRS-266		<20	0.08	<10	<10	142	<10	29
RRS-267		<20	0.17	<10	<10	244	<10	105
RRS-268		<20	0.54	<10	<10	364	<10	78
RRS-269		<20	0.47	<10	<10	490	<10	41
RRS-270		<20	0.44	<10	<10	551	<10	35
RRS-271		<20	0.10	<10	<10	291	<10	44
RRS-272		<20	0.05	<10	<10	73	<10	7
RRS-273		<20	0.05	<10	<10	268	<10	26
RRS-274		<20	0.55	<10	<10	204	<10	93
RRS-275		<20	0.14	<10	<10	279	<10	48
RRS-276		<20	0.19	<10	<10	237	<10	76
RRS-277		<20	0.22	<10	<10	212	<10	35
RRS-278		<20	0.10	<10	<10	258	<10	37
RRS-279		<20	0.16	<10	<10	247	<10	28
RRS-296		<20	0.04	<10	<10	200	<10	17
RRS-297		<20	0.24	<10	<10	315	<10	38
RRS-298		<20	0.19	<10	<10	197	<10	27
RRS-299		<20	0.18	<10	<10	247	<10	25
RRS-300		<20	0.03	<10	<10	123	<10	74

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 818.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Finalized Date: 19-JAN-2024
Account: NORMETLTD

Project: NFL2401

CERTIFICATE OF ANALYSIS BU24006587

Sample Description	Method	WEI-21	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Recvd Wt.	Ag	Al	As	B	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
	Units	kg	ppm	%	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
	LOD	0.02	0.2	0.01	2	10	10	0.5	2	0.01	0.5	1	1	1	0.01	10
RRS-301		0.11	<0.2	2.19	4	<10	120	0.8	<2	0.39	<0.5	6	65	18	2.55	10
RRS-302		0.11	<0.2	3.61	10	10	20	1.1	<2	0.08	<0.5	3	329	113	12.55	20
RRS-303		0.11	<0.2	3.18	5	10	30	0.5	<2	0.09	<0.5	8	171	73	13.45	20
RRS-304		0.11	<0.2	2.83	14	10	20	0.8	<2	0.08	<0.5	6	168	80	17.50	10
RRS-305		0.11	<0.2	0.43	<2	<10	10	<0.5	<2	0.05	<0.5	1	15	8	0.60	<10
RRS-306		0.11	<0.2	0.28	2	<10	10	<0.5	<2	0.03	<0.5	<1	14	7	1.03	<10
RRS-307		0.10	<0.2	0.34	<2	<10	10	<0.5	<2	0.07	<0.5	1	9	9	0.64	<10
RRS-308		0.11	<0.2	0.22	2	<10	10	<0.5	<2	0.07	<0.5	2	8	7	1.12	<10
RRS-309		0.11	<0.2	2.85	3	10	20	1.1	<2	0.09	<0.5	9	157	87	12.60	20
RRS-310		0.11	<0.2	2.19	2	<10	20	<0.5	<2	0.03	<0.5	1	121	35	7.92	10
RRS-311		0.11	<0.2	4.21	<2	10	40	1.0	<2	0.06	<0.5	46	224	146	11.05	20
RRS-312		0.11	<0.2	3.92	<2	10	90	1.2	<2	0.06	<0.5	56	212	133	10.70	20
RRS-313		0.11	<0.2	2.37	5	10	30	0.7	<2	0.03	<0.5	2	48	65	8.18	10
RRS-314		0.11	<0.2	3.47	3	10	10	0.8	<2	0.03	<0.5	4	148	80	8.71	20
RRS-315		0.11	<0.2	3.29	<2	10	40	0.6	<2	0.18	<0.5	15	175	76	8.13	20
RRS-316		0.11	<0.2	2.96	5	10	50	1.0	<2	0.17	<0.5	28	205	85	9.08	10
RRS-317		0.10	<0.2	1.27	17	10	110	0.9	<2	0.10	<0.5	13	39	57	4.95	10
RRS-318		0.11	<0.2	4.29	<2	10	20	0.5	<2	0.12	<0.5	4	93	98	12.95	20
RRS-319		0.11	<0.2	2.32	6	10	60	<0.5	<2	0.07	<0.5	<1	38	39	6.22	10
RRS-320		0.11	<0.2	5.28	2	10	10	<0.5	<2	0.04	<0.5	1	226	44	11.80	30
RRS-321		0.11	<0.2	3.16	<2	<10	40	1.2	<2	0.04	<0.5	48	127	72	6.71	20
RRS-322		0.11	<0.2	5.75	<2	10	60	0.7	<2	0.07	<0.5	48	482	84	14.60	30
RRS-323		0.11	<0.2	5.07	<2	10	40	0.6	<2	0.06	<0.5	46	356	76	11.70	20
RRS-324		0.11	<0.2	3.63	4	10	40	0.8	<2	0.04	<0.5	11	304	70	11.65	20
RRS-325		0.11	<0.2	3.68	<2	10	100	1.0	<2	0.16	<0.5	37	319	45	13.70	20
RRS-326		0.10	<0.2	4.28	7	10	40	1.0	<2	0.02	<0.5	29	115	115	9.35	20
RRS-327		0.11	<0.2	5.81	3	10	30	1.1	<2	0.04	<0.5	17	99	219	13.15	30
RRS-328		0.11	<0.2	2.58	<2	10	40	0.9	<2	0.05	<0.5	37	160	73	9.24	20

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 818.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Project: NFL2401

CERTIFICATE OF ANALYSIS BU24006587

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Hg	K	La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr
	Units	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm
	LOD	1	0.01	10	10	0.01	5	1	0.01	1	10	2	0.01	2	1	1
RRS-301		<1	0.17	20	30	0.17	77	1	0.03	26	440	15	0.05	<2	8	12
RRS-302		<1	0.10	10	10	0.08	913	1	0.02	36	1070	12	0.04	<2	19	11
RRS-303		<1	0.08	10	10	0.07	3270	1	0.02	20	630	13	0.05	<2	13	12
RRS-304		<1	0.11	10	10	0.07	1845	2	0.02	13	970	13	0.05	<2	11	10
RRS-305		<1	0.03	<10	<10	0.04	84	<1	0.02	4	100	3	0.06	<2	1	4
RRS-306		<1	0.03	<10	<10	0.03	62	<1	0.02	5	130	3	0.03	<2	1	5
RRS-307		<1	0.04	<10	<10	0.03	48	<1	0.01	5	90	6	0.04	<2	<1	7
RRS-308		<1	0.03	<10	<10	0.03	142	<1	0.01	5	170	4	0.03	<2	1	6
RRS-309		<1	0.13	10	<10	0.26	223	1	0.04	57	1780	8	0.09	<2	25	13
RRS-310		<1	0.06	10	10	0.05	72	1	0.01	12	200	9	0.04	<2	5	6
RRS-311		<1	0.12	10	20	0.58	1325	<1	0.02	121	610	10	0.04	<2	20	8
RRS-312		<1	0.11	10	30	0.87	1770	1	0.03	160	620	8	0.03	<2	18	9
RRS-313		<1	0.15	20	<10	0.07	74	1	0.02	8	560	8	0.03	<2	5	7
RRS-314		<1	0.04	10	10	0.16	159	<1	0.02	30	400	7	0.04	<2	14	6
RRS-315		<1	0.04	10	20	0.59	1505	<1	0.02	73	600	8	0.04	<2	10	24
RRS-316		<1	0.15	10	20	0.27	2150	2	0.02	76	830	14	0.05	<2	11	27
RRS-317		<1	0.21	<10	10	0.06	2330	8	0.02	19	610	20	0.04	<2	5	16
RRS-318		1	0.14	10	10	0.20	179	1	0.02	18	320	9	0.04	<2	11	17
RRS-319		<1	0.16	20	<10	0.07	67	1	0.02	4	220	12	0.04	<2	4	16
RRS-320		<1	0.05	10	20	0.06	96	1	0.02	23	220	11	0.05	<2	10	8
RRS-321		<1	0.04	20	10	0.07	266	<1	0.03	65	1130	9	0.03	<2	36	11
RRS-322		<1	0.06	10	20	0.08	8510	1	0.02	67	400	22	0.09	<2	31	12
RRS-323		<1	0.05	10	20	0.10	5650	1	0.02	59	350	20	0.11	<2	26	8
RRS-324		<1	0.07	<10	30	0.71	429	1	0.03	117	520	18	0.03	<2	13	7
RRS-325		<1	0.07	<10	30	0.88	4560	<1	0.04	140	510	18	0.03	<2	11	31
RRS-326		<1	0.16	10	30	0.49	815	1	0.02	106	730	10	0.03	<2	10	5
RRS-327		<1	0.13	10	30	0.40	495	1	0.02	90	1080	9	0.06	<2	18	7
RRS-328		<1	0.10	10	20	0.44	1560	<1	0.03	76	490	7	0.03	<2	11	12

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 818.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Finalized Date: 19-JAN-2024
Account: NORMETLTD

Project: NFL2401

CERTIFICATE OF ANALYSIS BU24006587

Sample Description	Method	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41	ME-ICP41
	Analyte	Th	Ti	Tl	U	V	W	Zn
	Units	ppm	%	ppm	ppm	ppm	ppm	ppm
	LOD	20	0.01	10	10	1	10	2
RRS-301		<20	0.01	<10	<10	109	<10	62
RRS-302		<20	0.04	<10	<10	259	<10	34
RRS-303		<20	0.13	<10	<10	220	<10	36
RRS-304		<20	0.08	<10	<10	206	<10	45
RRS-305		<20	0.01	<10	<10	14	<10	5
RRS-306		<20	0.01	<10	<10	16	<10	29
RRS-307		<20	0.01	<10	<10	10	<10	6
RRS-308		<20	0.01	<10	<10	15	<10	27
RRS-309		<20	0.08	<10	<10	155	<10	46
RRS-310		<20	0.06	<10	<10	157	<10	15
RRS-311		<20	0.43	<10	<10	249	<10	118
RRS-312		<20	0.50	<10	<10	236	<10	130
RRS-313		<20	0.01	<10	<10	128	<10	21
RRS-314		<20	0.12	<10	<10	178	<10	38
RRS-315		<20	0.22	<10	<10	181	<10	64
RRS-316		<20	0.03	<10	<10	159	<10	66
RRS-317		<20	<0.01	<10	<10	60	<10	55
RRS-318		<20	0.18	<10	<10	227	<10	39
RRS-319		<20	0.03	<10	<10	108	<10	12
RRS-320		<20	0.08	<10	<10	235	<10	18
RRS-321		<20	0.11	<10	<10	258	<10	46
RRS-322		<20	0.16	<10	<10	330	<10	51
RRS-323		<20	0.15	<10	<10	270	<10	51
RRS-324		<20	0.37	<10	<10	226	<10	118
RRS-325		<20	0.47	<10	<10	294	<10	116
RRS-326		<20	0.16	<10	<10	179	<10	111
RRS-327		<20	0.19	<10	<10	260	<10	111
RRS-328		<20	0.40	<10	<10	215	<10	68

***** See Appendix Page for comments regarding this certificate *****

Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation No: 825, Corporate Site No: 818.

To: NORFOLK METALS LIMITED
SUITE 1/295 ROKEBY ROAD
SUBIACO
PERTH WA 6008

Finalized Date: 19-JAN-2024
Account: NORMETLTD

Project: NFL2401

CERTIFICATE OF ANALYSIS BU24006587

CERTIFICATE COMMENTS

ACCREDITATION COMMENTS

Applies to Method: NATA Accreditation covers the performance of this service but does not cover the performance of ALS Brisbane Sample Preparation. Corporate Accreditation No:825, Corporate Site No:818. Technical Signatory: Christopher Snowdon, ICPAES Reporting Chemist
ME-ICP41

LABORATORY ADDRESSES

Applies to Method: Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia
ME-ICP41

Applies to Method: Processed at ALS Burnie located at 39 River Road, Burnie, TAS, Australia.
LEV-01 LOG-22 WEI-21