



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Page: 1

Total # Pages: 3 (A – E)

Plus Appendix Pages

Finalized Date: 14-MAR-2024

Account: VENMIN

QC CERTIFICATE BU24052735

Project: Mt Lindsay

P.O. No.: VMS382

This report is for 15 samples of Rock submitted to our lab in Burnie, TAS, Australia on 28-FEB-2024.

The following have access to data associated with this certificate:

ALEXANDRA LINTNER
RITWIK NAITHANI

ANGELIQUE MARTIN
STUART OWEN

SERGI MASCLANS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
BAG-01	Bulk Master for Storage
PUL-23	Pulv Sample – Split/Retain
LOG-22	Sample login – Rcd w/o BarCode
LOG-24	Pulp Login – Rcd w/o Barcode
CRU-21	Crush entire sample
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS85	Lithium Borate Fusion – Select Elements	ICP-MS
ME-MS81	Lithium Borate Fusion ICP-MS	ICP-MS
ME-ICP61	34 element four acid ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 – A
Total # Pages: 3 (A – E)
Plus Appendix Pages
Finalized Date: 14-MAR-2024
Account: VENMIN

QC CERTIFICATE OF ANALYSIS BU24052735

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm
		0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01	10
STANDARDS																
CGL 208																
Target Range – Lower Bound																
Upper Bound																
EMOG-17		67.9	4.55	564	220	1.8	9	1.95	19.6	748	54	8250	4.83	10	1.68	20
Target Range – Lower Bound		60.4	4.18	517	310	0.7	<2	1.72	17.7	685	49	7740	4.42	<10	1.49	<10
Upper Bound		75.0	5.13	643	440	2.9	10	2.12	22.7	839	62	8910	5.42	30	1.85	40
OREAS 120																
Target Range – Lower Bound																
Upper Bound																
OREAS 460																
Target Range – Lower Bound																
Upper Bound																
OREAS 922		0.9	7.44	5	470	2.3	11	0.50	<0.5	20	77	2250	5.57	20	2.65	40
Target Range – Lower Bound		<0.5	6.59	<5	390	1.3	6	0.42	<0.5	17	67	1970	4.97	<10	2.28	20
Upper Bound		1.9	8.07	17	550	3.5	15	0.53	1.3	23	84	2270	6.09	40	2.80	70
OREAS-100a																
Target Range – Lower Bound																
Upper Bound																
BLANKS																
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	1	<0.01	<10	<0.01	<10
Target Range – Lower Bound		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01	<10
Upper Bound		1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	20	0.02	20
BLANK																
Target Range – Lower Bound																
Upper Bound																
BLANK																
BLANK																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - B
Total # Pages: 3 (A - E)
Plus Appendix Pages
Finalized Date: 14-MAR-2024
Account: VENMIN

QC CERTIFICATE OF ANALYSIS BU24052735

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
STANDARDS															
CGL 208															
Target Range - Lower Bound															
Upper Bound															
EMOG-17		30	0.94	752	1105	1.10	7640	800	7150	3.21	793	8	199	<20	0.32
Target Range - Lower Bound		<10	0.86	670	996	0.99	6820	700	6570	2.91	638	6	184	<20	0.28
Upper Bound		50	1.08	830	1220	1.23	8330	880	8030	3.57	874	10	227	50	0.36
OREAS 120															
Target Range - Lower Bound															
Upper Bound															
OREAS 460															
Target Range - Lower Bound															
Upper Bound															
OREAS 922		30	1.59	862	1	0.46	37	670	63	0.38	<5	13	61	20	0.43
Target Range - Lower Bound		<10	1.41	742	<1	0.39	33	580	51	0.34	<5	10	51	<20	0.37
Upper Bound		50	1.75	918	3	0.50	43	740	67	0.43	11	16	65	60	0.48
OREAS-100a															
Target Range - Lower Bound															
Upper Bound															
BLANKS															
BLANK		<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<20	<0.01
Target Range - Lower Bound		<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<20	<0.01
Upper Bound		20	0.02	10	2	0.02	2	20	4	0.02	10	2	2	40	0.02
BLANK															
Target Range - Lower Bound															
Upper Bound															
BLANK															
BLANK															
Target Range - Lower Bound															
Upper Bound															



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - C

Total # Pages: 3 (A - E)

Plus Appendix Pages

Finalized Date: 14-MAR-2024

Account: VENMIN

QC CERTIFICATE OF ANALYSIS BU24052735

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		U	V	W	Zn	Ce	Dy	Nd	Sn	W	Ba	Ce	Cr	Cs	Dy	Er
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		10	1	10	2	0.1	0.05	0.1	0.5	0.5	0.5	0.1	5	0.01	0.05	0.03
STANDARDS																
CGL 208						94.4	6.86	40.1	6.7	31.4						
Target Range – Lower Bound						83.9	5.70	33.9	4.7	27.2						
Upper Bound						103.0	7.08	41.7	7.3	34.4						
EMOG–17		<10	70	<10	7410											
Target Range – Lower Bound		<10	67	<10	6800											
Upper Bound		20	84	20	8320											
OREAS 120											956	44.0	47	0.74	2.68	1.48
Target Range – Lower Bound											875	41.6	35	0.65	2.11	1.24
Upper Bound											1070	51.0	59	0.81	2.69	1.58
OREAS 460						1810	18.55	823	17.4	4.7						
Target Range – Lower Bound						1620	17.75	739	13.9	3.8						
Upper Bound						1980	21.8	903	18.1	6.3						
OREAS 922		<10	87	<10	277											
Target Range – Lower Bound		<10	81	<10	238											
Upper Bound		20	101	20	296											
OREAS–100a											414	480	43	2.80	23.4	15.70
Target Range – Lower Bound											388	417	28	2.51	20.8	13.40
Upper Bound											475	509	52	3.09	25.6	16.40
BLANKS																
BLANK		<10	<1	<10	<2											
Target Range – Lower Bound		<10	<1	<10	<2											
Upper Bound		20	2	20	4											
BLANK											<0.5	0.1	<5	0.02	<0.05	<0.03
Target Range – Lower Bound											<0.5	<0.1	<5	<0.01	<0.05	<0.03
Upper Bound											1.0	0.2	10	0.02	0.10	0.06
BLANK						0.1	<0.05	<0.1	<0.5	0.5						
BLANK						0.2	<0.05	<0.1	0.5	<0.5						
Target Range – Lower Bound						<0.1	<0.05	<0.1	<0.5	<0.5						
Upper Bound						0.2	0.10	0.2	1.0	1.0						



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - D

Total # Pages: 3 (A - E)

Plus Appendix Pages

Finalized Date: 14-MAR-2024

Account: VENMIN

QC CERTIFICATE OF ANALYSIS BU24052735

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Eu	Ga	Gd	Hf	Ho	La	Lu	Nb	Nd	Pr	Rb	Sc	Sm	Sr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	0.05	0.05	0.01	0.1	0.01	0.05	0.1	0.02	0.2	0.5	0.03	0.1
STANDARDS															
CGL 208															
Target Range - Lower Bound															
Upper Bound															
EMOG-17															
Target Range - Lower Bound															
Upper Bound															
OREAS 120		1.14	11.0	2.78	6.73	0.49	19.5	0.24	8.78	19.2	4.75	90.9	3.1	3.71	129.5
Target Range - Lower Bound		0.91	9.5	2.69	5.32	0.42	18.9	0.18	7.24	17.1	4.49	78.1		3.34	114.0
Upper Bound		1.15	11.9	3.39	6.62	0.54	23.3	0.24	8.96	21.1	5.53	95.9		4.14	140.0
OREAS 460															
Target Range - Lower Bound															
Upper Bound															
OREAS 922															
Target Range - Lower Bound															
Upper Bound															
OREAS-100a		3.69	20.9	21.8	14.80	5.13	258	2.36	46.3	150.5	47.8	255	7.8	22.8	35.9
Target Range - Lower Bound		3.32	17.3	21.2	13.20	4.32	234	2.02	39.6	136.5	42.4	235		21.2	31.9
Upper Bound		4.10	21.3	26.0	16.20	5.30	286	2.50	48.6	167.5	51.8	288		26.0	39.2
BLANKS															
BLANK															
Target Range - Lower Bound															
Upper Bound															
BLANK		<0.02	0.1	<0.05	<0.05	<0.01	<0.1	0.01	<0.05	<0.1	<0.02	<0.2	<0.5	<0.03	0.3
Target Range - Lower Bound		<0.02	<0.1	<0.05	<0.05	<0.01	<0.1	<0.01	<0.05	<0.1	<0.02	<0.2		<0.03	<0.1
Upper Bound		0.04	0.2	0.10	0.10	0.02	0.2	0.02	0.10	0.2	0.04	0.4		0.06	0.2
BLANK															
BLANK															
Target Range - Lower Bound															
Upper Bound															



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 – E
Total # Pages: 3 (A – E)
Plus Appendix Pages
Finalized Date: 14-MAR-2024
Account: VENMIN

QC CERTIFICATE OF ANALYSIS BU24052735

Sample Description	Method Analyte Units LOD	ME-MS81 Ta ppm 0.1	ME-MS81 Tb ppm 0.01	ME-MS81 Th ppm 0.05	ME-MS81 Ti % 0.01	ME-MS81 Tm ppm 0.01	ME-MS81 U ppm 0.05	ME-MS81 V ppm 5	ME-MS81 W ppm 0.5	ME-MS81 Y ppm 0.1	ME-MS81 Yb ppm 0.03	ME-MS81 Zr ppm 1
STANDARDS												
CGL 208												
Target Range – Lower Bound												
Upper Bound												
EMOG-17												
Target Range – Lower Bound												
Upper Bound												
OREAS 120		0.8	0.44	5.05	0.27	0.21	39.2	27	0.7	12.2	1.49	267
Target Range – Lower Bound		0.4	0.39	4.86	0.21	0.17	36.7	12	<0.5	10.9	1.18	229
Upper Bound		0.8	0.49	6.05	0.28	0.23	44.9	34	2.1	13.5	1.50	282
OREAS 460												
Target Range – Lower Bound												
Upper Bound												
OREAS 922												
Target Range – Lower Bound												
Upper Bound												
OREAS-100a		3.9	3.63	50.2	0.26	2.33	134.0	40	10.2	139.0	15.20	554
Target Range – Lower Bound		3.2	3.41	46.4	0.21	2.07	121.5	25	9.3	127.5	13.40	511
Upper Bound		4.2	4.19	56.8	0.27	2.55	148.5	49	12.5	156.5	16.40	626
BLANKS												
BLANK		0.2	<0.01	<0.05	<0.01	<0.01	<0.05	<5	<0.5	<0.1	<0.03	<1
Target Range – Lower Bound		<0.1	<0.01	<0.05	<0.01	<0.01	<0.05	<5	<0.5	<0.1	<0.03	<1
Upper Bound		0.2	0.02	0.10	0.02	0.02	0.10	10	1.0	0.2	0.06	2
BLANK												
BLANK												
Target Range – Lower Bound												
Upper Bound												



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - A
Total # Pages: 3 (A - E)
Plus Appendix Pages
Finalized Date: 14-MAR-2024
Account: VENMIN

QC CERTIFICATE OF ANALYSIS BU24052735

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm
		0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01	10
ALTC006 DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
SOST029A DUP Target Range – Lower Bound Upper Bound		<0.5 <0.5 <0.5 1.0	4.71 4.75 4.48 4.98	<5 <5 <5 10	<10 <10 <10 20	5.3 5.3 4.5 6.1	<2 <2 <2 4	0.06 0.06 0.05 0.07	<0.5 <0.5 <0.5 1.0	1 2 <1 2	18 19 17 20	4 9 5 8	3.83 3.85 3.64 4.04	20 20 <10 30	0.02 0.03 <0.01 0.04	10 10 <10 20
SOST034 DUP Target Range – Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - B
Total # Pages: 3 (A - E)
Plus Appendix Pages
Finalized Date: 14-MAR-2024
Account: VENMIN

QC CERTIFICATE OF ANALYSIS BU24052735

Sample Description	Method Analyte Units LOD	ME-ICP61 Li ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01	ME-ICP61 Tl ppm 10
ALTC006 DUP Target Range - Lower Bound Upper Bound		DUPLICATES														
SOST029A DUP Target Range - Lower Bound Upper Bound		30 30 20 40	0.26 0.26 0.24 0.28	234 237 219 252	1 <1 <1 2	0.43 0.44 0.40 0.47	1 2 <1 2	20 20 <10 30	<2 <2 <2 4	<0.01 <0.01 <0.01 0.02	<5 <5 <5 10	6 6 5 7	13 11 10 14	<20 <20 <20 40	0.18 0.18 0.16 0.20	<10 <10 <10 20
SOST034 DUP Target Range - Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 – C
Total # Pages: 3 (A – E)
Plus Appendix Pages
Finalized Date: 14-MAR-2024
Account: VENMIN

QC CERTIFICATE OF ANALYSIS BU24052735

Sample Description	Method Analyte Units LOD	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	ME-MS85 Ce ppm 0.1	ME-MS85 Dy ppm 0.05	ME-MS85 Nd ppm 0.1	ME-MS85 Sn ppm 0.5	ME-MS85 W ppm 0.5	ME-MS81 Ba ppm 0.5	ME-MS81 Ce ppm 0.1	ME-MS81 Cr ppm 5	ME-MS81 Cs ppm 0.01	ME-MS81 Dy ppm 0.05	ME-MS81 Er ppm 0.03
ALTC006 DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
											137.5	73.6	369	2.17	2.13	1.04
											139.5	72.6	359	2.18	2.08	0.92
											131.0	69.3	341	2.06	1.95	0.90
											146.0	76.9	387	2.29	2.26	1.06
SOST029A DUP Target Range – Lower Bound Upper Bound		<10	25	10	19											
		<10	24	10	19											
		<10	22	<10	16											
		20	27	20	22											
SOST034 DUP Target Range – Lower Bound Upper Bound						16.0	1.41	6.0	1.2	1.1						
						16.0	1.57	5.9	1.2	1.1						
						15.1	1.37	5.6	0.6	<0.5						
						16.9	1.61	6.3	1.8	1.7						



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 – D
Total # Pages: 3 (A – E)
Plus Appendix Pages
Finalized Date: 14-MAR-2024
Account: VENMIN

QC CERTIFICATE OF ANALYSIS BU24052735

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81
		Eu	Ga	Gd	Hf	Ho	La	Lu	Nb	Nd	Pr	Rb	Sc	Sm	Sn	Sr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	0.05	0.05	0.01	0.1	0.01	0.05	0.1	0.02	0.2	0.5	0.03	0.5	0.1
		DUPLICATES														
ALTC006		0.80	33.2	2.53	8.80	0.29	65.1	0.22	57.3	26.6	9.42	22.6	20.6	4.04	3.3	58.5
DUP		0.86	32.4	2.52	8.17	0.34	64.2	0.11	55.3	25.5	9.01	22.8	21.4	3.24	3.0	54.7
Target Range – Lower Bound		0.77	31.1	2.35	8.01	0.29	61.3	0.15	53.4	24.6	8.73	21.4	19.5	3.43	2.5	53.7
Upper Bound		0.89	34.5	2.70	8.96	0.34	68.0	0.18	59.2	27.5	9.70	24.0	22.6	3.85	3.8	59.5
SOST029A																
DUP																
Target Range – Lower Bound																
Upper Bound																
SOST034																
DUP																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 – E
Total # Pages: 3 (A – E)
Plus Appendix Pages
Finalized Date: 14-MAR-2024
Account: VENMIN

QC CERTIFICATE OF ANALYSIS BU24052735

Sample Description	Method Analyte Units LOD	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	ME-MS81	
		Ta	Tb	Th	Ti	Tm	U	V	W	Y	Yb	Zr	
		ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.1	0.01	0.05	0.01	0.01	0.05	5	0.5	0.1	0.03	1	
DUPLICATES													
ALTC006		3.5	0.38	6.83	1.96	0.12	2.39	234	2.2	8.8	1.04	358	
DUP		3.4	0.40	6.87	1.95	0.12	2.39	235	1.1	8.7	0.87	345	
Target Range – Lower Bound		3.2	0.36	6.46	1.85	0.10	2.22	218	1.1	8.2	0.88	333	
Upper Bound		3.7	0.42	7.24	2.06	0.14	2.56	251	2.2	9.3	1.03	370	
SOST029A													
DUP													
Target Range – Lower Bound													
Upper Bound													
SOST034													
DUP													
Target Range – Lower Bound													
Upper Bound													



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 14-MAR-2024

Account: VENMIN

QC CERTIFICATE OF ANALYSIS BU24052735

CERTIFICATE COMMENTS

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Brisbane Sample Preparation. Corporate Accreditation No:825, Corporate Site No:818. Technical Signatory: Christopher Snowdon, ICPAES Reporting Chemist
ME-ICP61

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia
ME-ICP61 ME-MS81 ME-MS85

Applies to Method:

Processed at ALS Burnie located at 39 River Road, Burnie, TAS, Australia.
BAG-01 CRU-21 LEV-01 LOG-22
LOG-24 PUL-23 PUL-QC WEI-21