



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: **VENTURE MINERALS LIMITED**
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Page: 1
Total # Pages: 5 (A – E)
Plus Appendix Pages
Finalized Date: 10-SEP-2023
Account: VENMIN

QC CERTIFICATE AD23230964

Project: Mt Lindsay

P.O. No.: VMS376

This report is for 73 samples of Soil submitted to our lab in Burnie, TAS, Australia on 18-AUG-2023.

The following have access to data associated with this certificate:

ALEXANDRA LINTNER

SERGI MASCLANS

STUART OWEN

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
PUL-QC	Pulverizing QC Test
WEI-21	Received Sample Weight
LOG-22	Sample login – Rcd w/o BarCode
LOG-24	Pulp Login – Rcd w/o Barcode
LEV-01	Waste Disposal Levy
CRU-21	Crush entire sample
PUL-25a	Pulv sample-crush/split/retain

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	34 element four acid ICP-AES	ICP-AES
ME-MS85	Lithium Borate Fusion – Select Elements	ICP-MS
B-ICP69	Boron – HF Digest ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - A

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 10-SEP-2023

Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
		0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
STANDARDS															
BCS396															
BCS396															
BCS396															
BCS396															
BCS396															
BCS396															
Target Range - Lower Bound															
Upper Bound															
EMOG-17		65.8	4.48	548	350	1.8	2	1.83	18.3	724	55	7940	4.69	10	1.59
Target Range - Lower Bound		60.4	4.18	517	310	0.7	<2	1.72	17.7	685	49	7740	4.42	<10	1.49
Upper Bound		75.0	5.13	643	440	2.9	10	2.12	22.7	839	62	8910	5.42	30	1.85
MRCA-21		8.7	7.43	20	1230	2.7	<2	1.76	2.0	31	41	941	3.30	20	2.82
MRCA-21		8.3	7.39	17	1230	2.6	<2	1.75	1.8	30	42	900	3.29	20	2.78
Target Range - Lower Bound		7.0	6.83	8	1050	1.7	<2	1.58	1.1	27	38	876	3.05	<10	2.58
Upper Bound		9.8	8.37	30	1440	4.0	6	1.96	3.3	35	49	1010	3.75	40	3.18
OREAS 147															
OREAS 147															
Target Range - Lower Bound															
Upper Bound															
OREAS 20a															
Target Range - Lower Bound															
Upper Bound															
OREAS 460															
Target Range - Lower Bound															
Upper Bound															
OREAS 553															
OREAS 553															
OREAS 553															
OREAS 553															
OREAS 553															
OREAS 553															
Target Range - Lower Bound															
Upper Bound															
OREAS 902		<0.5	4.59	555	180	2.4	8	4.20	<0.5	992	46	3060	3.20	10	3.26
OREAS 902		<0.5	4.44	561	170	2.3	5	4.01	<0.5	962	47	2930	3.11	10	3.13
Target Range - Lower Bound		<0.5	4.26	512	130	1.1	4	3.64	<0.5	832	45	2800	2.86	<10	2.88
Upper Bound		1.4	5.22	636	210	3.3	13	4.47	1.0	1020	57	3220	3.52	30	3.54
OREAS-45h		<0.5	7.80	16	320	1.1	<2	0.13	<0.5	85	596	750	19.30	20	0.19



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - B
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 10-SEP-2023
Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
STANDARDS															
BCS396															
BCS396															
BCS396															
BCS396															
BCS396															
BCS396															
Target Range - Lower Bound															
Upper Bound															
EMOG-17		30	0.90	715	1070	1.05	7320	760	6880	3.09	750	8	196	<20	0.31
Target Range - Lower Bound		<10	0.86	670	996	0.99	6820	700	6570	2.91	638	6	184	<20	0.28
Upper Bound		50	1.08	830	1220	1.23	8330	880	8030	3.57	874	10	227	50	0.36
MRCA-21		60	0.71	8150	25	1.93	939	850	891	0.43	28	8	172	20	0.36
MRCA-21		60	0.71	7970	23	1.92	922	850	879	0.42	28	8	169	<20	0.35
Target Range - Lower Bound		40	0.65	7360	22	1.79	848	770	814	0.38	14	7	156	<20	0.32
Upper Bound		80	0.82	9000	29	2.21	1040	970	1000	0.49	40	11	192	60	0.42
OREAS 147															
OREAS 147															
Target Range - Lower Bound															
Upper Bound															
OREAS 20a															
Target Range - Lower Bound															
Upper Bound															
OREAS 460															
Target Range - Lower Bound															
Upper Bound															
OREAS 553															
OREAS 553															
OREAS 553															
OREAS 553															
OREAS 553															
OREAS 553															
Target Range - Lower Bound															
Upper Bound															
OREAS 902		10	2.48	466	12	0.04	176	680	13	1.68	<5	7	31	<20	0.20
OREAS 902		10	2.41	440	12	0.04	165	690	13	1.63	<5	7	30	<20	0.19
Target Range - Lower Bound		<10	2.22	409	10	0.02	147	610	9	1.57	<5	5	25	<20	0.16
Upper Bound		30	2.74	511	15	0.07	181	770	18	1.95	12	9	32	50	0.22
OREAS-45h		10	0.22	374	2	0.09	415	220	12	0.03	<5	54	28	<20	0.85



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - C
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 10-SEP-2023
Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	
		U	V	W	Zn	Sn	Ba	Ce	Cr	Cs	Dy	Er	Eu	Ga	Gd	Hf	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		10	1	10	2	10	0.5	0.1	5	0.01	0.05	0.03	0.02	0.1	0.05	0.05	
STANDARDS																	
BCS396																	
BCS396																	
BCS396																	
BCS396																	
BCS396																	
BCS396																	
Target Range – Lower Bound																	
Upper Bound																	
EMOG–17		<10	70	20	7400	<10											
Target Range – Lower Bound		<10	67	<10	6800	<10											
Upper Bound		20	84	20	8320	20											
MRCA–21		<10	62	10	836	<10											
MRCA–21		<10	63	10	803	<10											
Target Range – Lower Bound		<10	57	<10	740	<10											
Upper Bound		20	71	30	908	30											
OREAS 147							1935	1175	79	231	8.51	2.70	9.98	19.6	21.6	5.45	
OREAS 147							1890	1090	80	230	8.54	2.49	9.76	18.8	21.0	5.55	
Target Range – Lower Bound							1760	1080	55	211	7.62	2.33	9.16	17.7	19.55	4.86	
Upper Bound							2150	1320	81	257	9.42	2.91	11.25	21.9	24.0	6.05	
OREAS 20a							1130	82.5	88	14.85	5.47	3.07	1.50	18.2	5.53	8.13	
Target Range – Lower Bound							973	73.7	73	13.75	4.67	2.74	1.28	17.4	5.16	7.07	
Upper Bound							1190	90.3	101	16.85	5.81	3.42	1.60	21.4	6.42	8.75	
OREAS 460							834	1835	385	3.90	19.75	5.80	22.7	26.6	48.6	11.05	
Target Range – Lower Bound							727	1620	349	3.30	17.75	5.38	20.4	23.8	45.0	10.55	
Upper Bound							889	1980	437	4.06	21.8	6.64	25.0	29.3	55.1	13.05	
OREAS 553																	
OREAS 553																	
OREAS 553																	
OREAS 553																	
OREAS 553																	
OREAS 553																	
Target Range – Lower Bound																	
Upper Bound																	
OREAS 902		<10	55	<10	8	<10											
OREAS 902		<10	54	<10	8	<10											
Target Range – Lower Bound		<10	48	<10	3	<10											
Upper Bound		30	60	20	12	20											
OREAS–45h		<10	249	<10	38	<10											

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 – E
Total # Pages: 5 (A – E)
Plus Appendix Pages
Finalized Date: 10-SEP-2023
Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	B-ICP69
		Tm	U	V	W	Y	Yb	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.05	5	0.5	0.1	0.03	1	10
STANDARDS									
BCS396									260
BCS396									250
BCS396									250
BCS396									240
BCS396									260
BCS396									250
Target Range – Lower Bound									220
Upper Bound									280
EMOG-17									
Target Range – Lower Bound									
Upper Bound									
MRCA-21									
MRCA-21									
Target Range – Lower Bound									
Upper Bound									
OREAS 147		0.28	15.05	68	5.5	27.7	1.60	212	
OREAS 147		0.28	14.80	62	6.0	25.0	1.68	223	
Target Range – Lower Bound		0.26	14.70	54	4.7	24.7	1.44	206	
Upper Bound		0.34	18.10	80	7.3	30.5	1.82	254	
OREAS 20a		0.45	6.10	129	3.5	29.1	3.25	310	
Target Range – Lower Bound		0.40	5.97	98	2.7	26.2	2.63	272	
Upper Bound		0.51	7.41	130	5.0	32.2	3.29	334	
OREAS 460		0.67	4.00	274	4.8	60.7	3.52	475	
Target Range – Lower Bound		0.62	3.74	235	3.8	53.9	3.49	424	
Upper Bound		0.78	4.68	299	6.3	66.1	4.33	520	
OREAS 553									300
OREAS 553									290
OREAS 553									290
OREAS 553									290
OREAS 553									290
OREAS 553									290
Target Range – Lower Bound									250
Upper Bound									310
OREAS 902									
OREAS 902									
Target Range – Lower Bound									
Upper Bound									
OREAS-45h									



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - A

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 10-SEP-2023

Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm
		0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01	10
STANDARDS																
Target Range – Lower Bound		<0.5	7.18	6	270	<0.5	<2	0.11	<0.5	78	541	712	17.55	<10	0.17	<10
Upper Bound		1.2	8.80	28	390	2.1	4	0.16	1.0	98	663	822	21.5	40	0.24	30
SY-5																
SY-5																
Target Range – Lower Bound																
Upper Bound																
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range – Lower Bound		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01	<10
Upper Bound		1.2	8.80	28	390	2.1	4	0.16	1.0	98	663	822	21.5	40	0.24	30
BLANK																
BLANK																
BLANK																
Target Range – Lower Bound		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01	<10
Upper Bound		1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	20	0.02	20
BLANK																
BLANK																
BLANK																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - B

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 10-SEP-2023

Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10
STANDARDS																
Target Range – Lower Bound		<10	0.20	337	<1	0.07	380	200	7	<0.01	<5	50	23	<20	0.78	<10
Upper Bound		30	0.27	423	4	0.11	466	260	16	0.06	11	64	31	50	0.98	20
SY-5																
SY-5																
Target Range – Lower Bound																
Upper Bound																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range – Lower Bound																
Upper Bound																
BLANK		<10	<0.01	<5	<1	<0.01	2	<10	<2	<0.01	<5	<1	<1	<20	<0.01	<10
BLANK		<10	<0.01	<5	<1	<0.01	2	<10	<2	<0.01	<5	<1	<1	<20	<0.01	<10
BLANK		<10	<0.01	<5	2	<0.01	2	10	3	<0.01	<5	<1	1	<20	<0.01	<10
Target Range – Lower Bound		<10	<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<20	<0.01	<10
Upper Bound		20	0.02	10	2	0.02	2	20	4	0.02	10	2	2	40	0.02	20
BLANK																
BLANK																
BLANK																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - C

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 10-SEP-2023

Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	
		U	V	W	Zn	Sn	Ba	Ce	Cr	Cs	Dy	Er	Eu	Ga	Gd	Hf	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		10	1	10	2	10	0.5	0.1	5	0.01	0.05	0.03	0.02	0.1	0.05	0.05	
STANDARDS																	
Target Range – Lower Bound		<10	236	<10	34	<10											
Upper Bound		20	290	20	46	20											
SY–5							6710	481	169	0.58	12.15	5.68	7.79	20.8	20.8	16.55	
SY–5							7010	475	167	0.67	12.45	5.70	7.87	21.3	20.4	16.50	
Target Range – Lower Bound							5830	413	131	0.54	10.15	4.81	6.86	19.3	17.75	13.70	
Upper Bound							7130	505	172	0.68	12.50	5.95	8.42	23.9	21.8	16.90	
BLANKS																	
BLANK																	
BLANK																	
BLANK																	
BLANK																	
BLANK																	
BLANK																	
Target Range – Lower Bound		<10	<1	<10	<2	<10											
Upper Bound		20	2	20	4	20											
BLANK							12.1	0.2	<5	<0.01	<0.05	<0.03	<0.02	0.2	<0.05	<0.05	
BLANK							11.4	0.2	<5	0.03	<0.05	<0.03	<0.02	0.1	<0.05	<0.05	
BLANK							3.4	0.2	<5	0.05	<0.05	<0.03	<0.02	0.1	<0.05	<0.05	
Target Range – Lower Bound							<0.5	<0.1	<5	<0.01	<0.05	<0.03	<0.02	<0.1	<0.05	<0.05	
Upper Bound							1.0	0.2	10	0.02	0.10	0.06	0.04	0.2	0.10	0.10	

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - E

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 10-SEP-2023

Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	B-ICP69
		Tm	U	V	W	Y	Yb	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.05	5	0.5	0.1	0.03	1	10
STANDARDS									
Target Range – Lower Bound									
Upper Bound									
SY-5		0.75	5.27	147	0.6	58.9	4.52	840	
SY-5		0.77	5.39	146	0.5	58.1	4.82	844	
Target Range – Lower Bound		0.64	4.53	114	<0.5	50.6	4.15	691	
Upper Bound		0.81	5.65	150	1.0	62.0	5.13	847	
BLANKS									
BLANK									<10
BLANK									<10
BLANK									<10
BLANK									<10
BLANK									<10
BLANK									<10
Target Range – Lower Bound									<10
Upper Bound									20
BLANK									
BLANK									
BLANK									
Target Range – Lower Bound									
Upper Bound									
BLANK		<0.01	<0.05	5	0.5	<0.1	<0.03	1	
BLANK		<0.01	<0.05	<5	<0.5	<0.1	<0.03	<1	
BLANK		0.02	<0.05	6	0.6	0.1	<0.03	<1	
Target Range – Lower Bound		<0.01	<0.05	<5	<0.5	<0.1	<0.03	<1	
Upper Bound		0.02	0.10	10	1.0	0.2	0.06	2	



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 4 - A
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 10-SEP-2023
Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm
		0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01	10
DUPLICATES																
ORIGINAL		0.6	7.42	6	100	1.0	<2	2.79	<0.5	23	105	423	8.00	20	0.73	10
DUP		0.5	7.28	<5	100	1.0	2	2.73	<0.5	24	105	424	7.91	20	0.72	10
Target Range – Lower Bound		<0.5	6.97	<5	80	<0.5	<2	2.61	<0.5	21	99	408	7.55	<10	0.68	<10
Upper Bound		1.0	7.73	10	120	1.6	4	2.91	1.0	26	111	439	8.36	30	0.77	20
STS280																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS283																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS294																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS311		<0.5	9.78	8	90	1.6	<2	0.01	<0.5	30	103	106	9.88	30	0.96	20
DUP		<0.5	9.80	8	120	1.6	<2	0.01	<0.5	30	105	106	9.90	30	0.96	20
Target Range – Lower Bound		<0.5	9.29	<5	90	1.0	<2	<0.01	<0.5	28	98	101	9.39	20	0.90	<10
Upper Bound		1.0	10.30	10	120	2.2	4	0.02	1.0	33	110	111	10.40	40	1.02	30
STS312																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS323																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS327																
DUP																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 4 - B

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 10-SEP-2023

Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10
		DUPLICATES														
ORIGINAL		30	3.42	1365	11	0.05	89	1570	6	0.69	<5	15	52	<20	0.71	<10
DUP		30	3.36	1350	11	0.05	88	1550	5	0.71	<5	15	50	<20	0.71	<10
Target Range – Lower Bound		20	3.21	1285	9	0.04	83	1470	3	0.66	<5	13	47	<20	0.66	<10
Upper Bound		40	3.57	1430	13	0.06	94	1650	8	0.75	10	17	55	40	0.76	20
STS280																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS283																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS294																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS311		20	0.41	927	2	0.02	26	650	13	0.05	<5	31	10	<20	1.40	<10
DUP		20	0.41	921	2	0.02	27	680	14	0.05	<5	31	11	<20	1.39	<10
Target Range – Lower Bound		<10	0.38	873	<1	<0.01	24	620	11	0.04	<5	28	9	<20	1.32	<10
Upper Bound		30	0.44	975	3	0.03	29	710	16	0.06	10	34	12	40	1.47	20
STS312																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS323																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS327																
DUP																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 4 - C
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 10-SEP-2023
Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-ICP61 U ppm 10	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	ME-ICP61 Sn ppm 10	ME-MS85 Ba ppm 0.5	ME-MS85 Ce ppm 0.1	ME-MS85 Cr ppm 5	ME-MS85 Cs ppm 0.01	ME-MS85 Dy ppm 0.05	ME-MS85 Er ppm 0.03	ME-MS85 Eu ppm 0.02	ME-MS85 Ga ppm 0.1	ME-MS85 Gd ppm 0.05	ME-MS85 Hf ppm 0.05
DUPLICATES																
ORIGINAL		<10	125	<10	261	<10										
DUP		<10	123	<10	259	<10										
Target Range - Lower Bound		<10	117	<10	245	<10										
Upper Bound		20	131	20	275	20										
STS280							59.8	51.1	67	3.54	2.43	1.65	0.59	9.4	2.75	4.25
DUP							57.5	51.0	66	3.50	2.37	1.60	0.59	9.9	2.64	4.58
Target Range - Lower Bound							55.2	48.4	58	3.33	2.23	1.51	0.54	9.1	2.51	4.14
Upper Bound							62.1	53.7	75	3.71	2.57	1.74	0.64	10.2	2.88	4.69
STS283																
DUP																
Target Range - Lower Bound																
Upper Bound																
STS294							101.0	104.5	371	4.23	2.94	2.42	0.68	32.2	2.24	6.97
DUP							103.0	105.0	368	4.10	3.07	2.24	0.61	30.6	2.50	7.00
Target Range - Lower Bound							96.4	99.4	346	3.95	2.80	2.18	0.59	29.7	2.20	6.59
Upper Bound							107.5	110.0	393	4.38	3.21	2.48	0.70	33.1	2.54	7.38
STS311		<10	261	<10	63	<10										
DUP		<10	268	<10	64	<10										
Target Range - Lower Bound		<10	250	<10	58	<10										
Upper Bound		20	279	20	69	20										
STS312																
DUP																
Target Range - Lower Bound																
Upper Bound																
STS323							63.5	37.6	2300	2.86	3.05	2.18	0.36	19.0	2.51	6.91
DUP							65.4	40.6	2310	3.03	3.14	2.33	0.50	19.6	2.55	6.70
Target Range - Lower Bound							60.7	37.0	2180	2.79	2.89	2.11	0.39	18.2	2.35	6.41
Upper Bound							68.2	41.2	2430	3.10	3.30	2.40	0.47	20.4	2.71	7.20
STS327																
DUP																
Target Range - Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 4 - D
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 10-SEP-2023
Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-MS85 Ho ppm 0.01	ME-MS85 La ppm 0.1	ME-MS85 Lu ppm 0.01	ME-MS85 Nb ppm 0.05	ME-MS85 Nd ppm 0.1	ME-MS85 Pr ppm 0.02	ME-MS85 Rb ppm 0.2	ME-MS85 Sc ppm 0.5	ME-MS85 Sm ppm 0.03	ME-MS85 Sn ppm 0.5	ME-MS85 Sr ppm 0.1	ME-MS85 Ta ppm 0.1	ME-MS85 Tb ppm 0.01	ME-MS85 Th ppm 0.05	ME-MS85 Ti % 0.01
ORIGINAL DUP Target Range - Lower Bound Upper Bound		DUPLICATES														
STS280 DUP Target Range - Lower Bound Upper Bound		0.45 0.48 0.43 0.50	25.5 25.4 24.1 26.8	0.23 0.18 0.18 0.23	21.4 21.4 20.3 22.5	20.2 20.5 19.2 21.5	5.69 5.44 5.27 5.86	33.4 31.3 30.5 34.2	10.0 8.5 8.3 10.2	3.57 3.20 3.19 3.58	1.9 1.9 1.3 2.5	17.0 17.4 16.2 18.2	1.3 1.3 1.1 1.5	0.35 0.42 0.36 0.41	5.69 5.56 5.29 5.96	0.58 0.57 0.54 0.61
STS283 DUP Target Range - Lower Bound Upper Bound																
STS294 DUP Target Range - Lower Bound Upper Bound		0.71 0.71 0.66 0.76	11.1 12.2 11.0 12.3	0.40 0.42 0.38 0.44	29.9 28.7 27.8 30.8	10.6 10.9 10.1 11.4	2.36 2.51 2.29 2.58	48.6 46.7 45.1 50.2	46.7 45.4 43.2 48.9	2.64 2.80 2.55 2.89	3.8 4.0 3.2 4.6	10.9 10.9 10.3 11.5	1.8 1.7 1.6 1.9	0.45 0.41 0.40 0.46	8.36 8.51 7.96 8.91	1.89 1.86 1.77 1.98
STS311 DUP Target Range - Lower Bound Upper Bound																
STS312 DUP Target Range - Lower Bound Upper Bound																
STS323 DUP Target Range - Lower Bound Upper Bound		0.67 0.64 0.61 0.70	11.2 11.5 10.7 12.0	0.43 0.38 0.37 0.44	25.3 27.2 24.9 27.6	10.6 11.7 10.5 11.8	2.71 3.07 2.73 3.05	29.1 30.8 28.3 31.6	25.0 27.7 24.5 28.2	2.34 2.62 2.33 2.63	14.6 12.6 12.4 14.8	10.0 9.3 9.1 10.2	1.6 1.6 1.4 1.8	0.43 0.46 0.41 0.48	8.37 9.07 8.23 9.21	1.52 1.57 1.46 1.63
STS327 DUP Target Range - Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 4 – E
Total # Pages: 5 (A – E)
Plus Appendix Pages
Finalized Date: 10-SEP-2023
Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-MS85 Tm ppm 0.01	ME-MS85 U ppm 0.05	ME-MS85 V ppm 5	ME-MS85 W ppm 0.5	ME-MS85 Y ppm 0.1	ME-MS85 Yb ppm 0.03	ME-MS85 Zr ppm 1	B-ICP69 B ppm 10
ORIGINAL DUP Target Range – Lower Bound Upper Bound		DUPLICATES							
STS280 DUP Target Range – Lower Bound Upper Bound		0.21 0.23 0.20 0.24	1.38 1.45 1.29 1.54	103 102 92 113	2.2 1.9 1.4 2.7	13.6 12.6 12.3 13.9	1.52 1.46 1.39 1.59	178 185 171 192	
STS283 DUP Target Range – Lower Bound Upper Bound								50 50 40 60	
STS294 DUP Target Range – Lower Bound Upper Bound		0.34 0.34 0.31 0.37	2.21 2.18 2.04 2.35	376 393 360 409	1.8 1.9 1.3 2.4	16.5 17.7 16.1 18.1	2.46 2.58 2.36 2.68	274 271 258 287	
STS311 DUP Target Range – Lower Bound Upper Bound									
STS312 DUP Target Range – Lower Bound Upper Bound								30 30 20 40	
STS323 DUP Target Range – Lower Bound Upper Bound		0.35 0.37 0.33 0.39	2.38 2.40 2.22 2.56	289 284 267 306	1.9 1.5 1.1 2.3	19.0 19.1 18.0 20.1	2.54 2.71 2.46 2.79	275 258 252 281	
STS327 DUP Target Range – Lower Bound Upper Bound								20 20 <10 30	



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 5 - A

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 10-SEP-2023

Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm
		0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01	10
STS337 DUP Target Range - Lower Bound Upper Bound		DUPLICATES														
STS341 DUP Target Range - Lower Bound Upper Bound																
STS344 DUP Target Range - Lower Bound Upper Bound		<0.5 <0.5 <0.5 1.0	7.88 7.67 7.38 8.17	<5 <5 <5 10	150 150 130 170	1.1 1.1 <0.5 1.7	<2 2 <2 4	0.04 0.04 0.03 0.05	<0.5 <0.5 <0.5 1.0	66 64 61 69	142 145 135 152	72 70 68 74	7.91 7.65 7.38 8.18	20 20 <10 30	1.19 1.15 1.10 1.24	20 20 <10 30
STS346 DUP Target Range - Lower Bound Upper Bound																
STS355 DUP Target Range - Lower Bound Upper Bound																
STS382 DUP Target Range - Lower Bound Upper Bound																
ORIGINAL DUP Target Range - Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 5 - B
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 10-SEP-2023
Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti
		ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%
		10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
STS337 DUP Target Range - Lower Bound Upper Bound		DUPLICATES													
STS341 DUP Target Range - Lower Bound Upper Bound															
STS344 DUP Target Range - Lower Bound Upper Bound		50 40 30 60	0.47 0.46 0.43 0.50	3070 2950 2850 3170	1 2 <1 2	0.15 0.14 0.13 0.16	36 34 32 38	520 510 480 550	24 22 20 26	0.05 0.05 0.04 0.06	<5 <5 <5 10	30 29 27 32	21 20 18 23	<20 <20 <20 40	1.34 1.29 1.24 1.39
STS346 DUP Target Range - Lower Bound Upper Bound															
STS355 DUP Target Range - Lower Bound Upper Bound															
STS382 DUP Target Range - Lower Bound Upper Bound															
ORIGINAL DUP Target Range - Lower Bound Upper Bound															



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 5 – C

Total # Pages: 5 (A – E)

Plus Appendix Pages

Finalized Date: 10-SEP-2023

Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		U	V	W	Zn	Sn	Ba	Ce	Cr	Cs	Dy	Er	Eu	Ga	Gd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		10	1	10	2	10	0.5	0.1	5	0.01	0.05	0.03	0.02	0.1	0.05
STS337							59.3	37.0	399	3.25	3.53	2.51	0.66	21.1	2.86
DUP							56.0	35.3	375	3.14	3.02	2.43	0.48	20.8	2.73
Target Range – Lower Bound							54.3	34.2	363	3.03	3.06	2.32	0.52	19.8	2.61
Upper Bound							61.0	38.1	411	3.36	3.49	2.62	0.62	22.1	2.98
STS341															
DUP															
Target Range – Lower Bound															
Upper Bound															
STS344		<10	245	<10	79	<10									
DUP		<10	236	<10	76	<10									
Target Range – Lower Bound		<10	227	<10	72	<10									
Upper Bound		20	254	20	83	20									
STS346							187.0	105.0	163	8.19	4.85	3.05	1.09	26.7	4.06
DUP							188.5	105.0	163	8.20	5.06	3.20	1.10	26.3	4.23
Target Range – Lower Bound							178.0	99.7	150	7.78	4.66	2.94	1.02	25.1	3.89
Upper Bound							197.5	110.5	176	8.61	5.25	3.31	1.17	27.9	4.40
STS355							110.5	38.6	381	4.27	2.50	1.88	0.58	30.0	1.69
DUP							108.5	38.3	372	4.36	2.32	1.76	0.50	30.5	1.75
Target Range – Lower Bound							103.5	36.4	353	4.09	2.24	1.70	0.49	28.6	1.58
Upper Bound							115.5	40.5	400	4.54	2.58	1.94	0.59	31.9	1.86
STS382															
DUP															
Target Range – Lower Bound															
Upper Bound															
ORIGINAL															
DUP															
Target Range – Lower Bound															
Upper Bound															



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 5 – D
Total # Pages: 5 (A – E)
Plus Appendix Pages
Finalized Date: 10-SEP-2023
Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ho	La	Lu	Nb	Nd	Pr	Rb	Sc	Sm	Sn	Sr	Ta	Tb	Th	Ti
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.1	0.01	0.05	0.1	0.02	0.2	0.5	0.03	0.5	0.1	0.1	0.01	0.05	0.01
DUPLICATES																
STS337		0.78	14.8	0.42	34.6	13.8	3.62	18.8	26.0	3.04	40.0	16.7	2.2	0.56	7.97	2.07
DUP		0.65	13.2	0.36	33.8	13.2	3.27	16.2	24.7	2.87	23.8	15.2	2.0	0.44	7.42	2.00
Target Range – Lower Bound		0.67	13.2	0.36	32.4	12.7	3.25	16.4	23.6	2.78	29.8	15.1	1.9	0.47	7.26	1.92
Upper Bound		0.76	14.8	0.42	36.0	14.3	3.64	18.6	27.1	3.13	34.0	16.8	2.3	0.54	8.13	2.15
STS341																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS344																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS346		1.03	25.6	0.49	25.6	24.9	6.29	91.6	34.8	5.20	4.2	16.2	1.7	0.70	11.30	1.27
DUP		0.98	25.9	0.46	25.7	24.2	6.16	94.9	33.2	4.48	4.4	15.8	1.7	0.72	11.35	1.27
Target Range – Lower Bound		0.94	24.4	0.44	24.3	23.2	5.89	88.4	31.8	4.57	3.6	15.1	1.5	0.66	10.70	1.20
Upper Bound		1.07	27.1	0.51	27.0	25.9	6.56	98.1	36.2	5.11	5.0	16.9	1.9	0.76	11.95	1.34
STS355		0.57	14.0	0.33	32.7	11.0	3.02	40.2	45.7	2.23	3.5	12.4	2.0	0.32	7.44	2.06
DUP		0.51	13.8	0.35	33.0	10.6	2.88	40.6	44.6	2.05	3.8	11.9	1.9	0.33	7.30	2.04
Target Range – Lower Bound		0.50	13.1	0.31	31.2	10.2	2.78	38.2	42.4	2.00	3.0	11.4	1.8	0.30	6.95	1.94
Upper Bound		0.58	14.7	0.37	34.5	11.4	3.12	42.6	47.9	2.28	4.3	12.9	2.1	0.35	7.79	2.16
STS382																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 5 – E
Total # Pages: 5 (A – E)
Plus Appendix Pages
Finalized Date: 10-SEP-2023
Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	B-ICP69	
		Tm	U	V	W	Y	Yb	Zr	B	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	0.05	5	0.5	0.1	0.03	1	10	
DUPLICATES										
STS337		0.37	2.32	352	2.3	21.4	2.77	339		
DUP		0.36	2.17	322	1.9	19.6	2.76	342		
Target Range – Lower Bound		0.34	2.08	315	1.5	19.4	2.60	322		
Upper Bound		0.39	2.41	359	2.7	21.6	2.93	359		
STS341										30
DUP										30
Target Range – Lower Bound										20
Upper Bound										40
STS344										
DUP										
Target Range – Lower Bound										
Upper Bound										
STS346		0.45	2.78	236	3.2	25.4	3.31	257		
DUP		0.46	2.84	236	3.1	25.7	3.32	257		
Target Range – Lower Bound		0.42	2.62	219	2.5	24.2	3.12	243		
Upper Bound		0.49	3.00	253	3.8	26.9	3.51	271		
STS355		0.30	2.42	378	1.7	13.1	2.11	297		
DUP		0.27	2.31	390	1.4	14.1	2.05	295		
Target Range – Lower Bound		0.26	2.20	360	1.0	12.8	1.95	280		
Upper Bound		0.31	2.53	408	2.1	14.4	2.21	312		
STS382										30
DUP										30
Target Range – Lower Bound										20
Upper Bound										40
ORIGINAL										10
DUP										10
Target Range – Lower Bound										<10
Upper Bound										20



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 10-SEP-2023

Account: VENMIN

QC CERTIFICATE OF ANALYSIS AD23230964

CERTIFICATE COMMENTS

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist
ME-ICP61

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 79 Distinction Road, Wangara, WA, Australia

B-ICP69

ME-ICP61

ME-MS85

Applies to Method:

Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia.

CRU-21

LEV-01

LOG-22

LOG-24

PUL-25a

PUL-QC

WEI-21