



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Page: 1

Total # Pages: 8 (A – E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE PH21065600

Project: MT LINDSAY

P.O. No.: VMS326

This report is for 175 samples of Soil submitted to our lab in Perth, WA, Australia on 18-MAR-2021.

The following have access to data associated with this certificate:

ANGELIQUE MARTIN
STUART OWEN

SERGI MASCLANS

RITWIK NAITHANI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
SPL-21	Split sample – riffle splitter
PUL-31L	Pulverize 250g soil to 85% < 75um
LOG-22	Sample login – Rcd w/o BarCode
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	33 element four acid ICP-AES	ICP-AES
ME-MS85	Lithium Borate Fusion – Select Elements	ICP-MS
B-ICP69	Boron – HF Digest ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 2 - A
Total # Pages: 8 (A - E)
Plus Appendix Pages
Finalized Date: 8-APR-2021
Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10
STANDARDS																
BCS396																
BCS396																
BCS396																
BCS396																
BCS396																
BCS396																
Target Range - Lower Bound																
Upper Bound																
EMOG-17		69.2	4.54	595	310	1.8	9	1.89	20.7	767	52	8620	4.84	10	1.63	20
EMOG-17		68.0	4.45	577	310	1.8	7	1.86	20.6	752	49	8370	4.77	10	1.63	20
Target Range - Lower Bound		60.4	4.18	517	310	0.7	<2	1.72	17.7	685	49	7740	4.42	<10	1.49	<10
Upper Bound		75.0	5.13	643	440	2.9	10	2.12	22.7	839	62	8910	5.42	30	1.85	40
GBM908-10		3.2	6.83	56	1150	1.4	<2	3.79	1.9	27	141	3710	5.61	20	2.09	50
GBM908-10		3.0	6.75	53	1130	1.4	5	3.68	2.0	26	137	3600	5.52	20	2.05	40
GBM908-10		3.1	6.68	54	1110	1.4	<2	3.61	2.0	27	139	3510	5.32	20	2.00	40
Target Range - Lower Bound		1.8	6.40	43	930	<0.5	<2	3.36	0.6	23	125	3350	4.98	<10	1.87	20
Upper Bound		4.0	7.84	69	1280	2.5	5	4.12	2.8	30	155	3850	6.10	40	2.31	70
IASAM-SMSL																
IASAM-SMSL																
IASAM-SMSL																
IASAM-SMSL																
IASAM-SMSL																
IASAM-SMSL																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		4.8	7.89	37	1200	3.4	<2	2.75	2.5	22	93	675	4.13	20	3.29	30
MRGeo08		4.4	7.10	30	1090	3.0	<2	2.48	2.2	19	86	597	3.71	20	2.93	30
MRGeo08		4.5	7.12	32	1090	3.1	2	2.51	2.0	19	90	603	3.75	20	2.97	30
Target Range - Lower Bound		3.2	6.64	21	920	2.2	<2	2.35	1.1	17	81	586	3.55	<10	2.79	<10
Upper Bound		5.6	8.14	45	1270	4.5	5	2.90	3.4	23	102	676	4.37	40	3.43	60
OREAS 146																
OREAS 146																
OREAS 146																
Target Range - Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 2 - B

Total # Pages: 8 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10	10
STANDARDS																
BCS396																
BCS396																
BCS396																
BCS396																
BCS396																
BCS396																
Target Range – Lower Bound																
Upper Bound																
EMOG-17		0.97	748	1100	1.11	7730	860	7500	3.38	775	8	208	<20	0.32	<10	<10
EMOG-17		0.95	743	1070	1.09	7580	830	7410	3.31	757	8	202	<20	0.31	10	<10
Target Range – Lower Bound		0.86	670	996	0.99	6820	700	6570	2.91	638	6	184	<20	0.28	<10	<10
Upper Bound		1.08	830	1220	1.23	8330	880	8030	3.57	874	10	227	50	0.36	20	20
GBM908-10		1.84	802	64	2.13	2340	1030	2110	0.42	<5	17	294	20	0.65	<10	<10
GBM908-10		1.79	783	55	2.09	2260	1000	2080	0.37	<5	17	287	20	0.64	<10	<10
GBM908-10		1.77	780	56	2.06	2180	1000	2020	0.33	<5	17	282	20	0.63	<10	<10
Target Range – Lower Bound		1.61	715	57	1.93	2020	880	1840	0.33	<5	14	260	<20	0.59	<10	<10
Upper Bound		1.99	885	72	2.38	2470	1100	2260	0.43	12	20	320	60	0.74	20	20
IASAM-SMSL																
IASAM-SMSL																
IASAM-SMSL																
IASAM-SMSL																
IASAM-SMSL																
IASAM-SMSL																
Target Range – Lower Bound																
Upper Bound																
MRGeo08		1.45	588	16	2.08	748	1140	1165	0.33	<5	12	329	20	0.52	10	<10
MRGeo08		1.29	530	12	1.87	669	1040	1055	0.30	5	11	293	20	0.46	<10	<10
MRGeo08		1.30	536	13	1.89	676	1040	1055	0.30	5	11	297	20	0.47	<10	<10
Target Range – Lower Bound		1.17	497	12	1.76	621	930	969	0.27	<5	10	276	<20	0.44	<10	<10
Upper Bound		1.45	619	18	2.18	761	1160	1190	0.35	15	15	340	60	0.56	20	30
OREAS 146																
OREAS 146																
OREAS 146																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 2 - C

Total # Pages: 8 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	ME-MS85 Ba ppm 0.5	ME-MS85 Ce ppm 0.1	ME-MS85 Cr ppm 10	ME-MS85 Cs ppm 0.01	ME-MS85 Dy ppm 0.05	ME-MS85 Er ppm 0.03	ME-MS85 Eu ppm 0.02	ME-MS85 Ga ppm 0.1	ME-MS85 Gd ppm 0.05	ME-MS85 Hf ppm 0.1	ME-MS85 Ho ppm 0.01	ME-MS85 La ppm 0.1
STANDARDS																
BCS396																
BCS396																
BCS396																
BCS396																
BCS396																
BCS396																
Target Range - Lower Bound																
Upper Bound																
EMOG-17		74	<10	7590												
EMOG-17		72	<10	7480												
Target Range - Lower Bound		67	<10	6800												
Upper Bound		84	20	8320												
GBM908-10		138	10	1080												
GBM908-10		136	10	1055												
GBM908-10		135	10	1030												
Target Range - Lower Bound		123	<10	961												
Upper Bound		153	20	1180												
IASAM-SMSL																
IASAM-SMSL																
IASAM-SMSL																
IASAM-SMSL																
IASAM-SMSL																
IASAM-SMSL																
Target Range - Lower Bound																
Upper Bound																
MRGeo08		115	10	846												
MRGeo08		103	10	766												
MRGeo08		104	10	770												
Target Range - Lower Bound		97	<10	722												
Upper Bound		121	30	886												
OREAS 146					>10000	4750	180	0.53	210	78.4	118.0	29.1	336	3.7	34.3	2500
OREAS 146					>10000	4850	180	0.53	207	85.3	119.0	28.5	345	4.2	34.8	2550
OREAS 146					>10000	4840	190	0.49	217	79.9	121.0	30.2	325	3.9	36.0	2550
Target Range - Lower Bound					11450	4220	180	0.47	202	78.3	114.5	26.2	323	3.7	33.1	2260
Upper Bound					>10000	5160	240	0.59	246	95.7	139.5	32.2	395	4.7	40.5	2760



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: MT LINDSAY

Page: 2 - D
Total # Pages: 8 (A - E)
Plus Appendix Pages
Finalized Date: 8-APR-2021
Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85 Lu ppm 0.01	ME-MS85 Nb ppm 0.1	ME-MS85 Nd ppm 0.1	ME-MS85 Pr ppm 0.02	ME-MS85 Rb ppm 0.2	ME-MS85 Sm ppm 0.03	ME-MS85 Sn ppm 1	ME-MS85 Sr ppm 0.1	ME-MS85 Ta ppm 0.1	ME-MS85 Tb ppm 0.01	ME-MS85 Th ppm 0.05	ME-MS85 Tm ppm 0.01	ME-MS85 U ppm 0.05	ME-MS85 V ppm 5	ME-MS85 W ppm 1
STANDARDS																
BCS396																
BCS396																
BCS396																
BCS396																
BCS396																
BCS396																
Target Range - Lower Bound																
Upper Bound																
EMOG-17																
EMOG-17																
Target Range - Lower Bound																
Upper Bound																
GBM908-10																
GBM908-10																
GBM908-10																
Target Range - Lower Bound																
Upper Bound																
IASAM-SMSL																
IASAM-SMSL																
IASAM-SMSL																
IASAM-SMSL																
IASAM-SMSL																
IASAM-SMSL																
Target Range - Lower Bound																
Upper Bound																
MRGeo08																
MRGeo08																
MRGeo08																
Target Range - Lower Bound																
Upper Bound																
OREAS 146		5.90	392	2330	568	25.2	444	44	3090	3.9	44.4	909	9.09	2.46	146	27
OREAS 146		6.10	395	2310	576	25.8	467	44	3130	4.1	46.2	902	9.59	2.48	147	27
OREAS 146		6.34	381	2370	581	27.5	465	44	3160	3.9	43.6	919	9.79	2.58	156	26
Target Range - Lower Bound		5.66	349	1965	493	24.6	397	40	2790	3.8	42.5	813	8.90	2.37	140	25
Upper Bound		6.94	427	2400	603	30.6	485	52	3410	4.8	51.9	993	10.90	3.01	182	33



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 2 – E

Total # Pages: 8 (A – E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85 Y ppm 0.1	ME-MS85 Yb ppm 0.03	ME-MS85 Zr ppm 2	B-ICP69 B ppm 10
STANDARDS					
BCS396					270
BCS396					270
BCS396					280
BCS396					240
BCS396					260
BCS396					270
Target Range – Lower Bound					220
Upper Bound					280
EMOG-17					
EMOG-17					
Target Range – Lower Bound					
Upper Bound					
GBM908-10					
GBM908-10					
GBM908-10					
Target Range – Lower Bound					
Upper Bound					
IASAM-SMSL					810
IASAM-SMSL					790
IASAM-SMSL					840
IASAM-SMSL					780
IASAM-SMSL					780
IASAM-SMSL					820
Target Range – Lower Bound					720
Upper Bound					860
MRGeo08					
MRGeo08					
MRGeo08					
Target Range – Lower Bound					
Upper Bound					
OREAS 146		915	51.5	204	
OREAS 146		932	52.1	219	
OREAS 146		940	50.4	224	
Target Range – Lower Bound		814	48.1	204	
Upper Bound		996	58.9	254	



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 3 - A

Total # Pages: 8 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K	La
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%	ppm
		0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01	10
STANDARDS																
OREAS 460																
OREAS 460																
OREAS 460																
Target Range – Lower Bound																
Upper Bound																
OREAS-45e																
OREAS-45e																
OREAS-45e																
OREAS-45e																
OREAS-45e																
OREAS-45e																
Target Range – Lower Bound																
Upper Bound																
OREAS-45h		<0.5	7.57	19	340	1.0	<2	0.13	<0.5	84	613	766	19.55	20	0.20	10
OREAS-45h		<0.5	7.44	16	330	1.0	3	0.13	<0.5	83	602	740	19.25	20	0.19	10
Target Range – Lower Bound		<0.5	7.18	6	270	<0.5	<2	0.11	<0.5	78	541	712	17.55	<10	0.17	<10
Upper Bound		1.2	8.80	28	390	2.1	4	0.16	1.0	98	663	822	21.5	40	0.24	30
SARM-48																
SARM-48																
SARM-48																
SARM-48																
SARM-48																
Target Range – Lower Bound																
Upper Bound																
SY-4																
SY-4																
SY-4																
SY-4																
SY-4																
SY-4																
SY-4																
SY-4																
SY-4																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 3 - B

Total # Pages: 8 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	Tl	U
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10	10
STANDARDS																
OREAS 460																
OREAS 460																
OREAS 460																
Target Range – Lower Bound																
Upper Bound																
OREAS-45e																
OREAS-45e																
OREAS-45e																
OREAS-45e																
OREAS-45e																
OREAS-45e																
Target Range – Lower Bound																
Upper Bound																
OREAS-45h		0.22	366	1	0.09	422	240	12	0.04	<5	55	26	<20	0.85	<10	<10
OREAS-45h		0.22	355	2	0.09	412	230	12	0.04	<5	54	25	<20	0.83	<10	<10
Target Range – Lower Bound		0.20	337	<1	0.07	380	200	7	<0.01	<5	50	23	<20	0.78	<10	<10
Upper Bound		0.27	423	4	0.11	466	260	16	0.06	11	64	31	50	0.98	20	20
SARM-48																
SARM-48																
SARM-48																
SARM-48																
SARM-48																
Target Range – Lower Bound																
Upper Bound																
SY-4																
SY-4																
SY-4																
SY-4																
SY-4																
SY-4																
SY-4																
SY-4																
SY-4																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 3 - C

Total # Pages: 8 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		V	W	Zn	Ba	Ce	Cr	Cs	Dy	Er	Eu	Ga	Gd	Hf	Ho
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		1	10	2	0.5	0.1	10	0.01	0.05	0.03	0.02	0.1	0.05	0.1	0.01
STANDARDS															
OREAS 460					846	1880	400	3.69	19.55	5.94	22.4	33.6	51.0	11.0	2.82
OREAS 460					814	1845	390	3.61	17.95	5.91	21.1	31.9	47.9	11.3	2.63
OREAS 460					855	1895	410	4.05	19.40	5.87	22.3	34.2	47.2	11.5	2.82
Target Range - Lower Bound					727	1620	340	3.30	17.75	5.38	20.4	30.3	45.0	10.5	2.48
Upper Bound					889	1980	440	4.06	21.8	6.64	25.0	37.3	55.1	13.1	3.06
OREAS-45e					256	23.4	1100	1.20	2.14	1.34	0.54	16.4	1.93	6.5	0.47
OREAS-45e					244	23.9	1100	1.22	2.21	1.33	0.54	16.0	1.92	7.0	0.46
OREAS-45e					244	23.6	1060	1.22	2.51	1.29	0.55	15.5	2.10	6.7	0.44
OREAS-45e					266	24.1	1170	1.16	2.33	1.41	0.57	17.3	2.04	6.9	0.51
OREAS-45e					236	22.1	1040	1.08	2.04	1.29	0.57	15.8	1.96	6.4	0.42
OREAS-45e					265	24.2	1110	1.23	2.32	1.34	0.59	17.1	2.04	6.9	0.47
Target Range - Lower Bound					221	21.1	950	1.07	2.00	1.24	0.48	14.5	1.75	6.2	0.40
Upper Bound					271	26.0	1180	1.33	2.56	1.58	0.63	17.9	2.25	7.8	0.52
OREAS-45h		254	<10	34											
OREAS-45h		249	10	32											
Target Range - Lower Bound		236	<10	34											
Upper Bound		290	20	46											
SARM-48					313	1190	20	1.71	47.3	38.2	0.37	32.2	34.9	15.6	11.40
SARM-48					324	1170	10	1.75	52.5	40.7	0.39	31.7	38.2	15.4	11.25
SARM-48					348	1240	20	1.76	49.5	39.9	0.40	35.7	37.2	16.2	12.20
SARM-48					327	1165	20	1.79	48.7	39.8	0.38	33.9	37.0	15.4	11.45
SARM-48					318	1120	10	1.67	49.6	36.8	0.36	30.5	34.4	14.8	11.20
Target Range - Lower Bound					297	1015	<10	1.65	46.8	36.8	0.32	30.1	34.3	14.7	10.75
Upper Bound					364	1245	40	2.03	57.3	45.0	0.44	37.0	42.1	18.1	13.15
SY-4					372	132.0	10	1.62	19.20	14.90	2.00	37.1	14.40	11.2	4.65
SY-4					348	123.0	10	1.55	18.40	14.00	1.99	35.2	15.15	12.1	4.41
SY-4					358	133.0	<10	1.60	19.30	14.70	2.01	37.5	14.55	11.8	4.63
SY-4					332	121.5	10	1.56	17.25	14.95	1.90	33.8	14.35	11.2	4.14
SY-4					343	125.5	10	1.54	19.95	14.75	1.90	34.9	14.60	11.8	4.28
SY-4					356	124.5	<10	1.62	17.90	13.95	1.87	36.7	13.40	11.7	4.41
SY-4					356	125.0	10	1.60	18.40	14.90	1.93	37.2	14.25	10.3	4.35
SY-4					349	124.0	<10	1.58	19.45	13.85	1.94	35.7	13.50	10.7	4.29
SY-4					325	117.0	<10	1.60	17.25	13.00	1.79	35.7	12.80	10.9	4.16
Target Range - Lower Bound					306	109.5	<10	1.34	16.35	12.75	1.78	33.1	12.55	9.9	3.86
Upper Bound					375	134.5	30	1.66	20.1	15.65	2.22	40.7	15.45	12.3	4.74



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: MT LINDSAY

Page: 3 - D
Total # Pages: 8 (A - E)
Plus Appendix Pages
Finalized Date: 8-APR-2021
Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	
		Lu	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tm	U	V	W	
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	
		0.01	0.1	0.1	0.02	0.2	0.03	1	0.1	0.1	0.01	0.05	0.01	0.05	5	1	
STANDARDS																	
OREAS 460		0.51	735	855	243	71.8	109.0	17	306	12.7	5.03	115.5	0.66	4.15	257	5	
OREAS 460		0.48	709	821	238	71.0	110.5	16	297	12.6	4.87	109.5	0.66	3.91	244	4	
OREAS 460		0.50	734	852	247	78.7	112.5	17	311	12.9	4.73	116.5	0.66	4.18	268	4	
Target Range – Lower Bound		0.46	628	703	220	67.3	96.3	13	274	12.2	4.35	104.5	0.62	3.74	225	3	
Upper Bound		0.58	768	859	268	82.7	117.5	19	336	15.2	5.33	127.5	0.78	4.68	286	7	
OREAS-45e		0.23	7.5	9.3	2.58	19.8	2.30	1	15.6	0.6	0.36	12.55	0.22	2.42	339	1	
OREAS-45e		0.23	7.2	9.3	2.61	20.2	2.12	2	15.5	0.7	0.35	12.95	0.20	2.38	330	1	
OREAS-45e		0.21	7.3	9.8	2.53	20.4	2.20	1	15.7	0.6	0.34	12.25	0.21	2.42	331	1	
OREAS-45e		0.23	7.5	9.4	2.63	20.6	2.32	2	16.0	0.7	0.37	12.85	0.23	2.48	348	1	
OREAS-45e		0.21	6.8	9.1	2.33	20.0	2.05	1	14.3	0.6	0.32	11.90	0.20	2.37	320	1	
OREAS-45e		0.23	7.4	9.8	2.57	20.9	2.29	1	15.9	0.7	0.36	13.15	0.24	2.54	335	1	
Target Range – Lower Bound		0.20	6.6	8.4	2.23	18.5	1.89	<1	14.2	0.4	0.31	11.65	0.19	2.24	280	<1	
Upper Bound		0.26	8.2	10.5	2.77	23.1	2.37	4	17.6	0.9	0.41	14.35	0.25	2.84	354	4	
OREAS-45h																	
OREAS-45h																	
Target Range – Lower Bound																	
Upper Bound																	
SARM-48		6.25	192.5	288	106.0	271	43.6	5	28.3	6.3	6.79	116.5	6.31	25.7	<5	1	
SARM-48		6.11	202	299	104.0	282	45.2	5	29.2	6.2	6.74	108.5	6.20	26.8	<5	1	
SARM-48		6.73	208	309	109.0	284	46.5	6	29.7	6.8	7.37	118.0	6.61	27.4	<5	1	
SARM-48		6.49	201	294	102.0	284	45.2	7	28.5	6.5	6.83	114.5	6.57	27.1	<5	1	
SARM-48		6.36	202	285	98.5	262	43.7	5	27.8	6.1	6.91	109.5	6.51	25.2	6	1	
Target Range – Lower Bound		5.98	181.5	256	96.3	262	40.9	3	26.9	6.0	6.38	101.5	5.93	24.5	<5	<1	
Upper Bound		7.33	222	314	117.5	320	50.1	8	33.1	7.6	7.82	124.5	7.27	30.1	18	4	
SY-4		2.30	14.3	61.0	16.45	54.9	14.70	8	1280	1.1	2.83	1.34	2.46	0.85	9	<1	
SY-4		2.12	13.8	61.3	14.75	53.0	12.90	8	1245	0.8	2.75	1.20	2.17	0.82	5	<1	
SY-4		2.26	13.9	61.1	16.15	55.5	13.85	8	1275	0.8	2.76	1.14	2.36	0.71	5	<1	
SY-4		2.08	13.3	60.0	14.80	52.1	13.40	8	1205	0.9	2.74	1.35	2.22	1.28	7	<1	
SY-4		2.02	13.6	60.8	15.35	53.6	13.60	8	1265	0.8	2.56	1.73	2.25	0.97	7	<1	
SY-4		2.09	14.2	59.1	15.15	53.6	13.20	8	1230	0.8	2.61	1.17	2.24	0.83	7	<1	
SY-4		2.20	13.5	60.1	15.15	55.2	13.60	8	1235	0.7	2.62	1.14	2.32	0.80	6	<1	
SY-4		2.10	13.6	59.8	14.85	51.4	13.35	8	1205	0.7	2.66	1.30	2.36	0.84	9	<1	
SY-4		1.99	12.6	57.1	14.10	53.1	12.90	7	1180	0.7	2.44	1.45	2.16	0.83	8	<1	
Target Range – Lower Bound		1.88	11.6	51.2	13.50	49.3	11.40	6	1070	0.7	2.33	1.11	2.06	0.66	<5	<1	
Upper Bound		2.32	14.4	62.8	16.50	60.7	14.00	10	1310	1.1	2.87	1.47	2.54	0.94	18	3	



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
 No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
 LEVEL3
 24 OUTRAM STREET
 WEST PERTH WA 6005

Project: MT LINDSAY

Page: 3 – E
 Total # Pages: 8 (A – E)
 Plus Appendix Pages
 Finalized Date: 8-APR-2021
 Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85 Y ppm 0.1	ME-MS85 Yb ppm 0.03	ME-MS85 Zr ppm 2	B-ICP69 B ppm 10
STANDARDS					
OREAS 460		61.6	3.84	444	
OREAS 460		58.3	3.72	443	
OREAS 460		61.7	3.65	476	
Target Range – Lower Bound		53.9	3.49	423	
Upper Bound		66.1	4.33	521	
OREAS-45e		10.5	1.48	260	
OREAS-45e		10.7	1.53	255	
OREAS-45e		10.4	1.47	249	
OREAS-45e		10.7	1.55	271	
OREAS-45e		9.7	1.48	252	
OREAS-45e		10.7	1.57	268	
Target Range – Lower Bound		9.4	1.30	232	
Upper Bound		11.8	1.66	288	
OREAS-45h					
OREAS-45h					
Target Range – Lower Bound					
Upper Bound					
SARM-48		455	42.2	315	
SARM-48		462	41.5	320	
SARM-48		464	45.4	341	
SARM-48		449	43.6	335	
SARM-48		431	43.0	319	
Target Range – Lower Bound		392	41.5	291	
Upper Bound		480	50.7	360	
SY-4		126.0	15.55	630	
SY-4		119.0	15.85	668	
SY-4		127.0	15.40	585	
SY-4		115.5	15.15	561	
SY-4		121.5	14.40	639	
SY-4		118.0	14.70	665	
SY-4		120.0	15.35	563	
SY-4		117.5	15.05	599	
SY-4		114.0	13.90	597	
Target Range – Lower Bound		107.0	13.30	543	
Upper Bound		131.0	16.30	668	



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 4 - A

Total # Pages: 8 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga	K
		ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	%
		0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
BLANKS															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
Target Range - Lower Bound															
Upper Bound															
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01
BLANK		<0.5	<0.01	<5	<10	<0.5	3	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01
BLANK		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01
BLANK		<0.5	<0.01	<5	<10	<0.5	2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01
Target Range - Lower Bound		<0.5	<0.01	<5	<10	<0.5	<2	<0.01	<0.5	<1	<1	<1	<0.01	<10	<0.01
Upper Bound		1.0	0.02	10	20	1.0	4	0.02	1.0	2	2	2	0.02	20	0.02
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
Target Range - Lower Bound															
Upper Bound															
DUPLICATES															
STS010		<0.5	3.11	5	160	0.6	<2	0.02	<0.5	<1	28	6	0.48	10	1.36
DUP		<0.5	2.89	6	150	0.6	<2	0.02	<0.5	<1	31	5	0.45	10	1.25
Target Range - Lower Bound		<0.5	2.84	<5	130	<0.5	<2	<0.01	<0.5	<1	27	4	0.43	<10	1.23
Upper Bound		1.0	3.16	10	180	1.0	4	0.03	1.0	2	32	7	0.50	20	1.38



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: MT LINDSAY

Page: 4 – B
Total # Pages: 8 (A – E)
Plus Appendix Pages
Finalized Date: 8-APR-2021
Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th	Ti	U
		%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10
BLANKS															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
Target Range – Lower Bound															
Upper Bound															
BLANK		<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<1	<20	<0.01	<10
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<20	<0.01	<10
BLANK		<0.01	<5	<1	<0.01	1	<10	<2	<0.01	<5	<1	<1	<20	<0.01	<10
BLANK		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<20	<0.01	<10
BLANK		<0.01	<5	<1	<0.01	1	10	<2	<0.01	<5	<1	<1	<20	<0.01	<10
Target Range – Lower Bound		<0.01	<5	<1	<0.01	<1	<10	<2	<0.01	<5	<1	<1	<20	<0.01	<10
Upper Bound		0.02	10	2	0.02	2	20	4	0.02	10	2	2	40	0.02	20
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
BLANK															
Target Range – Lower Bound															
Upper Bound															
DUPLICATES															
STS010		0.25	19	<1	0.04	2	240	13	0.03	<5	5	25	<20	0.41	<10
DUP		0.23	17	<1	0.03	3	210	12	0.03	<5	5	22	<20	0.40	<10
Target Range – Lower Bound		0.22	12	<1	0.02	<1	200	10	0.02	<5	4	21	<20	0.37	<10
Upper Bound		0.26	24	2	0.05	4	250	15	0.04	10	6	26	40	0.44	20



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 4 - C

Total # Pages: 8 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	ME-MS85 Ba ppm 0.5	ME-MS85 Ce ppm 0.1	ME-MS85 Cr ppm 10	ME-MS85 Cs ppm 0.01	ME-MS85 Dy ppm 0.05	ME-MS85 Er ppm 0.03	ME-MS85 Eu ppm 0.02	ME-MS85 Ga ppm 0.1	ME-MS85 Gd ppm 0.05	ME-MS85 Hf ppm 0.1	ME-MS85 Ho ppm 0.01	ME-MS85 La ppm 0.1
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range - Lower Bound																
Upper Bound																
BLANK		<1	<10	<2												
BLANK		<1	<10	<2												
BLANK		<1	<10	<2												
BLANK		<1	<10	<2												
BLANK		<1	<10	<2												
Target Range - Lower Bound		<1	<10	<2												
Upper Bound		2	20	4												
BLANK					2.9	<0.1	<10	0.04	<0.05	<0.03	<0.02	0.3	<0.05	<0.1	<0.01	<0.1
BLANK					1.3	<0.1	<10	0.01	<0.05	<0.03	<0.02	0.3	<0.05	<0.1	<0.01	<0.1
BLANK					2.0	<0.1	<10	0.03	<0.05	<0.03	<0.02	<0.1	<0.05	<0.1	<0.01	<0.1
BLANK					0.7	<0.1	<10	0.03	<0.05	<0.03	<0.02	<0.1	<0.05	<0.1	<0.01	<0.1
BLANK					6.3	<0.1	<10	<0.01	<0.05	<0.03	<0.02	<0.1	<0.05	<0.1	<0.01	<0.1
BLANK					<0.5	<0.1	<10	0.02	<0.05	<0.03	<0.02	<0.1	<0.05	<0.1	<0.01	<0.1
BLANK					0.9	<0.1	<10	0.02	<0.05	<0.03	<0.02	<0.1	<0.05	<0.1	<0.01	<0.1
BLANK					0.8	<0.1	<10	0.03	<0.05	<0.03	<0.02	0.5	<0.05	<0.1	<0.01	<0.1
BLANK					1.0	<0.1	<10	0.01	<0.05	<0.03	<0.02	<0.1	<0.05	<0.1	<0.01	<0.1
Target Range - Lower Bound		<0.5	<0.1	<10	<0.01	<0.05	<0.03	<0.02	<0.1	<0.05	<0.1	<0.05	<0.1	<0.01	<0.01	<0.1
Upper Bound		1.0	0.2	20	0.02	0.10	0.06	0.04	0.2	0.10	0.2	0.10	0.2	0.02	0.02	0.2
DUPLICATES																
STS010		36	<10	8	158.0	86.5	40	6.87	4.45	3.15	0.83	9.9	4.02	10.4	1.04	43.1
DUP		34	<10	7	157.0	87.8	40	6.88	4.68	2.96	0.86	10.1	4.01	9.9	1.02	43.8
Target Range - Lower Bound		32	<10	5	149.0	82.7	30	6.52	4.29	2.87	0.78	9.4	3.76	9.5	0.97	41.2
Upper Bound		38	20	10	166.0	91.6	50	7.23	4.84	3.24	0.91	10.6	4.27	10.8	1.09	45.7



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: MT LINDSAY

Page: 4 - D
Total # Pages: 8 (A - E)
Plus Appendix Pages
Finalized Date: 8-APR-2021
Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Lu	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tm	U	V	W
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.1	0.1	0.02	0.2	0.03	1	0.1	0.1	0.01	0.05	0.01	0.05	5	1
BLANKS																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range – Lower Bound																
Upper Bound																
BLANK																
BLANK																
BLANK																
BLANK																
BLANK																
Target Range – Lower Bound																
Upper Bound																
BLANK		<0.01	<0.1	<0.1	<0.02	<0.2	<0.03	<1	0.1	<0.1	<0.01	<0.05	<0.01	<0.05	<5	<1
BLANK		<0.01	<0.1	<0.1	<0.02	<0.2	<0.03	<1	<0.1	<0.1	<0.01	<0.05	<0.01	<0.05	<5	<1
BLANK		<0.01	<0.1	<0.1	<0.02	<0.2	<0.03	<1	<0.1	<0.1	<0.01	<0.05	<0.01	<0.05	<5	<1
BLANK		<0.01	<0.1	<0.1	<0.02	<0.2	<0.03	<1	<0.1	<0.1	<0.01	<0.05	<0.01	<0.05	<5	<1
BLANK		<0.01	<0.1	<0.1	<0.02	<0.2	<0.03	<1	0.2	<0.1	<0.01	<0.05	<0.01	<0.05	<5	<1
BLANK		<0.01	<0.1	<0.1	<0.02	<0.2	<0.03	<1	<0.1	<0.1	<0.01	<0.05	<0.01	<0.05	<5	<1
BLANK		<0.01	<0.1	<0.1	<0.02	<0.2	<0.03	<1	<0.1	<0.1	<0.01	<0.05	<0.01	<0.05	<5	<1
BLANK		<0.01	<0.1	<0.1	<0.02	<0.2	<0.03	<1	<0.1	<0.1	<0.01	<0.05	<0.01	<0.05	<5	<1
BLANK		<0.01	<0.1	<0.1	<0.02	<0.2	<0.03	<1	<0.1	<0.1	<0.01	<0.05	<0.01	<0.05	<5	<1
Target Range – Lower Bound		<0.01	<0.1	<0.1	<0.02	<0.2	<0.03	<1	<0.1	<0.1	<0.01	<0.05	<0.01	<0.05	<5	<1
Upper Bound		0.02	0.2	0.2	0.04	0.4	0.06	2	0.2	0.2	0.02	0.10	0.02	0.10	10	2
DUPLICATES																
STS010		0.55	25.6	33.5	10.00	66.9	5.90	2	22.2	1.7	0.73	8.58	0.48	2.60	41	3
DUP		0.50	24.8	34.0	10.05	66.9	5.52	5	22.1	1.6	0.73	8.62	0.48	2.48	40	3
Target Range – Lower Bound		0.49	23.8	32.0	9.50	63.4	5.39	2	20.9	1.5	0.68	8.12	0.45	2.36	33	2
Upper Bound		0.56	26.6	35.5	10.55	70.4	6.03	5	23.4	1.8	0.78	9.08	0.51	2.72	48	4



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
 No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
 LEVEL3
 24 OUTRAM STREET
 WEST PERTH WA 6005

Project: MT LINDSAY

Page: 4 – E
 Total # Pages: 8 (A – E)
 Plus Appendix Pages
 Finalized Date: 8-APR-2021
 Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85 Y ppm 0.1	ME-MS85 Yb ppm 0.03	ME-MS85 Zr ppm 2	B-ICP69 B ppm 10
BLANKS					
BLANK					<10
BLANK					<10
BLANK					<10
BLANK					<10
BLANK					<10
BLANK					<10
Target Range – Lower Bound					<10
Upper Bound					20
BLANK					
BLANK					
BLANK					
BLANK					
BLANK					
Target Range – Lower Bound					
Upper Bound					
BLANK		<0.1	<0.03	<2	
BLANK		<0.1	<0.03	<2	
BLANK		<0.1	<0.03	<2	
BLANK		<0.1	<0.03	<2	
BLANK		<0.1	<0.03	<2	
BLANK		<0.1	<0.03	<2	
BLANK		<0.1	<0.03	<2	
BLANK		<0.1	<0.03	<2	
BLANK		<0.1	<0.03	<2	
Target Range – Lower Bound		<0.1	<0.03	<2	
Upper Bound		0.2	0.06	4	
DUPLICATES					
STS010		29.3	3.32	415	50
DUP		29.2	3.35	396	50
Target Range – Lower Bound		27.7	3.14	383	40
Upper Bound		30.8	3.53	428	60



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 5 - A

Total # Pages: 8 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10
STS025 DUP Target Range - Lower Bound Upper Bound		DUPLICATES														
STS029 DUP Target Range - Lower Bound Upper Bound		<0.5 <0.5 <0.5 1.0	3.64 3.71 3.48 3.87	9 13 <5 17	150 150 130 170	0.8 0.8 <0.5 1.0	<2 3 <2 4	0.01 0.01 <0.01 0.02	<0.5 <0.5 <0.5 1.0	<1 <1 <1 2	51 53 48 56	21 21 19 23	1.82 1.86 1.74 1.94	10 10 <10 20	1.54 1.56 1.46 1.64	50 50 40 60
STS030 DUP Target Range - Lower Bound Upper Bound																
STS033 DUP Target Range - Lower Bound Upper Bound																
STS043 DUP Target Range - Lower Bound Upper Bound																
STS044 DUP Target Range - Lower Bound Upper Bound		<0.5 <0.5 <0.5 1.0	2.50 2.43 2.33 2.60	6 11 <5 10	70 70 50 90	<0.5 <0.5 <0.5 1.0	2 <2 <2 4	0.02 0.02 <0.01 0.03	<0.5 <0.5 <0.5 1.0	3 2 <1 4	62 57 56 63	13 12 11 14	4.32 4.19 4.03 4.48	10 10 <10 20	0.63 0.60 0.57 0.66	30 30 20 40
STS058 DUP Target Range - Lower Bound Upper Bound																
STS062 DUP Target Range - Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 5 - B

Total # Pages: 8 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %	ME-ICP61 Tl ppm	ME-ICP61 U ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10	10
STS025 DUP Target Range - Lower Bound Upper Bound		DUPLICATES														
STS029 DUP Target Range - Lower Bound Upper Bound		0.38 0.39 0.36 0.41	16 17 11 22	1 1 <1 2	0.02 0.02 <0.01 0.03	6 5 4 7	220 220 200 240	28 32 27 34	0.02 0.02 <0.01 0.03	<5 <5 <5 10	10 11 9 12	27 27 25 29	<20 <20 <20 40	0.60 0.62 0.57 0.65	<10 <10 <10 20	<10 <10 <10 20
STS030 DUP Target Range - Lower Bound Upper Bound																
STS033 DUP Target Range - Lower Bound Upper Bound																
STS043 DUP Target Range - Lower Bound Upper Bound																
STS044 DUP Target Range - Lower Bound Upper Bound		0.24 0.23 0.21 0.26	47 46 39 54	1 1 <1 2	0.02 0.02 <0.01 0.03	7 8 6 9	230 230 210 250	18 16 14 20	0.03 0.03 0.02 0.04	<5 <5 <5 10	4 4 3 5	13 12 11 14	<20 <20 <20 40	0.55 0.54 0.51 0.58	<10 <10 <10 20	<10 <10 <10 20
STS058 DUP Target Range - Lower Bound Upper Bound																
STS062 DUP Target Range - Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 5 - C

Total # Pages: 8 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	ME-MS85 Ba ppm 0.5	ME-MS85 Ce ppm 0.1	ME-MS85 Cr ppm 10	ME-MS85 Cs ppm 0.01	ME-MS85 Dy ppm 0.05	ME-MS85 Er ppm 0.03	ME-MS85 Eu ppm 0.02	ME-MS85 Ga ppm 0.1	ME-MS85 Gd ppm 0.05	ME-MS85 Hf ppm 0.1	ME-MS85 Ho ppm 0.01	ME-MS85 La ppm 0.1
DUPLICATES																
STS025 DUP																
Target Range - Lower Bound																
Upper Bound																
STS029 DUP		94	<10	9												
		97	<10	9												
Target Range - Lower Bound		90	<10	7												
Upper Bound		101	20	11												
STS030 DUP					89.0	90.9	30	2.54	3.43	1.76	1.02	8.4	4.48	5.8	0.63	45.6
					90.4	90.3	40	2.62	3.41	1.91	1.10	8.4	4.83	5.9	0.66	45.1
Target Range - Lower Bound					84.7	86.0	20	2.44	3.20	1.71	0.99	7.9	4.37	5.5	0.60	43.0
Upper Bound					94.7	95.2	50	2.72	3.64	1.96	1.13	8.9	4.94	6.2	0.69	47.7
STS033 DUP					6.1	2.7	40	0.08	0.76	0.53	0.07	0.4	0.45	2.8	0.15	1.4
					7.1	2.8	40	0.08	0.76	0.56	0.06	0.3	0.47	2.9	0.18	1.5
Target Range - Lower Bound					5.8	2.5	30	0.07	0.67	0.49	0.04	0.2	0.39	2.6	0.15	1.3
Upper Bound					7.4	3.0	50	0.09	0.85	0.60	0.09	0.5	0.53	3.1	0.18	1.6
STS043 DUP					59.8	48.5	30	2.06	3.85	2.38	0.54	4.2	3.08	10.4	0.81	23.2
					61.5	51.3	20	2.15	4.09	2.44	0.61	3.6	3.32	11.0	0.82	24.6
Target Range - Lower Bound					57.1	47.3	<10	1.99	3.72	2.26	0.53	3.6	2.99	10.1	0.76	22.6
Upper Bound					64.2	52.5	40	2.22	4.22	2.56	0.62	4.2	3.41	11.3	0.87	25.2
STS044 DUP		67	<10	26												
		66	<10	26												
Target Range - Lower Bound		62	<10	23												
Upper Bound		71	20	29												
STS058 DUP																
Target Range - Lower Bound																
Upper Bound																
STS062 DUP					44.0	31.0	30	1.43	1.28	0.76	0.35	4.3	1.55	3.5	0.27	15.8
					43.9	32.2	30	1.48	1.57	0.96	0.37	4.6	1.71	3.4	0.32	16.5
Target Range - Lower Bound					41.3	29.9	20	1.37	1.30	0.79	0.32	4.1	1.50	3.2	0.27	15.2
Upper Bound					46.6	33.3	40	1.54	1.55	0.93	0.40	4.8	1.76	3.7	0.32	17.1



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 5 - D

Total # Pages: 8 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Lu	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tm	U	V	W
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.1	0.1	0.02	0.2	0.03	1	0.1	0.1	0.01	0.05	0.01	0.05	5	1
DUPLICATES																
STS025 DUP																
Target Range - Lower Bound																
Upper Bound																
STS029 DUP																
Target Range - Lower Bound																
Upper Bound																
STS030 DUP		0.27	23.1	36.8	10.20	41.9	6.32	2	12.5	1.4	0.63	7.35	0.29	1.64	60	2
Target Range - Lower Bound		0.27	23.1	36.8	10.00	43.0	6.62	2	12.4	1.4	0.65	7.64	0.27	1.70	61	2
Upper Bound		0.25	21.8	34.9	9.58	40.1	6.12	<1	11.7	1.2	0.60	7.07	0.26	1.54	52	<1
		0.29	24.4	38.7	10.65	44.8	6.82	3	13.2	1.6	0.68	7.92	0.30	1.80	69	3
STS033 DUP		0.09	5.8	1.1	0.30	0.6	0.29	1	4.2	0.4	0.10	0.90	0.10	0.42	6	1
Target Range - Lower Bound		0.10	6.3	1.3	0.28	0.7	0.32	<1	4.5	0.4	0.11	0.91	0.08	0.47	7	1
Upper Bound		0.08	5.6	1.0	0.26	0.4	0.26	<1	4.0	0.3	0.09	0.81	0.08	0.37	<5	<1
		0.11	6.5	1.4	0.32	0.9	0.35	2	4.7	0.5	0.12	1.00	0.10	0.52	10	2
STS043 DUP		0.43	16.2	21.3	5.48	21.4	3.71	11	12.5	1.1	0.57	5.17	0.39	1.82	16	2
Target Range - Lower Bound		0.40	16.9	22.5	5.86	21.9	3.65	1	12.7	1.2	0.58	5.34	0.39	1.82	17	2
Upper Bound		0.38	15.6	20.7	5.37	20.4	3.47	5	11.9	1.0	0.54	4.94	0.36	1.68	11	<1
		0.45	17.5	23.1	5.97	22.9	3.89	7	13.3	1.3	0.61	5.57	0.42	1.96	22	3
STS044 DUP																
Target Range - Lower Bound																
Upper Bound																
STS058 DUP																
Target Range - Lower Bound																
Upper Bound																
STS062 DUP		0.12	9.4	13.7	3.60	16.2	2.25	1	8.7	0.6	0.23	2.65	0.12	0.83	40	1
Target Range - Lower Bound		0.15	9.5	13.9	3.75	16.6	2.37	1	8.9	0.6	0.28	2.58	0.13	0.92	40	1
Upper Bound		0.12	8.9	13.0	3.47	15.4	2.16	<1	8.3	0.5	0.23	2.43	0.11	0.78	33	<1
		0.15	10.0	14.6	3.88	17.4	2.46	2	9.3	0.7	0.28	2.80	0.14	0.97	47	2



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
 No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
 LEVEL3
 24 OUTRAM STREET
 WEST PERTH WA 6005

Project: MT LINDSAY

Page: 5 – E
 Total # Pages: 8 (A – E)
 Plus Appendix Pages
 Finalized Date: 8-APR-2021
 Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85 Y ppm 0.1	ME-MS85 Yb ppm 0.03	ME-MS85 Zr ppm 2	B-ICP69 B ppm 10
DUPLICATES					
STS025					40
DUP					40
Target Range – Lower Bound					30
Upper Bound					50
STS029					
DUP					
Target Range – Lower Bound					
Upper Bound					
STS030		16.5	1.77	239	
DUP		17.3	1.86	241	
Target Range – Lower Bound		16.0	1.69	226	
Upper Bound		17.8	1.94	254	
STS033		4.7	0.58	111	
DUP		5.4	0.66	126	
Target Range – Lower Bound		4.7	0.56	111	
Upper Bound		5.4	0.68	126	
STS043		23.1	2.62	430	
DUP		23.6	2.66	444	
Target Range – Lower Bound		22.1	2.48	413	
Upper Bound		24.6	2.80	461	
STS044					30
DUP					40
Target Range – Lower Bound					20
Upper Bound					50
STS058					20
DUP					20
Target Range – Lower Bound					<10
Upper Bound					30
STS062		7.4	0.83	140	
DUP		9.0	1.09	141	
Target Range – Lower Bound		7.7	0.88	131	
Upper Bound		8.7	1.04	150	



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 6 - A
Total # Pages: 8 (A - E)
Plus Appendix Pages
Finalized Date: 8-APR-2021
Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10
DUPLICATES																
STS063		<0.5	3.56	14	140	0.7	<2	0.02	<0.5	5	126	25	4.25	10	0.95	30
DUP		<0.5	3.68	14	140	0.7	<2	0.02	<0.5	5	131	25	4.38	10	0.99	30
Target Range - Lower Bound		<0.5	3.43	8	120	<0.5	<2	<0.01	<0.5	4	121	23	4.09	<10	0.91	20
Upper Bound		1.0	3.81	20	160	1.0	4	0.03	1.0	6	136	27	4.54	20	1.03	40
STS071																
DUP																
Target Range - Lower Bound																
Upper Bound																
STS077		<0.5	1.14	5	50	<0.5	2	0.04	<0.5	<1	21	5	0.41	<10	0.44	10
DUP		<0.5	1.12	<5	50	<0.5	<2	0.04	<0.5	<1	19	5	0.40	<10	0.43	10
Target Range - Lower Bound		<0.5	1.06	<5	40	<0.5	<2	0.03	<0.5	<1	18	4	0.37	<10	0.40	<10
Upper Bound		1.0	1.20	10	60	1.0	4	0.05	1.0	2	22	6	0.44	20	0.47	20
STS092																
DUP																
Target Range - Lower Bound																
Upper Bound																
STS095																
DUP																
Target Range - Lower Bound																
Upper Bound																
STS097		<0.5	7.47	11	110	0.9	3	0.01	<0.5	5	192	56	8.12	20	0.98	20
DUP		<0.5	7.89	14	120	1.0	5	0.02	<0.5	6	203	59	8.56	20	1.03	20
Target Range - Lower Bound		<0.5	7.29	7	100	<0.5	<2	<0.01	<0.5	4	187	54	7.91	<10	0.94	<10
Upper Bound		1.0	8.07	18	130	1.0	6	0.02	1.0	7	208	61	8.77	30	1.07	30
STS104																
DUP																
Target Range - Lower Bound																
Upper Bound																
STS108																
DUP																
Target Range - Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 6 – B

Total # Pages: 8 (A – E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %	ME-ICP61 Tl ppm	ME-ICP61 U ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10	10
DUPLICATES																
STS063		0.21	77	1	0.03	12	240	16	0.02	<5	14	19	<20	1.28	<10	<10
DUP		0.22	80	<1	0.03	13	260	19	0.02	<5	14	19	<20	1.33	<10	<10
Target Range – Lower Bound		0.19	70	<1	0.02	11	230	15	<0.01	<5	12	17	<20	1.23	<10	<10
Upper Bound		0.24	87	2	0.04	14	270	20	0.03	10	16	21	40	1.38	20	20
STS071																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS077		0.10	34	<1	0.02	2	180	13	0.03	<5	2	16	<20	0.21	<10	<10
DUP		0.10	33	<1	0.02	1	180	13	0.03	<5	2	14	<20	0.21	<10	<10
Target Range – Lower Bound		0.09	27	<1	<0.01	<1	160	10	0.02	<5	<1	13	<20	0.19	<10	<10
Upper Bound		0.12	40	2	0.03	2	200	16	0.04	10	3	17	40	0.23	20	20
STS092																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS095																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS097		0.36	190	1	0.04	22	390	21	0.04	<5	28	14	<20	1.47	<10	<10
DUP		0.38	201	2	0.04	25	400	24	0.04	<5	29	14	<20	1.55	<10	<10
Target Range – Lower Bound		0.34	181	<1	0.03	21	370	19	0.03	<5	26	12	<20	1.42	<10	<10
Upper Bound		0.40	210	2	0.05	26	420	26	0.05	10	31	16	40	1.60	20	20
STS104																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS108																
DUP																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 6 – C

Total # Pages: 8 (A – E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	ME-MS85 Ba ppm 0.5	ME-MS85 Ce ppm 0.1	ME-MS85 Cr ppm 10	ME-MS85 Cs ppm 0.01	ME-MS85 Dy ppm 0.05	ME-MS85 Er ppm 0.03	ME-MS85 Eu ppm 0.02	ME-MS85 Ga ppm 0.1	ME-MS85 Gd ppm 0.05	ME-MS85 Hf ppm 0.1	ME-MS85 Ho ppm 0.01	ME-MS85 La ppm 0.1
DUPLICATES																
STS063		122	<10	17												
DUP		125	<10	17												
Target Range – Lower Bound		116	<10	14												
Upper Bound		131	20	20												
STS071					149.0	44.3	80	2.76	3.48	2.01	0.86	11.2	3.54	5.4	0.66	21.6
DUP					145.0	41.5	70	2.70	3.40	2.10	0.87	10.7	3.41	5.1	0.66	20.3
Target Range – Lower Bound					139.0	40.7	60	2.58	3.22	1.92	0.80	10.3	3.25	4.9	0.62	19.8
Upper Bound					155.0	45.1	90	2.88	3.66	2.19	0.93	11.6	3.70	5.6	0.70	22.1
STS077		15	<10	8												
DUP		14	<10	8												
Target Range – Lower Bound		13	<10	6												
Upper Bound		16	20	10												
STS092																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS095					49.1	24.7	90	1.07	1.86	1.22	0.35	2.3	1.69	7.2	0.38	12.9
DUP					46.7	24.5	100	1.01	1.70	1.18	0.39	2.3	1.68	6.7	0.37	12.6
Target Range – Lower Bound					45.0	23.3	80	0.98	1.64	1.11	0.33	2.1	1.55	6.5	0.35	12.0
Upper Bound					50.8	25.9	110	1.10	1.92	1.29	0.41	2.5	1.82	7.4	0.40	13.5
STS097		254	<10	33												
DUP		272	<10	35												
Target Range – Lower Bound		249	<10	30												
Upper Bound		277	20	38												
STS104																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS108					177.0	73.6	90	8.34	4.75	3.07	1.03	21.7	4.31	9.5	0.97	38.3
DUP					168.0	69.8	80	7.81	4.38	2.86	0.93	19.8	4.03	8.8	0.86	36.5
Target Range – Lower Bound					163.5	68.0	70	7.66	4.29	2.79	0.91	19.6	3.91	8.6	0.86	35.4
Upper Bound					181.5	75.4	100	8.49	4.84	3.14	1.05	21.9	4.43	9.7	0.97	39.4



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 6 - D

Total # Pages: 8 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85 Lu ppm 0.01	ME-MS85 Nb ppm 0.1	ME-MS85 Nd ppm 0.1	ME-MS85 Pr ppm 0.02	ME-MS85 Rb ppm 0.2	ME-MS85 Sm ppm 0.03	ME-MS85 Sn ppm 1	ME-MS85 Sr ppm 0.1	ME-MS85 Ta ppm 0.1	ME-MS85 Tb ppm 0.01	ME-MS85 Th ppm 0.05	ME-MS85 Tm ppm 0.01	ME-MS85 U ppm 0.05	ME-MS85 V ppm 5	ME-MS85 W ppm 1
STS063 DUP Target Range - Lower Bound Upper Bound		DUPLICATES														
STS071 DUP Target Range - Lower Bound Upper Bound		0.32 0.31 0.29 0.34	17.6 17.2 16.4 18.4	21.6 20.7 20.0 22.3	5.54 5.28 5.12 5.70	56.3 54.5 52.4 58.4	4.14 4.11 3.89 4.36	2 2 <1 3	12.9 12.4 11.9 13.4	0.9 0.8 0.7 1.0	0.56 0.54 0.51 0.59	5.16 4.85 4.70 5.31	0.30 0.31 0.28 0.33	1.31 1.32 1.20 1.43	266 258 244 280	2 1 <1 2
STS077 DUP Target Range - Lower Bound Upper Bound																
STS092 DUP Target Range - Lower Bound Upper Bound																
STS095 DUP Target Range - Lower Bound Upper Bound		0.23 0.25 0.22 0.26	22.0 21.2 20.4 22.8	9.8 10.4 9.5 10.7	2.85 2.83 2.68 3.00	7.3 7.2 6.7 7.8	1.74 1.99 1.74 1.99	1 1 <1 2	6.9 6.5 6.3 7.1	1.4 1.4 1.2 1.6	0.30 0.27 0.26 0.31	3.21 3.09 2.94 3.36	0.19 0.19 0.17 0.21	0.98 0.95 0.87 1.06	17 16 11 22	1 1 <1 2
STS097 DUP Target Range - Lower Bound Upper Bound																
STS104 DUP Target Range - Lower Bound Upper Bound																
STS108 DUP Target Range - Lower Bound Upper Bound		0.41 0.38 0.37 0.42	37.2 34.7 34.1 37.8	29.1 27.3 26.7 29.7	7.86 7.48 7.27 8.07	121.5 113.5 111.5 123.5	5.23 5.01 4.83 5.41	5 4 3 6	14.7 13.7 13.4 15.0	2.4 2.1 2.0 2.5	0.82 0.78 0.75 0.85	18.95 17.60 17.30 19.25	0.42 0.40 0.38 0.44	4.43 4.03 3.97 4.49	169 160 151 178	3 2 <1 4



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
 No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
 LEVEL3
 24 OUTRAM STREET
 WEST PERTH WA 6005

Project: MT LINDSAY

Page: 6 – E
 Total # Pages: 8 (A – E)
 Plus Appendix Pages
 Finalized Date: 8-APR-2021
 Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85 Y ppm 0.1	ME-MS85 Yb ppm 0.03	ME-MS85 Zr ppm 2	B-ICP69 B ppm 10
STS063 DUP Target Range – Lower Bound Upper Bound		DUPLICATES			
STS071 DUP Target Range – Lower Bound Upper Bound		18.0 17.8 16.9 18.9	2.10 2.03 1.93 2.20	212 203 195 220	
STS077 DUP Target Range – Lower Bound Upper Bound				30 30 20 40	
STS092 DUP Target Range – Lower Bound Upper Bound				<10 <10 <10 20	
STS095 DUP Target Range – Lower Bound Upper Bound		11.2 10.6 10.3 11.5	1.44 1.34 1.29 1.49	294 262 262 294	
STS097 DUP Target Range – Lower Bound Upper Bound					
STS104 DUP Target Range – Lower Bound Upper Bound				20 20 <10 30	
STS108 DUP Target Range – Lower Bound Upper Bound		25.3 23.7 23.2 25.8	2.86 2.77 2.64 2.99	358 331 325 364	



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: MT LINDSAY

Page: 7 - A
Total # Pages: 8 (A - E)
Plus Appendix Pages
Finalized Date: 8-APR-2021
Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10
DUPLICATES																
STS111		<0.5	4.35	10	80	<0.5	<2	0.05	<0.5	1	133	43	3.91	10	0.34	10
DUP		<0.5	4.32	11	80	<0.5	<2	0.05	<0.5	3	130	46	3.90	10	0.35	10
Target Range - Lower Bound		<0.5	4.11	<5	60	<0.5	<2	0.04	<0.5	<1	124	42	3.70	<10	0.32	<10
Upper Bound		1.0	4.56	16	100	1.0	4	0.06	1.0	3	139	47	4.11	20	0.37	20
STS119																
DUP																
Target Range - Lower Bound																
Upper Bound																
STS127																
DUP																
Target Range - Lower Bound																
Upper Bound																
STS130		<0.5	8.04	<5	50	0.8	2	0.06	<0.5	15	140	90	11.40	20	0.40	<10
DUP		<0.5	7.92	<5	50	0.8	<2	0.06	<0.5	14	140	89	11.25	30	0.39	<10
Target Range - Lower Bound		<0.5	7.57	<5	40	<0.5	<2	0.05	<0.5	13	132	85	10.75	<10	0.37	<10
Upper Bound		1.0	8.39	10	60	1.0	4	0.07	1.0	16	148	94	11.90	40	0.42	20
STS138																
DUP																
Target Range - Lower Bound																
Upper Bound																
STS141																
DUP																
Target Range - Lower Bound																
Upper Bound																
STS145		<0.5	5.72	6	80	0.9	3	0.02	<0.5	7	95	46	7.91	20	0.70	10
DUP		<0.5	5.65	9	80	0.9	2	0.02	<0.5	7	94	46	7.83	20	0.70	10
Target Range - Lower Bound		<0.5	5.39	<5	60	<0.5	<2	<0.01	<0.5	6	89	43	7.47	<10	0.66	<10
Upper Bound		1.0	5.98	10	100	1.0	4	0.03	1.0	8	100	49	8.27	30	0.75	20
STS152																
DUP																
Target Range - Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: MT LINDSAY

Page: 7 – B
Total # Pages: 8 (A – E)
Plus Appendix Pages
Finalized Date: 8-APR-2021
Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %	ME-ICP61 Tl ppm	ME-ICP61 U ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10	10
DUPLICATES																
STS111		0.17	89	1	0.15	14	200	15	0.03	<5	15	28	<20	0.94	<10	<10
DUP		0.17	92	1	0.15	16	200	16	0.04	<5	15	28	<20	0.95	<10	<10
Target Range – Lower Bound		0.15	81	<1	0.13	13	180	13	0.02	<5	13	26	<20	0.89	<10	<10
Upper Bound		0.19	100	2	0.17	17	220	18	0.05	10	17	30	40	1.00	20	20
STS119																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS127																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS130		0.38	914	1	0.02	42	1110	15	0.08	<5	28	11	<20	1.81	<10	<10
DUP		0.37	901	2	0.02	43	1090	11	0.08	<5	27	11	<20	1.79	<10	<10
Target Range – Lower Bound		0.35	857	<1	<0.01	39	1040	10	0.07	<5	25	9	<20	1.70	<10	<10
Upper Bound		0.40	958	2	0.03	46	1170	16	0.09	10	30	13	40	1.90	20	20
STS138																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS141																
DUP																
Target Range – Lower Bound																
Upper Bound																
STS145		0.31	374	1	0.02	22	660	12	0.06	<5	23	8	<20	1.65	<10	<10
DUP		0.31	373	1	0.02	22	660	11	0.06	<5	23	8	<20	1.64	<10	<10
Target Range – Lower Bound		0.28	350	<1	<0.01	20	620	9	0.05	<5	21	7	<20	1.55	<10	<10
Upper Bound		0.34	397	2	0.03	24	700	14	0.07	10	25	9	40	1.74	20	20
STS152																
DUP																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 7 - C

Total # Pages: 8 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	ME-MS85 Ba ppm 0.5	ME-MS85 Ce ppm 0.1	ME-MS85 Cr ppm 10	ME-MS85 Cs ppm 0.01	ME-MS85 Dy ppm 0.05	ME-MS85 Er ppm 0.03	ME-MS85 Eu ppm 0.02	ME-MS85 Ga ppm 0.1	ME-MS85 Gd ppm 0.05	ME-MS85 Hf ppm 0.1	ME-MS85 Ho ppm 0.01	ME-MS85 La ppm 0.1
DUPLICATES																
STS111		208	<10	19												
DUP		204	<10	21												
Target Range - Lower Bound		195	<10	17												
Upper Bound		217	20	23												
STS119																
DUP																
Target Range - Lower Bound																
Upper Bound																
STS127					60.5	37.3	100	5.24	3.16	2.60	0.59	23.5	2.52	7.0	0.79	14.2
DUP					59.5	36.2	100	5.01	3.08	2.69	0.53	23.3	2.47	6.7	0.77	13.6
Target Range - Lower Bound					56.5	34.8	90	4.86	2.91	2.48	0.51	22.1	2.32	6.4	0.73	13.1
Upper Bound					63.5	38.7	120	5.39	3.33	2.81	0.61	24.7	2.67	7.3	0.83	14.7
STS130		283	<10	74												
DUP		289	<10	76												
Target Range - Lower Bound		271	<10	69												
Upper Bound		301	20	81												
STS138																
DUP																
Target Range - Lower Bound																
Upper Bound																
STS141					36.9	39.2	460	3.56	2.60	1.77	0.57	30.1	1.74	8.4	0.54	4.2
DUP					37.0	37.4	430	3.41	2.48	1.88	0.55	28.7	1.71	7.9	0.51	4.0
Target Range - Lower Bound					34.6	36.3	410	3.30	2.36	1.70	0.51	27.8	1.59	7.6	0.49	3.8
Upper Bound					39.3	40.3	480	3.67	2.72	1.95	0.61	31.0	1.86	8.7	0.56	4.4
STS145		189	<10	53												
DUP		194	10	54												
Target Range - Lower Bound		181	<10	49												
Upper Bound		202	20	58												
STS152																
DUP																
Target Range - Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 7 – D

Total # Pages: 8 (A – E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85 Lu ppm 0.01	ME-MS85 Nb ppm 0.1	ME-MS85 Nd ppm 0.1	ME-MS85 Pr ppm 0.02	ME-MS85 Rb ppm 0.2	ME-MS85 Sm ppm 0.03	ME-MS85 Sn ppm 1	ME-MS85 Sr ppm 0.1	ME-MS85 Ta ppm 0.1	ME-MS85 Tb ppm 0.01	ME-MS85 Th ppm 0.05	ME-MS85 Tm ppm 0.01	ME-MS85 U ppm 0.05	ME-MS85 V ppm 5	ME-MS85 W ppm 1
STS111 DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
STS119 DUP Target Range – Lower Bound Upper Bound																
STS127 DUP Target Range – Lower Bound Upper Bound		0.41 0.41 0.38 0.44	29.2 28.7 27.4 30.5	10.8 10.3 9.9 11.2	2.77 2.66 2.56 2.87	32.5 31.8 30.3 34.0	2.21 2.23 2.08 2.36	3 3 2 4	16.3 16.0 15.2 17.1	1.9 1.9 1.7 2.1	0.49 0.47 0.45 0.51	7.00 6.74 6.48 7.26	0.38 0.37 0.35 0.40	2.06 2.04 1.90 2.20	244 242 226 260	1 2 <1 2
STS130 DUP Target Range – Lower Bound Upper Bound																
STS138 DUP Target Range – Lower Bound Upper Bound																
STS141 DUP Target Range – Lower Bound Upper Bound		0.33 0.32 0.30 0.35	35.3 33.9 32.8 36.4	6.7 6.2 6.0 6.9	1.45 1.37 1.32 1.50	18.3 17.3 16.7 18.9	2.10 1.96 1.90 2.16	4 3 2 5	9.3 8.8 8.5 9.6	2.3 2.1 2.0 2.4	0.33 0.31 0.29 0.35	6.88 6.72 6.41 7.19	0.27 0.28 0.25 0.30	2.03 1.92 1.83 2.12	481 461 442 500	1 1 <1 2
STS145 DUP Target Range – Lower Bound Upper Bound																
STS152 DUP Target Range – Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 7 – E

Total # Pages: 8 (A – E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85 Y ppm 0.1	ME-MS85 Yb ppm 0.03	ME-MS85 Zr ppm 2	B-ICP69 B ppm 10
STS111 DUP Target Range – Lower Bound Upper Bound		DUPLICATES			
STS119 DUP Target Range – Lower Bound Upper Bound				20 20 <10 30	
STS127 DUP Target Range – Lower Bound Upper Bound		20.6 20.6 19.5 21.7	2.75 2.60 2.51 2.84	247 245 232 260	
STS130 DUP Target Range – Lower Bound Upper Bound					
STS138 DUP Target Range – Lower Bound Upper Bound				20 20 <10 30	
STS141 DUP Target Range – Lower Bound Upper Bound		12.3 11.9 11.4 12.8	2.01 1.96 1.86 2.11	310 292 284 318	
STS145 DUP Target Range – Lower Bound Upper Bound					
STS152 DUP Target Range – Lower Bound Upper Bound				70 70 60 80	



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 8 - A

Total # Pages: 8 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01	ME-ICP61 La ppm 10
STS160 DUP Target Range - Lower Bound Upper Bound		DUPLICATES														
STS164 DUP Target Range - Lower Bound Upper Bound		<0.5 <0.5 <0.5 1.0	5.05 5.04 4.78 5.31	9 12 <5 16	550 550 500 600	1.2 1.1 0.6 1.7	<2 <2 <2 4	0.02 0.02 <0.01 0.03	<0.5 <0.5 <0.5 1.0	7 6 5 8	54 54 50 58	16 16 14 18	6.06 6.03 5.73 6.36	20 10 <10 20	1.64 1.61 1.53 1.72	40 40 30 50
STS167 DUP Target Range - Lower Bound Upper Bound																
STS168 DUP Target Range - Lower Bound Upper Bound																
STS168S1 DUP Target Range - Lower Bound Upper Bound																
ORIGINAL DUP Target Range - Lower Bound Upper Bound																
ORIGINAL DUP Target Range - Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 8 – B

Total # Pages: 8 (A – E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %	ME-ICP61 Tl ppm	ME-ICP61 U ppm
		0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01	10	10
STS160 DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
STS164 DUP Target Range – Lower Bound Upper Bound		0.42 0.42 0.39 0.45	1280 1270 1205 1345	2 1 <1 2	0.03 0.03 0.02 0.04	15 14 13 16	370 370 340 400	29 29 26 32	0.02 0.02 <0.01 0.03	5 <5 <5 10	11 11 9 13	30 31 28 33	20 20 <20 40	0.34 0.34 0.31 0.37	<10 <10 <10 20	<10 <10 <10 20
STS167 DUP Target Range – Lower Bound Upper Bound																
STS168 DUP Target Range – Lower Bound Upper Bound																
STS168S1 DUP Target Range – Lower Bound Upper Bound																
ORIGINAL DUP Target Range – Lower Bound Upper Bound																
ORIGINAL DUP Target Range – Lower Bound Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 8 - C

Total # Pages: 8 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61 V ppm 1	ME-ICP61 W ppm 10	ME-ICP61 Zn ppm 2	ME-MS85 Ba ppm 0.5	ME-MS85 Ce ppm 0.1	ME-MS85 Cr ppm 10	ME-MS85 Cs ppm 0.01	ME-MS85 Dy ppm 0.05	ME-MS85 Er ppm 0.03	ME-MS85 Eu ppm 0.02	ME-MS85 Ga ppm 0.1	ME-MS85 Gd ppm 0.05	ME-MS85 Hf ppm 0.1	ME-MS85 Ho ppm 0.01	ME-MS85 La ppm 0.1
DUPLICATES																
STS160					59.4	97.2	50	2.79	4.60	2.27	1.34	8.1	6.07	6.1	0.76	49.0
DUP					59.1	98.3	50	2.82	4.66	2.38	1.30	8.1	5.94	6.5	0.76	49.9
Target Range - Lower Bound					55.8	92.8	40	2.65	4.35	2.18	1.23	7.6	5.65	5.9	0.71	46.9
Upper Bound					62.7	102.5	60	2.96	4.91	2.47	1.41	8.6	6.36	6.7	0.81	52.0
STS164		68	10	28												
DUP		68	<10	28												
Target Range - Lower Bound		64	<10	25												
Upper Bound		72	20	31												
STS167																
DUP																
Target Range - Lower Bound																
Upper Bound																
STS168					253	34.3	620	13.75	2.28	1.76	0.50	14.1	1.88	2.7	0.53	12.6
DUP					263	35.5	630	13.95	2.44	1.59	0.42	14.8	2.03	3.0	0.57	12.7
Target Range - Lower Bound					245	33.1	580	13.15	2.19	1.56	0.42	13.6	1.81	2.6	0.51	11.9
Upper Bound					271	36.7	670	14.55	2.53	1.79	0.50	15.3	2.10	3.1	0.59	13.4
STS168S1																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL					7.4	2.3	<10	0.23	0.15	0.09	0.03	0.7	0.17	0.5	0.04	1.1
DUP					8.3	2.5	<10	0.18	0.16	0.10	0.03	0.6	0.13	0.3	0.05	1.2
Target Range - Lower Bound					7.0	2.2	<10	0.18	0.10	0.06	<0.02	0.5	0.09	0.3	0.03	1.0
Upper Bound					8.7	2.6	20	0.23	0.21	0.13	0.04	0.8	0.21	0.5	0.06	1.3
ORIGINAL					550	42.6	190	1.57	1.91	1.25	0.80	15.8	2.28	3.3	0.45	22.7
DUP					580	44.4	190	1.67	2.08	1.28	0.80	16.7	2.33	3.4	0.43	23.9
Target Range - Lower Bound					536	41.2	170	1.53	1.85	1.17	0.74	15.3	2.14	3.1	0.41	22.0
Upper Bound					594	45.8	210	1.71	2.14	1.36	0.86	17.2	2.47	3.6	0.47	24.6



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: MT LINDSAY

Page: 8 - D
Total # Pages: 8 (A - E)
Plus Appendix Pages
Finalized Date: 8-APR-2021
Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85 Lu ppm 0.01	ME-MS85 Nb ppm 0.1	ME-MS85 Nd ppm 0.1	ME-MS85 Pr ppm 0.02	ME-MS85 Rb ppm 0.2	ME-MS85 Sm ppm 0.03	ME-MS85 Sn ppm 1	ME-MS85 Sr ppm 0.1	ME-MS85 Ta ppm 0.1	ME-MS85 Tb ppm 0.01	ME-MS85 Th ppm 0.05	ME-MS85 Tm ppm 0.01	ME-MS85 U ppm 0.05	ME-MS85 V ppm 5	ME-MS85 W ppm 1
DUPLICATES																
STS160		0.31	24.2	44.2	11.65	35.3	7.77	2	12.5	1.6	0.77	7.96	0.31	1.92	70	2
DUP		0.32	24.6	44.3	11.80	34.8	7.95	2	12.4	1.6	0.78	7.93	0.32	1.88	69	2
Target Range - Lower Bound		0.29	23.1	41.9	11.10	33.1	7.44	<1	11.7	1.4	0.73	7.50	0.29	1.76	61	<1
Upper Bound		0.34	25.7	46.6	12.35	37.0	8.28	3	13.2	1.8	0.82	8.39	0.34	2.05	78	3
STS164																
DUP																
Target Range - Lower Bound																
Upper Bound																
STS167																
DUP																
Target Range - Lower Bound																
Upper Bound																
STS168		0.28	12.6	10.3	2.87	88.7	2.18	1	6.5	0.8	0.34	5.00	0.27	2.05	186	1
DUP		0.28	12.8	11.1	2.88	91.4	2.25	1	6.7	0.8	0.33	5.21	0.28	2.11	187	4
Target Range - Lower Bound		0.26	12.0	10.1	2.71	85.3	2.07	<1	6.2	0.7	0.31	4.80	0.25	1.93	172	<1
Upper Bound		0.30	13.4	11.3	3.04	94.8	2.36	2	7.0	0.9	0.36	5.41	0.30	2.23	201	4
STS168S1																
DUP																
Target Range - Lower Bound																
Upper Bound																
ORIGINAL		0.02	0.6	0.9	0.25	1.3	0.19	<1	1.2	0.1	0.03	0.68	0.02	0.14	<5	<1
DUP		0.02	0.6	1.0	0.25	1.3	0.26	<1	1.2	0.1	0.03	0.72	0.01	0.17	<5	1
Target Range - Lower Bound		<0.01	0.5	0.8	0.22	1.0	0.18	<1	1.0	<0.1	0.02	0.62	<0.01	0.10	<5	<1
Upper Bound		0.03	0.7	1.1	0.28	1.6	0.27	2	1.4	0.2	0.04	0.79	0.02	0.21	10	2
ORIGINAL		0.23	3.9	17.9	4.67	49.8	3.03	1	127.0	0.3	0.35	6.15	0.20	4.89	60	6
DUP		0.20	4.1	18.4	4.93	52.5	3.29	1	134.0	0.3	0.34	6.39	0.18	4.92	62	6
Target Range - Lower Bound		0.19	3.7	17.1	4.54	48.4	2.97	<1	124.0	0.2	0.32	5.91	0.17	4.61	53	5
Upper Bound		0.24	4.3	19.2	5.06	53.9	3.35	2	137.0	0.4	0.37	6.63	0.21	5.20	69	7



Australian Laboratory Services Pty. Ltd.
 32 Shand Street
 Stafford
 Brisbane QLD 4053
 Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
 www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
 No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
 LEVEL3
 24 OUTRAM STREET
 WEST PERTH WA 6005

Project: MT LINDSAY

Page: 8 – E
 Total # Pages: 8 (A – E)
 Plus Appendix Pages
 Finalized Date: 8-APR-2021
 Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85 Y ppm 0.1	ME-MS85 Yb ppm 0.03	ME-MS85 Zr ppm 2	B-ICP69 B ppm 10
DUPLICATES					
STS160		21.5	2.13	243	
DUP		21.5	2.17	246	
Target Range – Lower Bound		20.3	2.01	230	
Upper Bound		22.7	2.29	259	
STS164					
DUP					
Target Range – Lower Bound					
Upper Bound					
STS167					30
DUP					30
Target Range – Lower Bound					20
Upper Bound					40
STS168		13.4	1.73	105	
DUP		13.8	1.79	109	
Target Range – Lower Bound		12.8	1.64	100	
Upper Bound		14.4	1.88	114	
STS168S1					20
DUP					20
Target Range – Lower Bound					<10
Upper Bound					30
ORIGINAL		1.0	0.10	17	
DUP		1.0	0.11	13	
Target Range – Lower Bound		0.9	0.07	12	
Upper Bound		1.2	0.14	18	
ORIGINAL		15.4	1.36	137	
DUP		15.6	1.27	137	
Target Range – Lower Bound		14.6	1.22	128	
Upper Bound		16.4	1.41	146	



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 8-APR-2021

Account: VENMIN

QC CERTIFICATE OF ANALYSIS PH21065600

CERTIFICATE COMMENTS

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist
ME-ICP61

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 79 Distinction Road, Wangara, WA, Australia

B-ICP69

LEV-01

LOG-22

ME-ICP61

ME-MS85

PUL-31L

PUL-QC

SPL-21

WEI-21