



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Page: 1

Total # Pages: 3 (A – E)

Plus Appendix Pages

Finalized Date: 10-SEP-2023

Account: VENMIN

## CERTIFICATE AD23230964

Project: Mt Lindsay

P.O. No.: VMS376

This report is for 73 samples of Soil submitted to our lab in Burnie, TAS, Australia on 18-AUG-2023.

The following have access to data associated with this certificate:

ALEXANDRA LINTNER

SERGI MASCLANS

STUART OWEN

## SAMPLE PREPARATION

ALS CODE	DESCRIPTION
PUL-QC	Pulverizing QC Test
WEI-21	Received Sample Weight
LOG-22	Sample login – Rcd w/o BarCode
LOG-24	Pulp Login – Rcd w/o Barcode
LEV-01	Waste Disposal Levy
CRU-21	Crush entire sample
PUL-25a	Pulv sample-crush/split/retain

## ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	34 element four acid ICP-AES	ICP-AES
ME-MS85	Lithium Borate Fusion – Select Elements	ICP-MS
B-ICP69	Boron – HF Digest ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

\*\*\*\*\* See Appendix Page for comments regarding this certificate \*\*\*\*\*

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - A

Total # Pages: 3 (A - E)

Plus Appendix Pages

Finalized Date: 10-SEP-2023

Account: VENMIN

## CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01
STS276		0.25	<0.5	8.57	17	180	1.6	<2	0.04	<0.5	20	249	97	7.77	20	1.94
STS280		0.24	0.5	2.78	8	60	<0.5	<2	0.05	<0.5	2	50	15	3.80	10	0.58
STS281		0.25	<0.5	9.56	11	260	2.5	<2	0.03	<0.5	238	112	107	9.78	20	2.23
STS282		0.24	<0.5	8.17	7	110	1.6	<2	0.02	<0.5	40	127	66	9.38	20	1.11
STS283		0.25	<0.5	7.98	8	210	1.9	3	0.02	<0.5	23	158	80	8.37	20	1.60
STS288		0.24	<0.5	10.65	8	60	1.7	<2	0.02	<0.5	78	192	160	13.85	30	0.54
STS289		0.24	<0.5	10.55	6	40	1.3	<2	0.01	<0.5	25	374	129	15.85	30	0.17
STS290		0.25	<0.5	9.01	6	30	0.9	<2	0.02	<0.5	24	333	119	13.20	30	0.13
STS291		0.24	<0.5	10.65	6	50	1.5	<2	0.02	<0.5	78	293	171	14.85	30	0.28
STS292		0.24	<0.5	9.15	6	130	1.7	<2	0.05	<0.5	89	266	120	13.60	30	0.98
STS293		0.24	<0.5	9.42	<5	130	1.7	<2	0.01	<0.5	52	367	147	13.60	30	0.40
STS294		0.25	<0.5	9.49	7	90	1.3	<2	0.02	<0.5	37	278	158	12.10	30	0.61
STS302		0.24	<0.5	9.96	6	50	1.2	<2	0.01	<0.5	37	217	143	14.25	30	0.27
STS303		0.24	<0.5	10.15	<5	60	1.2	<2	0.03	<0.5	48	345	155	14.55	30	0.20
STS304		0.24	<0.5	9.61	<5	50	1.1	<2	0.02	<0.5	21	359	143	14.45	30	0.20
STS305		0.24	<0.5	8.61	9	20	1.0	<2	0.01	<0.5	11	373	108	13.40	30	0.10
STS306		0.23	<0.5	5.75	<5	80	1.3	<2	0.02	<0.5	6	97	39	7.18	20	0.86
STS307		0.24	<0.5	7.99	11	170	1.6	<2	0.02	<0.5	27	118	76	7.17	20	1.71
STS308		0.24	<0.5	6.55	6	140	1.2	<2	0.05	<0.5	43	204	81	9.00	20	0.76
STS309		0.25	<0.5	7.47	5	200	1.6	<2	0.03	<0.5	10	172	66	8.42	20	1.64
STS310		0.24	<0.5	8.77	8	200	1.6	<2	0.02	<0.5	22	181	80	8.49	20	1.64
STS311		0.24	<0.5	9.78	8	90	1.6	<2	0.01	<0.5	30	103	106	9.88	30	0.96
STS312		0.23	<0.5	10.45	6	70	1.7	<2	0.03	<0.5	56	101	126	10.85	30	0.81
STS313		0.22	<0.5	0.38	<5	20	<0.5	<2	0.12	<0.5	2	23	11	7.79	<10	0.05
STS314		0.24	<0.5	0.28	<5	10	<0.5	3	0.01	<0.5	1	13	5	0.68	<10	0.04
STS314s		<0.02	<0.5	5.44	<5	150	2.2	7	5.40	<0.5	21	49	2060	15.85	120	1.52
STS315		0.24	<0.5	1.27	5	30	<0.5	<2	0.02	<0.5	1	23	8	0.77	10	0.30
STS316		0.25	<0.5	2.92	20	70	<0.5	<2	0.03	<0.5	1	40	15	3.38	10	0.93
STS317		0.24	<0.5	1.89	10	30	<0.5	<2	0.01	<0.5	1	31	9	2.55	10	0.32
STS318		0.24	<0.5	9.10	10	70	1.2	<2	0.02	<0.5	10	159	105	11.00	30	0.57
STS319		0.24	<0.5	9.62	11	70	1.7	<2	0.01	<0.5	35	168	132	12.20	30	0.73
STS320		0.25	<0.5	8.30	<5	110	1.3	<2	0.11	<0.5	33	175	115	10.80	30	0.92
STS321		0.25	<0.5	6.65	5	60	0.8	<2	0.05	<0.5	15	127	84	9.09	20	0.40
STS322		0.24	<0.5	7.03	9	90	0.7	<2	0.03	<0.5	16	2580	52	10.30	20	0.52
STS323		0.24	<0.5	5.88	15	60	0.8	<2	0.04	<0.5	18	1815	51	10.35	20	0.38
STS324		0.25	<0.5	7.57	8	50	0.8	<2	0.03	<0.5	22	646	74	10.05	20	0.35
STS325		0.25	<0.5	7.30	5	70	1.1	<2	0.03	<0.5	25	208	91	11.15	20	0.36
STS326		0.25	<0.5	8.27	13	80	1.2	<2	0.02	<0.5	18	244	98	12.25	30	0.55
STS327		0.24	<0.5	9.84	10	60	1.5	<2	0.01	<0.5	35	242	126	12.85	30	0.56
STS328		0.25	<0.5	8.03	8	40	1.1	<2	0.03	<0.5	11	202	90	11.75	30	0.26



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED  
LEVEL3  
24 OUTRAM STREET  
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - B  
Total # Pages: 3 (A - E)  
Plus Appendix Pages  
Finalized Date: 10-SEP-2023  
Account: VENMIN

## CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-ICP61 La ppm 10	ME-ICP61 Li ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01
STS276		30	60	0.51	445	5	0.04	30	500	54	0.04	<5	24	13	<20	0.87
STS280		20	20	0.20	76	2	0.03	16	290	37	0.04	<5	7	16	<20	0.52
STS281		30	40	0.53	7120	3	0.03	66	870	24	0.05	<5	50	17	<20	0.93
STS282		20	40	0.41	821	1	0.04	27	500	16	0.03	<5	29	12	<20	1.33
STS283		30	60	0.49	531	2	0.03	36	580	27	0.04	<5	22	12	<20	0.99
STS288		<10	20	0.45	1225	2	0.05	101	1000	19	0.10	<5	58	14	<20	1.94
STS289		10	20	0.35	500	2	0.02	121	850	8	0.10	<5	61	12	<20	2.28
STS290		<10	30	0.42	589	3	0.03	111	870	8	0.08	<5	43	11	<20	2.04
STS291		10	30	0.56	1975	3	0.16	121	890	12	0.11	<5	54	16	<20	2.25
STS292		20	30	0.64	3260	2	0.10	107	1000	10	0.04	<5	46	23	<20	1.83
STS293		20	40	1.03	849	2	0.26	178	860	7	0.05	<5	40	22	<20	2.05
STS294		10	50	0.55	767	2	0.04	103	560	10	0.09	<5	40	13	<20	1.60
STS302		10	20	0.40	1045	2	0.08	73	850	18	0.09	<5	44	12	<20	2.12
STS303		20	30	0.78	937	2	0.68	135	620	7	0.08	<5	47	41	<20	2.22
STS304		10	30	0.66	363	2	0.15	116	570	7	0.06	<5	46	18	<20	2.14
STS305		<10	20	0.26	270	3	0.02	122	710	9	0.06	<5	25	8	<20	2.08
STS306		30	30	0.34	183	1	0.03	20	510	11	0.03	<5	18	12	<20	1.33
STS307		30	40	0.50	572	3	0.03	28	470	36	0.03	<5	24	14	<20	0.93
STS308		30	30	0.55	1485	1	0.11	45	510	20	0.04	<5	22	23	<20	1.22
STS309		20	20	0.57	690	1	0.05	44	590	15	0.04	<5	21	16	<20	0.98
STS310		30	30	0.50	567	1	0.03	36	480	19	0.04	<5	24	16	<20	0.96
STS311		20	20	0.41	927	2	0.02	26	650	13	0.05	<5	31	10	<20	1.40
STS312		10	20	0.37	1715	2	0.02	42	1020	11	0.07	<5	39	10	<20	1.60
STS313		<10	10	0.04	57	1	0.01	4	190	3	0.05	<5	4	12	<20	0.19
STS314		<10	20	0.03	54	<1	0.01	4	60	<2	0.02	<5	2	3	<20	0.17
STS314s		30	230	0.92	3030	79	1.18	29	3320	7	0.30	<5	8	125	<20	0.17
STS315		20	10	0.08	33	1	0.02	11	170	19	0.04	<5	3	14	<20	0.40
STS316		30	20	0.18	35	2	0.02	10	260	35	0.03	11	5	24	<20	0.41
STS317		20	20	0.09	33	1	0.01	9	170	28	0.02	5	4	13	<20	0.37
STS318		10	40	0.39	402	2	0.02	41	790	15	0.06	<5	36	8	<20	1.63
STS319		10	40	0.45	600	3	0.03	64	980	15	0.07	<5	43	7	<20	1.67
STS320		10	40	0.75	1090	2	0.06	72	1140	13	0.05	<5	36	20	<20	1.61
STS321		10	60	0.34	476	2	0.07	40	880	10	0.07	<5	22	16	<20	1.28
STS322		20	20	0.27	291	1	0.03	59	600	10	0.05	<5	20	10	<20	1.34
STS323		10	20	0.24	315	3	0.04	60	710	12	0.05	<5	20	10	<20	1.35
STS324		10	30	0.26	443	2	0.04	43	550	13	0.05	<5	29	11	<20	1.54
STS325		10	20	0.27	400	2	0.03	41	730	8	0.04	<5	31	11	<20	1.87
STS326		10	40	0.37	533	3	0.04	53	750	13	0.05	<5	35	11	<20	1.76
STS327		<10	40	0.40	609	3	0.02	85	870	9	0.06	<5	43	9	<20	1.63
STS328		10	40	0.38	353	2	0.03	55	830	11	0.07	<5	31	8	<20	1.83



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - C

Total # Pages: 3 (A - E)

Plus Appendix Pages

Finalized Date: 10-SEP-2023

Account: VENMIN

# CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	PUL-QC	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ti	U	V	W	Zn	Sn	Pass75um	Ba	Ce	Cr	Cs	Dy	Er	Eu	Ga
		ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2	10	0.01	0.5	0.1	5	0.01	0.05	0.03	0.02	0.1
STS276		<10	<10	216	<10	55	<10	97.0	197.5	74.0	345	10.35	5.26	3.60	1.35	26.4
STS280		<10	<10	92	<10	26	<10	96.0	59.8	51.1	67	3.54	2.43	1.65	0.59	9.4
STS281		<10	<10	238	<10	100	10	96.0	280	164.0	135	10.55	6.60	4.10	1.55	27.3
STS282		<10	<10	238	<10	54	<10		111.5	57.6	155	8.43	5.48	3.57	1.21	25.9
STS283		<10	<10	181	<10	64	<10		207	63.6	198	8.36	4.21	2.82	1.12	22.6
STS288		<10	<10	391	<10	109	<10		64.5	171.5	248	3.64	3.27	2.32	0.95	31.6
STS289		<10	<10	427	<10	62	<10		42.5	103.0	467	1.08	2.28	1.83	0.45	34.4
STS290		<10	<10	380	<10	67	<10		33.0	84.3	415	0.95	2.04	1.59	0.37	29.4
STS291		<10	<10	436	<10	117	<10		54.9	128.5	356	2.47	5.01	3.40	1.63	35.6
STS292		<10	<10	343	<10	100	<10		141.0	91.4	357	3.14	4.13	2.81	1.21	29.4
STS293		<10	<10	375	<10	223	<10		134.5	69.7	459	2.77	4.98	3.00	1.87	31.3
STS294		<10	<10	320	<10	107	<10		101.0	104.5	371	4.23	2.94	2.42	0.68	32.2
STS302		<10	<10	400	<10	102	<10		53.7	72.7	281	3.24	3.04	2.17	0.68	34.2
STS303		<10	<10	404	<10	120	<10		58.2	74.1	431	1.71	6.61	3.78	1.91	32.3
STS304		<10	<10	386	<10	95	<10		57.1	40.9	435	1.28	2.85	1.92	0.63	31.0
STS305		<10	<10	355	<10	51	<10		28.0	17.6	475	0.93	1.92	1.64	0.34	28.8
STS306		<10	<10	203	<10	34	<10		90.5	67.4	125	8.41	4.67	3.04	1.04	23.4
STS307		<10	<10	194	<10	52	10		182.5	89.3	143	8.00	5.13	3.03	1.27	24.4
STS308		<10	<10	185	<10	61	<10		144.0	65.2	252	4.79	4.60	2.67	1.36	20.0
STS309		<10	<10	198	<10	57	<10		202	56.1	196	6.98	3.99	2.78	1.04	22.8
STS310		<10	<10	197	<10	66	<10		221	69.7	233	9.40	5.89	3.16	1.50	23.7
STS311		<10	<10	261	<10	63	<10		104.0	57.4	139	8.45	5.05	3.31	1.14	32.6
STS312		<10	<10	302	<10	77	<10		83.0	119.5	121	6.27	4.28	3.15	1.06	29.9
STS313		<10	<10	48	<10	24	<10		16.6	5.2	45	0.23	0.76	0.51	0.14	1.8
STS314		<10	<10	13	<10	6	<10		10.3	3.7	18	0.29	0.53	0.29	0.05	0.9
STS314s		<10	<10	59	>10000	228	120		157.0	58.4	58	105.5	2.54	1.44	0.91	114.5
STS315		<10	<10	36	10	12	<10		29.1	50.0	28	1.36	1.25	0.89	0.45	4.6
STS316		<10	<10	76	10	10	<10		73.1	62.6	45	2.18	2.10	1.12	0.52	9.3
STS317		<10	<10	68	<10	13	<10		42.3	53.0	53	1.99	2.06	1.30	0.54	7.8
STS318		<10	<10	295	<10	68	<10		71.8	48.8	239	3.77	2.86	2.44	0.61	29.3
STS319		<10	<10	317	<10	89	<10		79.5	85.8	214	4.37	3.32	2.73	0.74	32.8
STS320		<10	<10	290	<10	111	<10		111.0	79.3	204	4.11	3.51	2.36	0.78	26.9
STS321		<10	<10	228	<10	60	<10		66.4	46.3	154	2.65	3.62	2.16	0.88	23.0
STS322		<10	<10	216	<10	46	<10		96.6	62.9	3110	3.29	5.25	3.60	0.33	20.3
STS323		<10	<10	227	<10	53	<10		63.5	37.6	2300	2.86	3.05	2.18	0.36	19.0
STS324		<10	<10	269	<10	51	<10		61.7	45.7	1060	3.84	2.79	2.38	0.38	26.2
STS325		<10	<10	304	<10	54	<10		85.0	35.8	302	3.20	3.11	2.40	0.65	23.9
STS326		<10	<10	322	<10	74	<10		83.0	51.0	316	3.61	2.51	2.09	0.48	26.6
STS327		<10	<10	338	<10	86	<10		67.0	102.5	285	3.22	3.77	3.11	1.30	30.8
STS328		<10	<10	332	<10	85	<10		42.9	24.9	249	2.20	2.56	2.28	0.53	26.4



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED  
LEVEL3  
24 OUTRAM STREET  
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - D  
Total # Pages: 3 (A - E)  
Plus Appendix Pages  
Finalized Date: 10-SEP-2023  
Account: VENMIN

## CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Gd	Hf	Ho	La	Lu	Nb	Nd	Pr	Rb	Sc	Sm	Sn	Sr	Ta
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.05	0.01	0.1	0.01	0.05	0.1	0.02	0.2	0.5	0.03	0.5	0.1	0.1
STS276		5.37	5.84	1.11	34.2	0.55	24.2	30.2	8.01	124.0	30.1	6.20	3.9	13.0	1.6
STS280		2.75	4.25	0.45	25.5	0.23	21.4	20.2	5.69	33.4	10.0	3.57	1.9	17.0	1.3
STS281		6.17	6.28	1.44	30.4	0.64	19.75	30.0	7.58	106.0	60.4	6.60	4.2	15.4	1.2
STS282		4.86	6.40	1.16	25.6	0.48	25.2	24.2	6.42	83.7	34.7	5.20	4.2	11.2	1.6
STS283		4.76	5.12	0.96	27.8	0.37	25.4	25.4	6.57	99.1	27.0	5.04	3.7	11.2	1.6
STS288		2.51	7.73	0.70	6.4	0.41	33.3	11.9	2.59	31.1	66.6	3.29	3.8	12.0	2.0
STS289		1.73	8.38	0.52	8.5	0.35	36.1	6.4	1.48	9.0	71.9	1.66	3.0	8.9	2.0
STS290		1.23	7.15	0.47	6.2	0.28	31.7	5.7	1.41	7.3	47.8	1.78	3.3	8.9	2.0
STS291		5.14	8.73	1.03	14.2	0.48	37.9	24.0	5.64	17.6	61.2	6.79	3.9	14.4	2.2
STS292		3.60	7.33	0.87	19.8	0.45	31.8	17.4	4.66	55.7	53.1	4.25	3.5	22.3	1.8
STS293		5.63	7.33	0.98	22.7	0.44	32.6	35.1	8.23	24.1	44.1	7.51	3.7	18.8	1.9
STS294		2.24	6.97	0.71	11.1	0.40	29.9	10.6	2.36	48.6	46.7	2.64	3.8	10.9	1.8
STS302		2.31	8.29	0.68	7.6	0.38	38.4	8.6	2.22	19.0	52.8	2.38	3.9	10.3	2.2
STS303		6.31	7.73	1.24	20.7	0.52	34.6	26.7	6.29	10.9	49.5	6.54	3.0	38.1	2.1
STS304		2.05	7.75	0.68	10.0	0.35	34.2	8.6	1.94	10.8	51.8	2.23	2.8	15.4	2.1
STS305		1.30	7.33	0.50	5.4	0.32	34.2	4.4	0.97	5.7	29.3	1.11	3.1	6.0	2.1
STS306		4.39	6.51	0.99	29.8	0.48	27.0	26.7	7.02	67.7	22.5	5.11	4.2	11.2	1.9
STS307		4.89	5.43	1.06	33.3	0.50	22.4	29.0	7.64	111.5	27.7	5.97	4.6	14.0	1.4
STS308		4.85	5.86	0.90	29.3	0.36	28.8	28.4	7.41	55.3	25.9	5.84	3.3	20.9	1.8
STS309		4.09	5.41	0.84	27.4	0.39	26.7	23.6	6.24	90.8	23.5	4.28	3.4	14.2	1.6
STS310		5.38	6.23	1.09	35.3	0.48	29.4	32.9	8.67	95.4	30.6	6.96	4.0	16.8	1.8
STS311		3.87	8.14	1.05	21.6	0.57	32.1	19.8	5.06	68.6	39.9	4.40	4.3	10.1	2.0
STS312		3.12	7.89	0.99	16.1	0.52	30.6	17.1	4.28	47.8	47.4	3.43	3.8	9.2	1.8
STS313		0.59	2.08	0.16	2.5	0.07	5.67	2.8	0.63	2.3	7.6	0.47	0.6	11.6	0.4
STS314		0.23	2.10	0.10	1.0	0.07	3.85	0.9	0.26	1.6	5.0	0.18	<0.5	3.2	0.3
STS314s		3.53	2.87	0.52	32.6	0.20	24.6	26.6	7.26	413	11.4	4.79	161.0	121.5	0.8
STS315		1.65	3.75	0.30	26.5	0.15	20.00	18.7	5.20	14.7	5.4	2.73	1.4	13.4	1.2
STS316		2.24	4.54	0.45	32.5	0.23	18.30	23.3	6.83	49.5	8.1	3.37	2.0	23.2	1.2
STS317		2.18	4.60	0.44	27.2	0.18	21.9	20.3	5.76	25.0	7.4	3.42	1.7	15.4	1.3
STS318		2.21	7.93	0.71	10.0	0.46	33.0	9.2	2.48	36.7	42.8	2.00	4.0	6.7	2.0
STS319		2.38	8.28	0.79	8.2	0.45	35.1	9.5	2.27	47.1	54.4	2.34	3.9	6.6	2.0
STS320		2.69	7.51	0.67	12.4	0.48	32.8	12.3	3.11	52.4	41.3	2.78	3.5	19.2	2.0
STS321		2.94	5.78	0.70	13.8	0.36	24.9	13.0	3.13	29.3	24.7	2.78	2.4	16.0	1.6
STS322		4.32	7.38	1.12	21.9	0.61	27.5	21.3	5.54	39.6	25.6	4.53	18.5	9.3	1.7
STS323		2.51	6.91	0.67	11.2	0.43	25.3	10.6	2.71	29.1	25.0	2.34	14.6	10.0	1.6
STS324		2.29	8.37	0.65	9.6	0.36	33.7	8.7	2.35	30.0	37.6	2.13	10.6	9.9	2.0
STS325		2.43	8.17	0.71	11.2	0.42	35.7	10.6	2.76	27.2	38.4	2.55	3.2	9.8	2.0
STS326		1.97	7.65	0.56	7.2	0.42	32.6	8.6	1.92	32.7	39.4	2.07	3.9	9.5	1.9
STS327		2.83	7.68	1.27	8.4	1.02	31.1	10.1	2.77	38.6	50.3	3.13	4.5	10.2	2.2
STS328		2.09	7.45	0.61	7.6	0.41	35.7	8.2	1.93	17.6	34.2	2.39	4.0	7.9	2.0



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - E

Total # Pages: 3 (A - E)

Plus Appendix Pages

Finalized Date: 10-SEP-2023

Account: VENMIN

## CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	B-ICP69
		Th	Ti	Tm	U	V	W	Y	Yb	Zr
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.01	0.01	0.05	5	0.5	0.1	0.03	1
STS276		12.65	1.10	0.47	3.23	269	3.0	28.9	3.22	215
STS280		5.69	0.58	0.21	1.38	103	2.2	13.6	1.52	178
STS281		12.10	1.06	0.58	3.73	272	2.1	35.3	3.93	222
STS282		10.05	1.49	0.51	2.50	267	2.6	30.8	3.16	237
STS283		10.35	1.08	0.37	2.17	199	2.5	23.8	2.85	195
STS288		8.04	2.22	0.37	2.38	457	1.5	16.0	2.73	294
STS289		6.20	2.62	0.26	1.62	487	1.0	13.0	2.10	313
STS290		5.54	2.26	0.27	1.57	419	1.1	11.4	1.68	276
STS291		6.92	2.62	0.48	1.96	504	1.4	21.6	3.35	324
STS292		6.97	2.15	0.43	1.74	402	1.5	20.4	2.96	289
STS293		6.12	2.32	0.42	1.60	425	5.9	21.3	2.75	284
STS294		8.36	1.89	0.34	2.21	376	1.8	16.5	2.46	274
STS302		7.54	2.50	0.34	2.45	482	1.5	16.2	2.29	315
STS303		5.64	2.47	0.50	1.54	455	1.2	27.1	3.55	297
STS304		5.96	2.44	0.33	1.58	474	1.6	15.0	2.12	295
STS305		5.76	2.37	0.27	1.97	427	1.1	12.1	1.84	279
STS306		10.30	1.61	0.48	2.57	240	4.3	26.8	3.27	238
STS307		13.40	1.08	0.50	3.14	229	3.9	26.9	3.37	205
STS308		8.80	1.40	0.38	2.19	225	92.7	23.4	2.55	213
STS309		10.35	1.11	0.36	1.92	223	3.3	21.6	2.60	202
STS310		10.30	1.15	0.45	2.07	257	2.3	29.5	3.46	230
STS311		9.96	1.64	0.51	2.60	333	2.4	27.9	3.73	314
STS312		8.26	1.78	0.48	2.16	349	1.5	25.3	3.72	305
STS313		0.90	0.21	0.06	0.30	53	0.6	4.1	0.50	92
STS314		0.58	0.18	0.05	0.28	14	0.9	2.7	0.45	86
STS314s		7.52	0.20	0.21	4.81	73	>10000	14.7	1.34	101
STS315		3.63	0.43	0.12	0.90	43	9.2	7.6	1.01	158
STS316		6.04	0.46	0.21	1.50	88	3.1	11.5	1.38	180
STS317		5.07	0.52	0.20	1.27	101	2.6	11.6	1.46	193
STS318		8.28	1.86	0.40	2.35	351	1.9	18.6	2.90	299
STS319		8.55	1.98	0.41	2.52	407	1.9	19.8	3.08	319
STS320		7.11	1.84	0.36	2.14	345	2.0	17.8	2.83	282
STS321		5.14	1.52	0.33	1.67	278	1.5	17.2	2.23	221
STS322		15.55	1.52	0.54	3.15	263	2.3	30.9	3.82	295
STS323		8.37	1.52	0.35	2.38	289	1.9	19.0	2.54	275
STS324		10.05	1.91	0.34	2.76	356	1.9	17.7	2.74	309
STS325		7.22	2.15	0.35	1.90	360	2.4	17.2	2.92	314
STS326		7.76	1.96	0.32	2.43	375	1.6	14.3	2.51	289
STS327		7.97	1.76	1.03	2.62	386	13.2	18.0	3.56	271
STS328		7.25	2.06	0.37	2.09	392	1.5	15.3	2.46	300



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED  
LEVEL3  
24 OUTRAM STREET  
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - A  
Total # Pages: 3 (A - E)  
Plus Appendix Pages  
Finalized Date: 10-SEP-2023  
Account: VENMIN

## CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm	ME-ICP61 K %
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10	0.01
STS329		0.24	<0.5	8.37	10	60	1.1	<2	0.02	<0.5	12	152	92	10.50	30	0.53
STS330		0.25	<0.5	8.36	11	70	1.1	<2	0.02	<0.5	36	262	102	11.75	30	0.48
STS331		0.25	<0.5	4.81	6	60	0.6	<2	0.03	<0.5	8	1900	53	8.06	10	0.28
STS332		0.24	<0.5	8.87	6	230	2.5	<2	0.01	<0.5	115	119	63	12.80	30	1.37
STS333		0.24	<0.5	11.10	<5	100	1.0	<2	0.01	<0.5	34	114	124	15.60	30	0.16
STS333D		0.24	<0.5	10.95	<5	100	1.0	<2	0.01	<0.5	33	110	123	15.60	30	0.17
STS334		0.25	<0.5	6.33	9	50	0.6	<2	0.04	<0.5	7	252	66	13.80	20	0.25
STS335		0.24	<0.5	4.33	8	50	0.5	<2	0.09	<0.5	7	272	42	10.85	20	0.21
STS336		0.25	<0.5	8.22	13	130	1.5	2	0.05	<0.5	34	179	97	13.65	20	1.45
STS337		0.24	0.5	5.68	7	50	0.5	4	0.08	<0.5	13	285	65	10.10	20	0.27
STS338		0.24	<0.5	6.81	8	50	<0.5	2	0.08	<0.5	13	284	63	12.20	20	0.14
STS339		0.24	<0.5	4.47	<5	160	0.7	<2	0.04	<0.5	4	218	39	5.07	10	0.65
STS339D		0.24	<0.5	4.46	6	160	0.6	<2	0.04	<0.5	2	205	38	5.05	10	0.65
STS340		0.24	<0.5	6.69	10	100	1.0	<2	0.03	<0.5	4	142	65	8.40	20	0.77
STS341		0.24	<0.5	4.92	<5	70	1.0	3	0.03	<0.5	3	112	41	7.13	20	0.58
STS342		0.25	<0.5	8.62	11	220	1.6	<2	0.01	<0.5	3	121	21	6.14	20	2.88
STS343		0.25	<0.5	7.19	<5	100	1.1	2	0.02	<0.5	9	123	43	10.35	30	1.23
STS344		0.24	<0.5	7.88	<5	150	1.1	<2	0.04	<0.5	66	142	72	7.91	20	1.19
STS345		0.25	<0.5	7.90	<5	170	1.2	<2	0.02	<0.5	44	137	81	7.76	20	1.08
STS346		0.25	<0.5	8.95	11	180	1.4	<2	0.02	<0.5	60	137	95	7.33	30	1.43
STS347		0.25	<0.5	7.53	19	190	1.4	<2	0.02	<0.5	17	156	64	6.92	20	2.16
STS348		0.24	<0.5	4.15	6	130	0.9	<2	0.03	<0.5	7	77	34	3.47	10	0.90
STS349		0.25	<0.5	3.50	<5	170	0.8	<2	0.01	<0.5	2	39	8	1.86	10	1.10
STS350		0.24	<0.5	2.96	<5	140	0.6	<2	0.01	<0.5	1	38	7	1.40	10	0.81
STS351		0.25	<0.5	8.81	6	130	1.1	<2	0.02	<0.5	71	249	106	11.65	30	0.75
STS352		0.23	<0.5	8.84	6	100	0.9	2	0.03	<0.5	43	341	118	11.50	20	0.44
STS352D		0.24	<0.5	8.93	6	100	0.9	<2	0.03	<0.5	42	341	118	11.60	30	0.45
STS353		0.25	<0.5	10.05	7	210	1.0	4	0.02	<0.5	76	208	77	12.60	30	1.48
STS354		0.25	<0.5	8.53	13	150	1.1	<2	0.02	<0.5	51	180	128	9.51	20	0.89
STS355		0.25	<0.5	9.25	10	100	0.7	<2	0.02	<0.5	21	299	96	12.70	30	0.57
STS356		Not Recvd														
STS382		0.25	<0.5	1.69	<5	100	<0.5	<2	0.01	<0.5	1	63	9	1.07	10	0.65
STS383		0.14	<0.5	0.27	<5	20	<0.5	<2	0.16	<0.5	1	29	14	2.87	<10	0.06



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED  
LEVEL3  
24 OUTRAM STREET  
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - B  
Total # Pages: 3 (A - E)  
Plus Appendix Pages  
Finalized Date: 10-SEP-2023  
Account: VENMIN

## CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-ICP61 La ppm 10	ME-ICP61 Li ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni ppm 1	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01
STS329		<10	40	0.37	483	3	0.02	39	830	17	0.06	<5	28	9	<20	1.54
STS330		10	40	0.37	850	3	0.08	69	710	14	0.06	<5	36	13	<20	1.82
STS331		10	20	0.19	142	1	0.04	31	520	8	0.04	<5	20	10	<20	1.74
STS332		40	40	0.69	5100	2	0.02	101	1440	12	0.05	<5	41	12	<20	1.99
STS333		<10	10	0.29	536	2	0.03	135	1560	2	0.06	<5	65	9	<20	1.61
STS333D		<10	10	0.29	552	2	0.03	135	1590	3	0.06	<5	63	8	<20	1.58
STS334		10	20	0.29	251	2	0.05	32	520	9	0.06	<5	24	13	<20	1.84
STS335		10	20	0.39	392	2	0.05	24	450	10	0.05	<5	17	15	<20	1.85
STS336		10	20	0.59	950	3	0.05	52	960	11	0.04	<5	41	13	<20	1.36
STS337		10	30	0.42	501	3	0.06	39	600	13	0.04	<5	23	17	<20	1.78
STS338		10	30	0.38	714	4	0.05	46	650	12	0.05	<5	25	14	<20	1.90
STS339		20	20	0.22	160	2	0.37	13	300	14	0.02	<5	16	41	<20	1.46
STS339D		20	20	0.21	157	1	0.37	15	300	13	0.02	<5	16	40	<20	1.44
STS340		30	30	0.26	118	2	0.12	19	270	19	0.03	<5	28	26	<20	1.73
STS341		20	10	0.21	117	1	0.03	11	510	16	0.04	<5	22	18	<20	1.91
STS342		30	10	0.44	131	1	0.04	19	370	15	0.04	<5	27	24	<20	0.79
STS343		20	20	0.55	328	2	0.08	23	560	19	0.04	<5	25	12	<20	1.34
STS344		20	50	0.47	3070	1	0.15	36	520	24	0.05	<5	30	21	<20	1.34
STS345		20	50	0.46	3010	2	0.12	33	640	21	0.04	<5	28	15	<20	1.28
STS346		30	70	0.44	2950	3	0.03	39	510	33	0.06	<5	31	18	<20	1.17
STS347		30	170	0.40	686	3	0.07	33	740	105	0.03	<5	22	20	<20	0.98
STS348		30	30	0.26	141	3	0.04	12	460	40	0.04	<5	11	15	<20	0.67
STS349		20	20	0.20	117	1	0.06	6	160	14	0.01	<5	6	22	<20	0.30
STS350		30	10	0.14	59	1	0.05	4	220	13	0.02	<5	6	24	<20	0.43
STS351		20	30	0.36	878	3	0.15	55	960	60	0.06	<5	35	21	<20	1.92
STS352		20	40	0.67	1565	3	0.29	113	770	10	0.05	<5	35	26	<20	1.81
STS352D		20	40	0.67	1580	3	0.28	115	780	11	0.05	<5	35	27	<20	1.83
STS353		20	30	0.74	1495	2	0.03	83	570	9	0.05	5	43	18	<20	1.70
STS354		10	40	0.58	2070	6	0.04	86	910	16	0.05	<5	31	15	<20	1.31
STS355		10	30	0.40	560	3	0.03	77	570	18	0.07	<5	42	14	<20	1.86
STS356																
STS382		20	20	0.18	62	2	0.02	7	150	19	0.02	<5	4	18	<20	0.29
STS383		<10	<10	0.11	57	1	0.03	3	210	9	0.09	<5	2	50	<20	0.21





Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - C

Total # Pages: 3 (A - E)

Plus Appendix Pages

Finalized Date: 10-SEP-2023

Account: VENMIN

## CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	PUL-QC	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ti	U	V	W	Zn	Sn	Pass75um	Ba	Ce	Cr	Cs	Dy	Er	Eu	Ga
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	ppm 10	% 0.01	ppm 0.5	ppm 0.1	ppm 5	ppm 0.01	ppm 0.05	ppm 0.03	ppm 0.02	ppm 0.1
STS329		<10	<10	277	<10	70	<10		64.2	24.1	180	4.13	2.53	1.88	0.41	25.0
STS330		<10	<10	320	<10	81	<10		75.2	76.2	328	3.38	2.83	1.95	0.68	25.6
STS331		<10	<10	251	<10	42	<10		64.3	34.8	2400	2.07	3.97	2.87	0.34	15.2
STS332		<10	<10	344	<10	128	<10		253	163.5	149	3.41	13.70	7.08	4.32	30.5
STS333		<10	<10	476	<10	78	<10		101.5	36.2	130	1.10	3.51	2.61	0.64	26.3
STS333D		<10	<10	474	<10	78	<10	99.0	108.5	38.1	135	1.17	3.53	2.56	0.69	28.8
STS334		<10	<10	327	<10	41	<10		54.1	21.4	356	2.93	2.49	2.07	0.36	24.4
STS335		<10	<10	259	<10	45	<10		52.1	27.6	405	2.87	2.89	2.24	0.41	15.6
STS336		<10	<10	278	<10	86	<10		142.0	46.6	224	7.84	3.32	2.44	0.64	22.7
STS337		<10	<10	290	<10	59	<10		59.3	37.0	399	3.25	3.53	2.51	0.66	21.1
STS338		<10	<10	324	<10	55	<10		47.2	33.8	360	2.79	3.05	2.26	0.53	24.2
STS339		<10	<10	190	<10	30	<10		164.5	52.8	293	3.24	3.51	1.95	1.09	12.8
STS339D		<10	<10	189	<10	29	<10		159.5	51.5	295	3.27	3.62	1.97	1.07	13.4
STS340		<10	<10	253	<10	45	<10		100.5	61.5	162	4.84	5.70	3.43	1.66	20.7
STS341		<10	<10	242	<10	41	<10		69.9	41.5	131	5.54	4.97	3.23	1.01	21.2
STS342		<10	<10	163	<10	21	<10		213	59.0	133	4.85	3.42	2.02	1.13	23.2
STS343		<10	<10	274	<10	53	<10		101.0	35.6	147	9.22	4.48	3.34	0.81	29.7
STS344		<10	<10	245	<10	79	<10		161.5	80.8	175	7.36	4.92	2.93	1.16	24.0
STS345		<10	<10	231	<10	85	<10		181.5	85.9	166	9.37	4.92	3.30	1.03	25.7
STS346		<10	<10	216	<10	71	<10		187.0	105.0	163	8.19	4.85	3.05	1.09	26.7
STS347		<10	<10	192	<10	68	<10		201	64.5	189	6.99	4.69	3.13	1.16	22.3
STS348		<10	<10	102	<10	41	<10		133.0	61.8	99	4.54	3.67	2.25	0.92	12.2
STS349		<10	<10	53	<10	15	<10		173.0	51.6	54	5.35	4.97	3.15	0.68	10.0
STS350		<10	<10	54	<10	10	<10		148.0	58.1	57	3.62	5.39	3.42	0.96	8.9
STS351		<10	<10	346	<10	111	<10		129.0	55.6	289	4.35	3.87	2.36	0.89	24.3
STS352		<10	<10	318	<10	98	<10		105.0	59.8	432	3.05	4.05	2.78	1.23	28.9
STS352D		<10	<10	324	<10	99	<10		108.0	58.0	434	3.05	4.18	2.56	1.07	27.7
STS353		<10	<10	310	<10	60	<10		226	75.0	248	7.00	3.19	2.79	0.76	30.6
STS354		<10	<10	300	<10	68	<10		157.0	85.9	222	3.66	3.51	2.41	0.86	28.2
STS355		<10	<10	342	<10	52	<10		110.5	38.6	381	4.27	2.50	1.88	0.58	30.0
STS356																
STS382		<10	<10	44	<10	14	<10		98.1	39.8	105	3.62	2.60	1.46	0.53	5.7
STS383		<10	<10	22	<10	28	<10		17.8	4.9	42	0.11	0.38	0.35	0.09	1.0



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED  
LEVEL3  
24 OUTRAM STREET  
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - D  
Total # Pages: 3 (A - E)  
Plus Appendix Pages  
Finalized Date: 10-SEP-2023  
Account: VENMIN

## CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Gd	Hf	Ho	La	Lu	Nb	Nd	Pr	Rb	Sc	Sm	Sn	Sr	Ta	Tb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.05	0.01	0.1	0.01	0.05	0.1	0.02	0.2	0.5	0.03	0.5	0.1	0.1	0.01
STS329		1.81	7.10	0.59	6.2	0.34	30.8	6.0	1.55	36.4	33.6	1.77	3.5	7.5	1.8	0.30
STS330		1.98	7.86	0.57	9.3	0.39	35.7	9.8	2.41	34.6	40.9	2.53	3.6	11.8	2.0	0.42
STS331		3.08	8.32	0.88	14.6	0.47	32.2	14.3	3.68	20.9	23.2	3.66	22.3	11.0	1.9	0.60
STS332		14.55	7.88	2.46	54.8	0.83	36.4	70.0	16.35	60.3	45.8	16.60	3.3	8.9	2.2	2.17
STS333		2.28	5.25	0.68	4.0	0.39	17.25	7.1	1.58	16.3	75.9	2.25	2.6	6.4	1.1	0.44
STS333D		2.42	5.55	0.70	4.2	0.42	17.95	7.1	1.59	15.8	71.7	2.28	2.4	6.9	1.0	0.46
STS334		1.87	8.61	0.57	9.8	0.34	34.6	9.0	2.35	18.0	30.3	2.03	10.9	12.3	2.1	0.37
STS335		2.65	8.70	0.71	12.2	0.36	34.4	12.3	3.14	17.1	21.5	2.48	19.0	13.4	2.1	0.45
STS336		2.52	6.40	0.82	7.8	0.52	25.4	9.2	2.25	73.9	48.8	2.52	6.8	10.9	1.5	0.46
STS337		2.86	8.72	0.78	14.8	0.42	34.6	13.8	3.62	18.8	26.0	3.04	40.0	16.7	2.2	0.56
STS338		2.61	8.79	0.69	12.4	0.41	36.0	12.4	3.14	9.8	28.1	2.70	34.3	14.0	2.2	0.47
STS339		4.00	6.78	0.72	24.7	0.29	31.6	24.4	5.94	41.6	20.6	4.61	2.6	39.1	2.0	0.60
STS339D		3.92	6.43	0.69	24.2	0.31	31.0	22.4	5.92	39.9	20.4	4.63	2.8	36.5	1.9	0.61
STS340		5.77	6.95	1.06	30.0	0.53	30.6	29.3	7.35	52.5	30.6	6.47	4.1	25.6	2.0	0.87
STS341		4.13	8.14	1.10	20.3	0.54	33.7	18.7	4.49	32.3	26.8	4.33	4.1	16.6	2.2	0.73
STS342		4.17	4.58	0.64	28.7	0.34	21.4	26.8	7.10	113.5	27.8	5.38	3.3	21.7	1.4	0.57
STS343		3.42	6.70	0.96	18.8	0.56	26.9	15.1	3.95	87.2	28.5	3.70	4.6	11.2	1.7	0.65
STS344		4.09	6.67	1.01	24.2	0.51	25.8	21.1	5.54	82.9	33.6	4.79	3.6	18.6	1.7	0.72
STS345		4.18	6.91	1.12	22.6	0.51	25.6	22.0	5.55	83.9	33.9	4.96	4.1	13.5	1.6	0.75
STS346		4.06	6.70	1.03	25.6	0.49	25.6	24.9	6.29	91.6	34.8	5.20	4.2	16.2	1.7	0.70
STS347		4.19	6.01	0.99	29.5	0.41	25.9	26.6	6.99	105.5	24.0	5.25	3.2	19.5	1.7	0.75
STS348		3.89	6.11	0.69	29.3	0.34	18.95	25.8	6.71	56.3	14.1	4.60	2.2	12.8	1.2	0.64
STS349		3.98	7.36	0.95	25.0	0.44	14.10	22.2	5.91	69.6	7.9	4.16	2.4	20.0	1.0	0.68
STS350		4.68	9.62	1.11	27.9	0.50	17.30	25.5	6.68	59.5	8.2	5.56	1.6	22.9	1.2	0.84
STS351		3.14	7.70	0.81	17.0	0.42	31.7	17.1	4.26	46.6	37.2	3.88	3.6	18.2	2.0	0.64
STS352		3.58	7.40	0.83	16.8	0.40	32.3	17.2	4.40	25.0	41.9	3.87	3.5	25.3	1.9	0.62
STS352D		3.21	7.40	0.75	16.7	0.46	31.3	16.5	4.20	24.6	39.2	4.32	3.1	25.5	1.8	0.62
STS353		2.47	7.29	0.74	18.8	0.47	29.9	13.1	3.67	82.0	47.8	2.90	3.5	15.2	1.6	0.48
STS354		2.78	6.00	0.68	12.8	0.35	24.7	13.8	3.29	44.8	35.5	3.64	3.5	12.2	1.4	0.51
STS355		1.69	7.61	0.57	14.0	0.33	32.7	11.0	3.02	40.2	45.7	2.23	3.5	12.4	2.0	0.32
STS356																
STS382		2.97	4.98	0.52	20.1	0.23	16.20	20.8	5.18	30.0	6.3	3.74	1.4	15.2	1.0	0.41
STS383		0.32	1.51	0.11	2.5	0.05	7.89	2.0	0.50	1.7	3.2	0.50	0.8	49.1	0.4	0.06



Australian Laboratory Services Pty. Ltd.

32 Shand Street  
Stafford  
Brisbane QLD 4053  
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218  
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation  
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED  
LEVEL3  
24 OUTRAM STREET  
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - E  
Total # Pages: 3 (A - E)  
Plus Appendix Pages  
Finalized Date: 10-SEP-2023  
Account: VENMIN

## CERTIFICATE OF ANALYSIS AD23230964

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	B-ICP69
		Th	Ti	Tm	U	V	W	Y	Yb	Zr	B
		ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.05	0.01	0.01	0.05	5	0.5	0.1	0.03	1	10
STS329		7.55	1.68	0.31	2.31	324	1.6	14.9	2.42	268	20
STS330		7.82	2.02	0.33	2.33	366	1.6	14.4	2.19	297	20
STS331		9.79	1.94	0.42	2.28	289	1.7	23.6	3.21	319	30
STS332		6.50	2.34	0.97	1.70	422	1.6	64.1	6.30	310	30
STS333		3.19	1.76	0.39	0.97	556	0.7	16.5	2.82	203	10
STS333D		3.10	1.78	0.38	0.93	568	0.8	16.4	2.96	204	10
STS334		7.62	2.16	0.29	2.28	398	1.7	15.1	2.18	334	20
STS335		7.92	2.08	0.34	2.34	301	2.2	18.3	2.41	335	30
STS336		6.88	1.52	0.41	1.90	338	1.9	18.8	2.97	250	30
STS337		7.97	2.07	0.37	2.32	352	2.3	21.4	2.77	339	30
STS338		8.27	2.18	0.33	2.32	393	2.1	18.2	2.25	331	30
STS339		6.18	1.57	0.32	1.72	206	2.2	17.8	2.03	257	30
STS339D		6.09	1.56	0.29	1.68	208	2.2	18.2	2.18	245	40
STS340		9.42	1.87	0.51	2.32	274	3.0	29.0	3.37	273	30
STS341		9.13	2.07	0.53	2.56	270	2.7	30.4	3.75	297	30
STS342		11.60	0.81	0.30	1.78	164	2.9	16.0	2.05	168	110
STS343		8.87	1.57	0.48	2.47	296	2.2	26.6	3.47	262	40
STS344		9.51	1.45	0.46	2.48	256	2.4	24.1	3.09	250	40
STS345		9.63	1.48	0.54	2.54	269	2.8	26.1	3.30	255	40
STS346		11.30	1.27	0.45	2.78	236	3.2	25.4	3.31	257	60
STS347		9.74	1.05	0.41	2.83	216	2.5	25.4	2.99	234	80
STS348		7.11	0.69	0.31	2.49	106	2.4	19.6	2.16	244	40
STS349		7.54	0.35	0.44	2.24	58	2.2	26.7	3.04	296	40
STS350		7.70	0.51	0.48	2.35	61	2.6	30.8	3.09	383	40
STS351		7.06	1.94	0.37	2.17	355	1.5	18.7	2.52	288	20
STS352		5.88	2.06	0.40	2.00	367	1.3	17.3	2.84	294	10
STS352D		5.78	2.00	0.37	2.00	363	1.3	17.4	2.68	286	10
STS353		6.45	1.84	0.38	1.72	341	1.3	17.1	2.79	285	30
STS354		7.72	1.40	0.37	3.31	320	1.2	15.7	2.49	228	20
STS355		7.44	2.06	0.30	2.42	378	1.7	13.1	2.11	297	20
STS356											
STS382		3.91	0.30	0.21	1.30	49	1.4	14.6	1.60	212	30
STS383		0.74	0.21	0.05	0.32	31	0.8	2.5	0.38	69	10



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 10-SEP-2023

Account: VENMIN

**CERTIFICATE OF ANALYSIS AD23230964**

**CERTIFICATE COMMENTS**

**ACCREDITATION COMMENTS**

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist  
ME-ICP61

**LABORATORY ADDRESSES**

Applies to Method:

Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 79 Distinction Road, Wangara, WA, Australia

B-ICP69

ME-ICP61

ME-MS85

Applies to Method:

Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia.

CRU-21

LEV-01

LOG-22

LOG-24

PUL-25a

PUL-QC

WEI-21