



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Page: 1

Total # Pages: 3 (A - C)

Plus Appendix Pages

Finalized Date: 13-NOV-2023

Account: VENMIN

CERTIFICATE AD23291932

Project: Mt Lindsay

P.O. No.: VMS377

This report is for 56 samples of Soil submitted to our lab in Adelaide, SA, Australia on 12-OCT-2023.

The following have access to data associated with this certificate:

ALEXANDRA LINTNER
RITWIK NAITHANI

ANGELIQUE MARTIN
STUART OWEN

SERGI MASCLANS

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-24	Pulp Login - Rcd w/o Barcode
LOG-22	Sample login - Rcd w/o BarCode
PUL-31L	Pulverize 250g soil to 85% < 75um

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS85	Lithium Borate Fusion - Select Elements	ICP-MS
ME-ICP61	34 element four acid ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - A
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 13-NOV-2023
Account: VENMIN

CERTIFICATE OF ANALYSIS AD23291932

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10	ME-ICP61 K % 0.01
STS264		0.24	<0.5	9.34	6	70	1.1	<2	0.02	<0.5	26	112	44	11.65	30	0.41
STS265		0.25	<0.5	9.98	10	80	1.4	<2	0.02	<0.5	17	155	102	12.70	30	0.55
STS266		0.24	<0.5	9.08	12	70	1.1	<2	0.05	<0.5	60	190	106	12.95	30	0.38
STS267		0.22	<0.5	8.07	10	70	1.0	<2	0.06	<0.5	30	152	87	9.59	20	0.35
STS268		0.21	<0.5	5.78	5	70	0.8	<2	0.05	<0.5	14	134	105	9.95	20	0.37
STS299		0.25	<0.5	7.93	10	140	0.8	<2	0.03	<0.5	13	228	68	10.20	20	0.94
STS531		0.25	<0.5	6.51	8	290	0.7	<2	0.17	<0.5	3	97	23	4.56	20	1.07
STS532		0.24	<0.5	2.96	5	150	0.5	<2	0.16	<0.5	1	116	5	2.34	10	0.55
STS533		0.25	<0.5	4.20	6	50	<0.5	<2	0.02	<0.5	2	348	21	5.58	20	0.28
STS534		0.24	<0.5	0.62	<5	60	<0.5	<2	0.02	<0.5	<1	104	3	0.58	<10	0.23
STS535		0.25	<0.5	2.55	<5	100	<0.5	<2	0.14	<0.5	1	210	6	2.75	10	0.38
STS536		0.24	<0.5	0.98	<5	60	<0.5	<2	0.03	<0.5	1	272	3	0.66	<10	0.22
STS537		0.25	<0.5	3.05	<5	100	<0.5	<2	0.10	<0.5	1	149	12	2.67	10	0.41
STS538		0.24	<0.5	3.57	<5	140	<0.5	<2	0.14	<0.5	1	137	11	3.95	10	0.55
STS539		0.24	<0.5	2.26	<5	100	<0.5	<2	0.10	<0.5	1	170	4	1.46	10	0.38
STS540		0.24	<0.5	1.49	<5	130	<0.5	<2	0.09	<0.5	1	187	3	1.04	10	0.44
STS576		0.24	<0.5	6.74	13	30	0.5	<2	0.05	<0.5	9	601	71	10.50	20	0.17
STS577		0.25	<0.5	3.04	7	30	<0.5	2	0.04	<0.5	2	999	20	5.72	10	0.13
STS578		0.25	<0.5	8.10	7	30	0.7	<2	0.06	<0.5	6	277	120	11.80	30	0.20
STS578s		<0.02	0.8	8.26	146	420	3.7	332	5.20	<0.5	16	77	1480	7.05	20	1.95
STS579		0.25	<0.5	8.59	7	30	1.2	4	0.03	<0.5	34	432	117	12.45	30	0.21
STS580		0.25	<0.5	7.76	11	70	1.0	<2	0.03	<0.5	5	153	87	9.59	30	0.65
STS581		0.24	<0.5	8.62	6	120	0.7	8	0.03	<0.5	7	145	56	13.40	20	0.71
STS582		0.23	<0.5	8.20	7	40	0.6	<2	0.04	<0.5	5	206	73	11.90	20	0.24
STS583		0.25	<0.5	8.32	5	210	0.9	4	0.02	<0.5	11	153	91	10.45	20	1.20
STS584		0.25	<0.5	7.82	10	130	0.6	5	0.03	<0.5	17	175	59	11.70	20	0.68
STS585		0.24	<0.5	8.10	9	100	1.2	7	0.04	<0.5	26	183	140	12.60	20	0.54
STS586		0.24	<0.5	9.72	5	180	0.9	4	0.02	<0.5	10	179	82	13.40	30	0.93
STS587		0.25	<0.5	0.20	<5	<10	0.5	<2	0.01	<0.5	8	5820	2	1.01	<10	0.02
STS588		0.24	<0.5	0.52	<5	20	<0.5	<2	0.03	<0.5	7	4510	3	1.09	<10	0.13
STS589		0.24	<0.5	2.81	<5	30	<0.5	<2	0.05	<0.5	5	2720	12	2.63	10	0.33
STS590		0.24	<0.5	2.79	5	60	0.5	2	0.03	<0.5	7	2070	25	3.53	10	0.46
STS591		0.24	<0.5	8.88	8	30	0.5	<2	0.06	<0.5	10	276	121	13.70	30	0.16
STS592		0.24	<0.5	8.45	13	30	0.6	<2	0.03	<0.5	46	238	128	11.10	30	0.12
STS593		0.24	<0.5	7.16	6	130	0.7	4	0.03	<0.5	63	173	71	11.20	20	0.72
STS594		0.25	<0.5	8.21	7	90	1.0	5	0.03	<0.5	21	140	198	9.36	20	0.49
STS595		0.24	<0.5	6.87	7	140	1.0	8	0.05	<0.5	53	182	49	12.15	20	0.70
STS596		0.24	<0.5	6.47	7	130	0.7	2	0.11	<0.5	52	185	75	10.75	20	0.55
STS597		0.24	<0.5	8.63	8	40	0.6	8	0.02	<0.5	78	242	106	12.15	20	0.19
STS597s		<0.02	0.9	8.71	148	430	3.8	340	5.38	<0.5	17	79	1540	7.32	20	2.03



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - B
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 13-NOV-2023
Account: VENMIN

CERTIFICATE OF ANALYSIS AD23291932

Sample Description	Method Analyte Units LOD	ME-ICP61 La ppm 10	ME-ICP61 Li ppm 10	ME-ICP61 Mg % 0.01	ME-ICP61 Mn ppm 5	ME-ICP61 Mo ppm 1	ME-ICP61 Na % 0.01	ME-ICP61 Ni % 0.0001	ME-ICP61 P ppm 10	ME-ICP61 Pb ppm 2	ME-ICP61 S % 0.01	ME-ICP61 Sb ppm 5	ME-ICP61 Sc ppm 1	ME-ICP61 Sr ppm 1	ME-ICP61 Th ppm 20	ME-ICP61 Ti % 0.01
STS264		20	30	0.30	432	1	0.03	0.0071	400	9	0.08	<5	29	16	<20	1.57
STS265		10	20	0.31	360	2	0.02	0.0064	820	12	0.06	<5	44	13	<20	1.68
STS266		10	30	0.37	2040	2	0.07	0.0067	820	15	0.06	<5	38	14	<20	1.97
STS267		10	40	0.79	594	1	0.16	0.0073	650	6	0.05	<5	27	19	<20	1.51
STS268		10	20	0.61	290	1	0.34	0.0042	670	7	0.07	<5	21	28	<20	1.34
STS299		60	20	0.55	325	1	0.03	0.0059	540	9	0.04	<5	21	26	<20	1.53
STS531		20	30	0.34	166	1	0.32	0.0020	250	20	0.04	<5	10	39	<20	0.65
STS532		10	10	0.14	106	1	0.25	0.0006	90	10	0.02	<5	5	32	<20	0.60
STS533		10	20	0.16	81	2	0.03	0.0015	170	9	0.02	<5	11	11	<20	1.46
STS534		10	<10	0.04	81	<1	0.11	0.0001	50	4	0.01	<5	1	10	<20	0.30
STS535		10	10	0.11	98	<1	0.14	0.0008	90	9	0.02	<5	5	25	<20	0.60
STS536		10	10	0.05	83	<1	0.09	0.0003	70	2	0.01	<5	3	10	<20	0.45
STS537		10	10	0.14	101	<1	0.12	0.0005	150	8	0.03	<5	7	24	<20	0.89
STS538		10	10	0.15	99	1	0.16	0.0009	100	7	0.02	<5	7	28	<20	0.76
STS539		10	10	0.09	97	1	0.14	0.0005	110	7	0.03	<5	4	22	<20	0.60
STS540		10	<10	0.07	103	1	0.19	0.0003	110	8	0.03	<5	3	21	<20	0.31
STS576		10	20	0.40	315	2	0.04	0.0047	630	14	0.06	<5	19	8	<20	1.52
STS577		20	20	0.14	245	1	0.03	0.0014	310	10	0.04	<5	11	13	<20	1.64
STS578		10	40	0.29	257	2	0.03	0.0066	750	10	0.08	<5	30	15	<20	1.72
STS578s		90	20	0.60	826	2	0.45	0.0047	440	25	0.02	21	15	221	20	0.48
STS579		10	40	0.32	541	2	0.02	0.0151	850	12	0.07	<5	38	10	<20	1.79
STS580		10	30	0.30	127	3	0.03	0.0034	620	15	0.06	<5	22	12	<20	1.43
STS581		20	10	0.38	204	2	0.02	0.0038	400	13	0.04	<5	34	18	<20	1.88
STS582		10	20	0.20	273	1	0.03	0.0043	670	15	0.05	<5	32	14	<20	2.17
STS583		10	20	0.35	177	1	0.03	0.0025	380	11	0.04	<5	27	12	<20	1.40
STS584		10	20	0.36	351	2	0.03	0.0033	400	12	0.05	<5	27	12	<20	1.84
STS585		10	30	0.41	1045	1	0.02	0.0056	760	12	0.04	<5	34	13	<20	1.94
STS586		10	10	0.35	254	1	0.02	0.0052	670	15	0.04	<5	43	8	<20	1.94
STS587		20	20	0.08	138	<1	0.01	0.0005	50	2	0.01	<5	1	2	<20	0.17
STS588		30	20	0.09	175	1	0.03	0.0007	140	5	0.02	<5	2	7	20	0.46
STS589		30	20	0.17	174	1	0.06	0.0028	320	9	0.03	<5	6	11	<20	0.90
STS590		20	20	0.13	148	1	0.11	0.0017	590	7	0.04	<5	12	15	<20	1.21
STS591		10	30	0.19	652	2	0.03	0.0057	600	12	0.13	<5	33	13	<20	1.88
STS592		<10	20	0.24	2720	2	0.04	0.0053	1200	23	0.08	<5	31	8	<20	1.93
STS593		10	20	0.31	1125	1	0.03	0.0028	430	14	0.04	<5	33	16	<20	1.82
STS594		20	40	0.48	620	1	0.08	0.0052	680	11	0.05	<5	27	14	<20	1.56
STS595		10	30	0.48	1240	1	0.35	0.0039	450	13	0.03	<5	28	29	<20	2.03
STS596		10	30	0.43	1660	1	0.45	0.0042	810	14	0.04	<5	27	60	<20	1.98
STS597		<10	20	0.29	2750	2	0.07	0.0064	1240	17	0.07	<5	35	11	<20	1.98
STS597s		100	20	0.63	859	1	0.46	0.0048	460	25	0.02	20	16	229	20	0.50



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 2 - C

Total # Pages: 3 (A - C)

Plus Appendix Pages

Finalized Date: 13-NOV-2023

Account: VENMIN

CERTIFICATE OF ANALYSIS AD23291932

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ti	U	V	W	Zn	Sn	W	Ce	Cr	Nd
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	10	1	10	0.0002	0.5	0.5	0.1	5	0.1
STS264		<10	<10	272	<10	0.0061	4.5	1.9	55.8	131	23.4
STS265		<10	<10	312	<10	0.0060	4.1	1.6	75.7	170	13.4
STS266		<10	<10	348	<10	0.0100	3.5	1.8	49.1	234	16.8
STS267		<10	<10	273	<10	0.0122	3.2	2.0	42.4	175	12.3
STS268		<10	<10	254	<10	0.0060	2.9	1.7	31.0	148	13.0
STS299		<10	<10	239	<10	0.0041	3.6	1.6	44.0	252	27.2
STS531		<10	<10	130	<10	0.0046	3.3	1.9	33.2	142	14.3
STS532		<10	<10	111	<10	0.0015	3.1	1.6	29.3	217	12.7
STS533		<10	<10	248	<10	0.0021	4.0	1.8	18.2	516	7.9
STS534		<10	<10	21	<10	0.0008	5.8	1.6	19.4	181	7.9
STS535		<10	<10	125	<10	0.0015	4.0	2.2	27.8	281	11.4
STS536		<10	<10	46	<10	0.0008	4.2	1.5	20.4	412	8.8
STS537		<10	<10	133	<10	0.0016	4.8	1.6	22.9	274	10.0
STS538		<10	<10	143	<10	0.0015	4.1	1.8	27.9	220	11.6
STS539		<10	<10	99	<10	0.0013	4.6	1.7	24.5	228	10.9
STS540		<10	<10	41	<10	0.0012	3.9	1.3	22.4	301	9.3
STS576		<10	<10	259	<10	0.0060	14.8	2.2	29.1	1065	11.6
STS577		<10	<10	176	<10	0.0029	48.8	2.6	44.6	1240	19.4
STS578		<10	<10	281	<10	0.0057	4.2	1.9	46.9	351	14.0
STS578s		<10	<10	75	10	0.1675	1730	16.0	120.0	96	81.2
STS579		<10	<10	335	<10	0.0093	4.3	1.5	53.5	552	6.9
STS580		<10	<10	265	<10	0.0048	3.7	1.5	33.7	178	8.6
STS581		<10	<10	314	<10	0.0033	3.8	1.6	33.2	184	13.6
STS582		<10	<10	341	<10	0.0037	3.9	1.8	20.0	260	5.7
STS583		<10	<10	292	<10	0.0030	3.7	1.7	23.6	191	8.3
STS584		<10	<10	321	<10	0.0041	3.6	1.5	28.7	226	12.2
STS585		<10	<10	363	<10	0.0075	4.3	1.4	37.0	235	6.0
STS586		<10	<10	341	<10	0.0042	3.5	1.3	23.2	223	4.0
STS587		<10	<10	15	<10	0.0037	52.3	2.2	47.7	6990	21.2
STS588		<10	<10	35	<10	0.0034	46.0	2.3	52.9	5100	23.1
STS589		<10	<10	125	<10	0.0036	66.5	2.9	86.0	3290	37.1
STS590		<10	<10	152	<10	0.0040	34.0	1.7	48.9	2660	20.0
STS591		<10	<10	348	<10	0.0056	3.5	1.9	29.6	414	7.4
STS592		<10	<10	326	<10	0.0124	3.6	1.6	54.6	318	6.8
STS593		<10	<10	301	<10	0.0042	3.5	1.6	43.6	236	10.6
STS594		<10	<10	277	<10	0.0082	3.3	1.3	39.8	180	17.8
STS595		<10	<10	313	<10	0.0089	3.2	1.4	27.3	220	9.9
STS596		<10	<10	307	<10	0.0100	3.1	1.6	31.6	244	11.0
STS597		<10	<10	331	<10	0.0079	2.9	1.0	41.6	318	6.1
STS597s		<10	<10	77	10	0.1745	1790	16.6	123.0	105	85.8



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - A
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 13-NOV-2023
Account: VENMIN

CERTIFICATE OF ANALYSIS AD23291932

Sample Description	Method Analyte Units LOD	WEI-21	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		Recvd Wt.	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Co	Cr	Cu	Fe	Ga
		kg	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm
		0.02	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
NRS001		0.25	<0.5	4.50	8	170	0.8	<2	0.86	<0.5	25	103	31	7.64	10
NRS002		0.24	<0.5	3.61	5	270	0.7	<2	0.53	<0.5	35	74	27	4.95	10
NRS003		0.25	<0.5	5.38	9	150	1.0	<2	1.13	<0.5	34	232	33	13.80	20
NRS004		0.24	<0.5	7.60	11	260	1.0	<2	0.87	<0.5	27	227	40	12.75	20
NRS005		0.25	<0.5	7.21	7	240	1.4	<2	0.92	1.2	43	333	53	13.60	20
NRS006		0.24	<0.5	8.48	7	310	1.2	<2	0.85	<0.5	37	264	58	15.25	30
NRS007		0.24	<0.5	12.60	6	40	0.8	<2	0.17	<0.5	17	772	46	13.45	40
NRS008		0.25	<0.5	12.45	<5	90	1.1	<2	0.67	<0.5	21	464	49	14.25	30
NRS009		0.25	<0.5	10.40	7	330	1.2	<2	0.36	<0.5	52	314	59	16.60	30
NRS010		0.24	<0.5	7.80	<5	310	1.0	<2	0.48	<0.5	56	130	62	6.44	10
NRS011		0.24	<0.5	11.80	11	90	0.8	<2	0.16	<0.5	23	447	69	17.75	40
NRS012		0.25	<0.5	11.30	7	120	0.8	<2	0.28	<0.5	23	424	61	16.50	30
NRS013		0.24	<0.5	5.58	7	210	0.9	<2	0.54	<0.5	44	223	35	7.93	20
NRS014		0.25	<0.5	5.47	7	320	1.1	<2	0.52	<0.5	73	235	51	6.83	10
NRS015		0.25	<0.5	8.95	<5	240	0.8	<2	7.01	<0.5	23	53	48	2.34	20
NRS016		0.25	<0.5	3.95	9	260	0.8	<2	0.39	<0.5	24	119	29	9.40	10



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - B
Total # Pages: 3 (A - C)
Plus Appendix Pages
Finalized Date: 13-NOV-2023
Account: VENMIN

CERTIFICATE OF ANALYSIS AD23291932

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		La	Li	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
		ppm	ppm	%	ppm	ppm	%	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		10	10	0.01	5	1	0.01	0.0001	10	2	0.01	5	1	1	20
NRS001		20	20	0.66	1265	1	0.32	0.0046	470	14	0.03	<5	15	91	<20
NRS002		30	10	0.33	1075	1	0.39	0.0033	290	12	0.02	<5	13	59	<20
NRS003		20	10	0.93	753	2	0.34	0.0085	640	11	0.03	<5	16	126	<20
NRS004		30	10	0.63	1320	3	0.20	0.0080	1110	19	0.06	<5	23	109	<20
NRS005		20	10	0.68	1440	2	0.24	0.0119	1100	16	0.06	<5	25	111	<20
NRS006		40	10	0.56	2350	3	0.19	0.0095	1230	6	0.06	<5	29	114	<20
NRS007		10	10	0.19	474	1	0.90	0.0095	740	<2	0.04	<5	44	20	<20
NRS008		20	10	0.52	806	1	0.51	0.0108	960	<2	0.04	<5	41	73	<20
NRS009		10	10	0.20	2220	2	0.18	0.0104	970	8	0.06	<5	37	43	<20
NRS010		40	20	0.80	303	<1	0.23	0.0093	90	10	0.01	<5	36	51	<20
NRS011		10	10	0.12	607	1	0.07	0.0125	470	9	0.03	<5	37	18	<20
NRS012		20	10	0.14	910	2	0.07	0.0119	520	12	0.03	<5	35	29	<20
NRS013		20	10	0.36	1035	<1	0.27	0.0088	300	11	0.03	<5	17	57	<20
NRS014		30	10	0.56	1100	1	0.23	0.0076	460	15	0.04	<5	23	74	<20
NRS015		20	20	3.70	513	<1	0.06	0.0041	90	12	0.01	<5	27	414	<20
NRS016		20	20	0.29	1015	1	0.20	0.0033	360	27	0.03	<5	14	35	<20



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: 3 - C

Total # Pages: 3 (A - C)

Plus Appendix Pages

Finalized Date: 13-NOV-2023

Account: VENMIN

CERTIFICATE OF ANALYSIS AD23291932

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ti	U	V	W	Zn	Sn	W	Ce	Cr	Nd
		ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm
		10	10	1	10	0.0002	0.5	0.5	0.1	5	0.1
NRS001		<10	<10	215	<10	0.0086	4.0	2.1	51.5	134	23.2
NRS002		<10	<10	164	<10	0.0057	4.7	1.9	46.2	90	24.7
NRS003		<10	<10	259	<10	0.0069	3.2	1.6	48.0	283	22.7
NRS004		<10	<10	200	<10	0.0639	3.5	1.3	55.3	282	28.1
NRS005		<10	<10	240	<10	0.0917	3.9	1.0	48.5	382	25.2
NRS006		<10	<10	227	<10	0.0965	3.1	1.2	66.3	319	33.8
NRS007		<10	<10	202	<10	0.0054	2.5	0.9	16.8	1010	6.8
NRS008		<10	<10	173	<10	0.0094	2.8	0.9	27.5	577	11.4
NRS009		<10	<10	227	<10	0.0128	3.5	1.1	69.1	344	12.8
NRS010		<10	<10	222	<10	0.0081	1.4	1.3	27.3	162	53.5
NRS011		<10	<10	312	<10	0.0087	3.0	1.1	33.8	547	18.3
NRS012		<10	<10	284	<10	0.0089	2.5	0.9	33.9	505	18.5
NRS013		<10	<10	194	<10	0.0076	2.3	1.1	39.8	257	23.9
NRS014		10	<10	208	<10	0.0072	5.0	1.3	79.4	255	35.7
NRS015		<10	<10	166	<10	0.0060	2.2	1.4	32.7	79	15.9
NRS016		<10	<10	194	<10	0.0066	7.2	1.6	33.1	131	15.9



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: Mt Lindsay

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 13-NOV-2023

Account: VENMIN

CERTIFICATE OF ANALYSIS AD23291932

CERTIFICATE COMMENTS

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist
ME-ICP61

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 79 Distinction Road, Wangara, WA, Australia
ME-ICP61 ME-MS85 PUL-31L

Applies to Method:

Processed at ALS Adelaide located at Unit 1, 1 Burma Road, Pooraka, Adelaide, SA, Australia.
LEV-01 LOG-22 LOG-24 WEI-21