



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Page: 1

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE PH21065600

Project: MT LINDSAY

P.O. No.: VMS326

This report is for 175 samples of Soil submitted to our lab in Perth, WA, Australia on 18-MAR-2021.

The following have access to data associated with this certificate:

ANGELIQUE MARTIN
STUART OWEN

SERGI MASCLANS

RITWIK NAITHANI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
SPL-21	Split sample – riffle splitter
PUL-31L	Pulverize 250g soil to 85% < 75um
LOG-22	Sample login – Rcd w/o BarCode
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-ICP61	33 element four acid ICP-AES	ICP-AES
ME-MS85	Lithium Borate Fusion – Select Elements	ICP-MS
B-ICP69	Boron – HF Digest ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 2 - A

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
STS001		0.13	97.1	<0.5	0.08	<5	<10	<0.5	2	0.04	<0.5	<1	4	7	0.34	<10
STS002		0.26		<0.5	1.95	23	130	<0.5	<2	0.04	<0.5	2	71	25	3.36	10
STS003		0.26		<0.5	2.18	11	90	<0.5	<2	0.02	<0.5	2	33	17	6.29	10
STS004		0.26		<0.5	1.51	<5	70	<0.5	<2	0.02	<0.5	<1	25	7	0.92	<10
STS005		0.26		<0.5	3.03	<5	40	<0.5	<2	0.04	<0.5	4	211	24	5.66	10
STS006		0.25		<0.5	1.40	<5	70	<0.5	<2	0.01	<0.5	<1	19	4	0.25	<10
STS007		0.34		<0.5	4.43	9	190	0.9	<2	0.03	<0.5	<1	39	4	0.63	10
STS008		0.26		<0.5	4.23	<5	220	0.9	<2	0.03	<0.5	<1	38	5	0.53	10
STS009		0.24		<0.5	4.11	6	190	0.9	4	0.03	<0.5	<1	41	6	0.56	10
STS010		0.25		<0.5	3.11	5	160	0.6	<2	0.02	<0.5	<1	28	6	0.48	10
STS011		0.26		<0.5	5.16	<5	290	1.0	<2	0.03	<0.5	<1	38	5	0.50	10
STS012		0.25		<0.5	0.82	<5	60	<0.5	<2	0.06	<0.5	1	14	5	0.30	<10
STS013		0.25		<0.5	2.59	<5	140	0.5	2	0.02	<0.5	<1	21	4	0.36	10
STS014		0.27		<0.5	0.24	6	20	<0.5	<2	0.04	<0.5	<1	62	6	1.31	<10
STS015		0.26		<0.5	3.83	7	130	0.7	3	0.03	<0.5	1	53	14	1.88	10
STS016		0.26		<0.5	4.02	18	50	0.5	<2	0.04	<0.5	1	55	23	12.95	10
STS017		0.25		<0.5	4.21	7	210	1.0	<2	0.02	<0.5	<1	43	7	0.65	10
STS018		0.25		<0.5	4.66	7	250	0.9	2	0.02	<0.5	<1	38	6	0.59	10
STS019		0.26		<0.5	3.35	<5	190	0.7	<2	0.04	<0.5	<1	29	5	0.58	10
STS020		0.37		<0.5	1.30	<5	80	<0.5	2	0.01	<0.5	<1	21	5	0.27	<10
STS021		0.15		<0.5	0.21	<5	20	<0.5	2	0.06	<0.5	<1	7	6	0.20	<10
STS022		0.31		<0.5	1.45	<5	70	<0.5	2	0.11	<0.5	1	41	10	1.39	10
STS023		0.26		<0.5	1.48	<5	70	<0.5	<2	0.10	<0.5	<1	44	8	1.49	10
STS024		0.32		<0.5	2.70	<5	140	0.6	<2	0.02	<0.5	1	25	5	0.41	10
STS025		0.28		<0.5	2.83	6	130	0.5	<2	0.03	<0.5	<1	27	6	0.41	10
STS025S1		0.02		<0.5	4.64	42	1970	29.7	14	1.05	<0.5	9	59	286	3.09	20
STS026		0.19		<0.5	0.82	<5	40	<0.5	<2	0.02	<0.5	1	18	5	0.46	<10
STS027		0.24		<0.5	1.20	<5	10	<0.5	<2	0.01	<0.5	1	71	7	0.68	<10
STS028		0.29		<0.5	3.74	10	110	0.6	2	0.01	<0.5	<1	47	24	3.14	10
STS029		0.37		<0.5	3.64	9	150	0.8	<2	0.01	<0.5	<1	51	21	1.82	10
STS030		0.34		<0.5	2.08	12	90	<0.5	<2	0.01	<0.5	<1	30	19	2.07	10
STS031		0.29		<0.5	3.70	5	160	0.7	3	0.02	<0.5	<1	33	4	0.50	10
STS032		0.26		<0.5	2.19	<5	90	<0.5	<2	0.02	<0.5	<1	24	5	0.40	10
STS033		0.32		<0.5	0.08	<5	10	<0.5	<2	0.01	<0.5	<1	25	4	0.39	<10
STS034		0.37		<0.5	6.41	13	140	1.2	<2	0.01	<0.5	<1	67	23	2.89	20
STS035		0.28		<0.5	3.47	7	90	0.6	2	0.01	<0.5	<1	37	16	1.11	10
STS036		0.35		<0.5	4.30	14	150	0.9	5	0.02	<0.5	<1	51	20	2.87	10
STS037		0.21		<0.5	5.16	41	180	1.0	<2	0.02	<0.5	1	113	31	3.90	20
STS038		0.37		<0.5	8.58	7	120	0.6	<2	0.03	<0.5	21	677	99	11.50	10
STS039		0.30		<0.5	3.50	14	120	0.6	<2	0.02	<0.5	2	50	18	3.36	10



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 2 - B

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
		%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
STS001		0.03	<10	0.20	19	<1	0.09	2	210	7	0.13	<5	<1	19	<20
STS002		0.17	20	0.18	55	2	0.02	20	750	83	0.05	<5	6	27	<20
STS003		0.32	20	0.12	40	1	0.02	17	360	19	0.04	<5	5	20	<20
STS004		0.55	30	0.17	37	<1	0.02	3	160	13	0.02	<5	4	14	<20
STS005		0.44	100	0.29	38	1	0.02	14	310	19	0.05	<5	9	11	<20
STS006		0.54	30	0.11	17	<1	0.03	1	100	6	0.01	<5	3	15	<20
STS007		2.02	40	0.31	22	1	0.05	2	150	8	0.02	<5	7	25	<20
STS008		1.80	40	0.30	22	<1	0.06	4	200	9	0.02	<5	7	31	<20
STS009		1.79	50	0.35	18	<1	0.04	5	250	20	0.02	<5	6	29	<20
STS010		1.36	40	0.25	19	<1	0.04	2	240	13	0.03	<5	5	25	<20
STS011		2.38	40	0.30	21	<1	0.06	4	160	13	0.02	<5	8	35	<20
STS012		0.34	10	0.08	20	<1	0.03	2	150	7	0.05	<5	2	24	<20
STS013		1.15	20	0.21	21	<1	0.04	2	160	8	0.03	<5	4	22	<20
STS014		0.05	10	0.03	38	<1	0.02	3	110	6	0.03	<5	2	15	<20
STS015		1.53	30	0.40	54	2	0.02	8	280	39	0.03	<5	8	17	<20
STS016		0.31	20	0.14	27	2	0.02	24	420	75	0.04	<5	9	14	<20
STS017		1.88	40	0.37	18	1	0.04	4	280	40	0.02	<5	7	29	<20
STS018		1.95	40	0.30	17	<1	0.06	4	230	16	0.02	<5	8	34	<20
STS019		1.45	30	0.25	29	<1	0.04	4	190	9	0.04	<5	6	31	<20
STS020		0.54	20	0.11	21	<1	0.03	2	90	7	0.01	<5	3	17	<20
STS021		0.06	10	0.12	19	<1	0.03	3	240	4	0.10	<5	1	23	<20
STS022		0.61	20	0.19	35	<1	0.02	9	220	14	0.04	<5	3	19	<20
STS023		0.61	20	0.19	36	<1	0.02	9	230	15	0.04	<5	3	19	<20
STS024		1.09	30	0.18	26	<1	0.04	3	160	7	0.03	<5	5	22	<20
STS025		1.03	30	0.26	22	1	0.03	11	380	15	0.04	<5	4	47	<20
STS025S1		1.55	620	0.50	369	7	0.92	30	1580	29	0.03	8	9	297	100
STS026		0.22	10	0.10	18	<1	0.02	4	190	9	0.04	<5	3	13	<20
STS027		0.03	<10	0.03	14	<1	0.01	9	70	13	0.03	<5	11	4	<20
STS028		1.18	40	0.34	22	2	0.02	7	200	39	0.02	<5	10	19	<20
STS029		1.54	50	0.38	16	1	0.02	6	220	28	0.02	<5	10	27	<20
STS030		0.91	40	0.24	27	1	0.02	3	170	20	0.03	<5	5	13	<20
STS031		1.60	30	0.24	25	<1	0.04	3	150	7	0.02	5	6	28	<20
STS032		0.79	20	0.21	20	<1	0.03	3	180	8	0.02	<5	3	18	<20
STS033		0.02	<10	0.04	34	<1	0.02	2	50	2	0.03	<5	1	4	<20
STS034		2.38	40	0.55	16	1	0.02	14	230	262	0.02	<5	17	15	<20
STS035		1.39	30	0.33	23	1	0.02	7	170	45	0.02	<5	8	11	<20
STS036		1.76	40	0.45	26	1	0.03	8	270	48	0.03	<5	10	17	<20
STS037		2.14	30	0.55	25	7	0.03	20	540	94	0.06	<5	14	12	<20
STS038		0.95	10	0.56	93	<1	0.06	71	180	8	0.03	<5	48	5	<20
STS039		1.03	30	0.30	40	2	0.03	9	240	41	0.03	<5	7	15	<20



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 2 - C

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ti	U	V	W	Zn	Ba	Ce	Cr	Cs	Dy	Er	Eu	Ga	Gd	Hf
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	ppm 0.5	ppm 0.1	ppm 10	ppm 0.01	ppm 0.05	ppm 0.03	ppm 0.02	ppm 0.1	ppm 0.05	ppm 0.1
STS001		<10	<10	3	<10	10	8.0	1.4	10	0.06	0.17	0.12	0.02	0.3	0.11	0.6
STS002		<10	<10	113	<10	19	126.0	47.8	80	1.84	4.86	2.01	1.50	7.3	6.95	3.0
STS003		<10	<10	83	<10	10	79.4	45.0	30	1.66	2.42	1.38	0.79	7.6	3.19	4.3
STS004		<10	<10	38	<10	7	69.5	61.9	30	2.70	2.52	1.49	0.74	4.9	3.08	5.4
STS005		<10	<10	116	<10	44	43.4	21.2	230	5.91	1.72	1.15	0.43	8.7	1.44	4.1
STS006		<10	<10	18	<10	5	66.1	58.0	20	3.45	4.39	2.74	0.76	4.2	3.72	11.0
STS007		<10	<10	60	<10	7	177.0	83.3	40	6.91	4.48	2.92	0.74	12.3	3.41	8.5
STS008		<10	<10	50	<10	9	203	81.4	40	8.30	4.87	3.10	0.89	12.8	4.06	8.6
STS009		<10	<10	44	<10	8	179.5	103.0	50	8.54	5.32	3.38	1.12	12.1	5.44	9.4
STS010		<10	<10	36	<10	8	158.0	86.5	40	6.87	4.45	3.15	0.83	9.9	4.02	10.4
STS011		<10	<10	56	<10	14	284	79.5	40	7.98	5.01	3.38	0.72	14.8	3.51	7.7
STS012		<10	<10	12	<10	7	61.5	32.1	20	1.53	3.75	2.60	0.43	2.8	2.59	13.5
STS013		<10	<10	31	<10	8	134.0	52.5	20	5.51	3.32	2.33	0.52	7.6	2.68	8.4
STS014		<10	<10	31	<10	12	24.2	12.9	110	0.24	1.27	0.86	0.24	1.1	0.98	4.0
STS015		<10	<10	97	<10	9	120.5	64.3	60	5.41	2.98	1.74	0.82	11.2	3.45	4.6
STS016		<10	<10	112	<10	13	45.8	34.7	50	1.72	1.83	1.21	0.48	12.2	1.81	4.1
STS017		<10	<10	47	<10	8	201	95.9	50	9.21	5.38	3.40	1.05	12.6	5.22	9.6
STS018		<10	<10	54	<10	9	245	86.6	40	10.35	5.06	3.15	0.89	14.3	3.98	7.8
STS019		<10	<10	39	<10	8	170.0	71.0	30	5.92	4.33	2.81	0.69	9.5	3.56	10.2
STS020		<10	<10	18	<10	5	82.0	55.7	40	3.60	4.68	3.18	0.70	4.4	3.79	12.4
STS021		<10	<10	5	<10	6	24.6	22.8	10	0.29	2.38	1.62	0.31	0.6	1.70	6.9
STS022		<10	<10	35	<10	15	69.6	38.7	70	3.57	2.40	1.60	0.60	4.9	2.30	6.1
STS023		<10	<10	37	<10	15	71.1	40.4	60	3.80	2.42	1.64	0.62	4.9	2.43	6.1
STS024		<10	<10	33	<10	8	139.0	67.7	30	5.27	4.06	2.56	0.66	8.6	3.42	8.7
STS025		<10	<10	32	<10	6	124.5	57.9	30	6.02	3.75	2.36	0.82	8.9	3.98	7.2
STS025S1		10	<10	58	10	137	2040	1225	70	239	8.46	2.52	10.00	22.9	20.4	5.7
STS026		<10	<10	28	<10	10	45.4	31.9	30	1.69	1.63	0.89	0.53	3.6	2.06	3.3
STS027		<10	<10	103	<10	18	11.0	1.9	70	0.23	0.46	0.36	0.04	3.9	0.30	5.2
STS028		<10	<10	90	<10	9	111.5	89.3	50	4.28	4.14	2.19	1.16	12.7	5.15	5.9
STS029		<10	<10	94	<10	9	157.5	114.5	60	4.73	6.39	2.81	2.03	13.1	8.95	6.4
STS030		<10	<10	58	<10	7	89.0	90.9	30	2.54	3.43	1.76	1.02	8.4	4.48	5.8
STS031		<10	<10	44	<10	6	160.5	68.0	40	5.38	5.22	3.53	0.85	11.5	3.92	12.2
STS032		<10	<10	28	<10	7	88.6	52.2	30	4.68	3.30	2.21	0.56	7.6	2.90	7.6
STS033		<10	<10	6	<10	5	6.1	2.7	40	0.08	0.76	0.53	0.07	0.4	0.45	2.8
STS034		<10	<10	130	<10	14	128.0	82.3	70	4.52	3.81	2.01	0.99	16.3	4.07	5.6
STS035		<10	<10	78	<10	10	92.2	62.9	40	3.64	2.61	1.46	0.63	10.8	2.64	4.7
STS036		<10	<10	101	<10	15	145.0	91.6	50	6.44	4.32	2.26	1.12	13.3	4.95	5.4
STS037		<10	<10	163	<10	16	177.5	62.1	120	8.01	4.09	2.26	1.09	16.6	4.26	4.4
STS038		<10	<10	191	<10	96	122.0	19.8	770	3.51	3.70	2.45	0.58	14.0	2.33	3.1
STS039		<10	<10	85	<10	14	118.5	70.0	50	4.93	3.09	1.74	0.70	11.0	2.88	5.1



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 2 - D

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ho	La	Lu	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tm
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.1	0.01	0.1	0.1	0.02	0.2	0.03	1	0.1	0.1	0.01	0.05	0.01
STS001		0.04	0.7	0.02	1.4	0.5	0.14	0.8	0.12	<1	18.3	0.1	0.03	0.26	0.02
STS002		0.84	24.5	0.23	15.6	28.2	6.72	10.8	7.42	2	25.9	1.0	0.97	3.86	0.31
STS003		0.50	21.8	0.23	19.9	19.9	5.43	15.6	3.99	2	18.5	1.2	0.45	4.60	0.22
STS004		0.54	31.6	0.25	28.8	23.8	6.90	27.0	4.15	1	12.7	1.6	0.48	5.22	0.23
STS005		0.43	11.0	0.18	31.9	9.0	2.52	20.3	1.77	1	10.6	2.0	0.25	2.96	0.19
STS006		0.95	26.8	0.46	15.4	25.1	6.96	27.5	4.58	1	13.2	1.2	0.66	6.44	0.43
STS007		0.99	39.9	0.50	20.2	33.5	9.72	86.6	5.16	2	22.8	1.3	0.65	9.90	0.49
STS008		1.13	39.4	0.51	23.9	33.0	9.57	87.1	5.66	3	29.3	1.6	0.74	10.05	0.49
STS009		1.16	49.8	0.56	23.9	42.8	12.40	90.9	7.40	2	26.1	1.5	0.89	10.15	0.53
STS010		1.04	43.1	0.55	25.6	33.5	10.00	66.9	5.90	2	22.2	1.7	0.73	8.58	0.48
STS011		1.13	39.0	0.54	20.9	30.7	9.07	109.5	4.48	3	32.1	1.4	0.72	11.05	0.53
STS012		0.84	15.7	0.45	13.5	13.0	3.63	16.4	2.61	1	24.2	0.9	0.53	4.43	0.41
STS013		0.76	25.0	0.38	13.8	21.1	6.06	56.2	3.45	2	19.7	1.0	0.50	6.26	0.37
STS014		0.26	7.1	0.15	27.5	5.6	1.53	1.9	1.19	1	14.3	1.6	0.18	1.76	0.13
STS015		0.60	32.1	0.27	19.0	26.0	7.44	70.1	5.28	3	16.1	1.2	0.53	7.72	0.27
STS016		0.40	18.7	0.20	22.8	12.7	3.79	15.1	2.52	2	12.7	1.3	0.30	6.10	0.20
STS017		1.21	46.4	0.55	22.8	39.6	11.30	99.2	7.21	2	27.0	1.5	0.87	9.61	0.54
STS018		1.10	41.4	0.54	23.7	35.2	9.96	99.5	5.92	3	32.9	1.6	0.78	11.00	0.53
STS019		0.96	33.5	0.48	17.5	28.8	8.13	64.0	4.83	2	28.3	1.2	0.68	7.98	0.45
STS020		1.03	26.8	0.50	18.5	22.8	6.52	28.8	4.21	1	16.6	1.4	0.69	6.39	0.49
STS021		0.53	11.3	0.27	9.3	9.1	2.68	2.8	1.62	<1	21.1	0.5	0.34	2.80	0.23
STS022		0.51	18.4	0.29	16.2	15.8	4.49	30.3	3.11	1	18.2	1.0	0.41	3.63	0.27
STS023		0.55	19.0	0.26	16.8	16.9	4.64	31.5	3.39	1	17.9	1.0	0.41	3.75	0.28
STS024		0.91	32.6	0.43	19.6	26.5	7.87	55.2	4.64	2	21.0	1.3	0.59	7.43	0.42
STS025		0.81	27.7	0.36	15.7	24.6	6.77	56.9	5.06	2	44.2	1.1	0.68	6.88	0.37
STS025S1		1.26	732	0.22	1260	379	124.5	1235	50.5	781	292	17.2	2.12	96.5	0.30
STS026		0.32	15.8	0.14	17.1	14.2	3.62	10.0	2.52	1	12.9	1.0	0.28	2.91	0.12
STS027		0.11	1.0	0.07	7.0	0.9	0.21	0.8	0.17	1	2.8	0.3	0.06	1.21	0.05
STS028		0.79	44.7	0.31	30.7	36.9	9.85	64.4	6.83	3	19.0	1.7	0.74	9.98	0.30
STS029		1.08	55.1	0.37	27.6	51.7	13.20	77.3	11.15	3	27.1	1.7	1.23	11.50	0.41
STS030		0.63	45.6	0.27	23.1	36.8	10.20	41.9	6.32	2	12.5	1.4	0.63	7.35	0.29
STS031		1.12	32.6	0.57	15.9	28.7	7.71	78.1	4.81	2	27.7	1.1	0.79	9.04	0.53
STS032		0.73	26.4	0.35	16.4	20.2	5.76	46.0	3.20	2	16.9	1.2	0.50	6.01	0.33
STS033		0.15	1.4	0.09	5.8	1.1	0.30	0.6	0.29	1	4.2	0.4	0.10	0.90	0.10
STS034		0.70	40.0	0.30	25.6	34.7	9.07	93.1	5.91	3	13.3	1.6	0.64	10.20	0.35
STS035		0.49	31.5	0.25	18.5	24.0	6.84	60.0	3.90	2	9.9	1.2	0.42	6.75	0.24
STS036		0.84	44.4	0.34	21.8	38.0	10.30	79.5	6.53	3	15.3	1.3	0.77	10.80	0.35
STS037		0.78	32.6	0.34	16.4	29.8	7.79	92.4	5.40	3	10.8	1.1	0.67	8.42	0.33
STS038		0.79	9.1	0.50	12.5	9.9	2.52	32.3	2.45	1	5.4	0.7	0.49	5.22	0.44
STS039		0.60	35.4	0.27	24.9	26.8	7.50	57.7	4.42	2	14.4	1.5	0.49	7.65	0.31



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 2 – E

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	B-ICP69
		V	W	Y	Yb	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm
		5	1	0.1	0.03	2	10
STS001		5	<1	1.0	0.15	25	<10
STS002		123	2	19.0	1.58	118	10
STS003		85	1	11.6	1.37	184	20
STS004		39	1	14.0	1.51	232	50
STS005		127	1	9.5	1.15	177	10
STS006		29	2	24.7	2.88	407	30
STS007		60	2	28.2	3.15	339	80
STS008		52	3	30.6	3.35	344	70
STS009		48	3	32.6	3.51	368	70
STS010		41	3	29.3	3.32	415	50
STS011		63	3	32.1	3.61	294	90
STS012		15	2	24.9	2.80	563	20
STS013		33	2	21.8	2.44	344	40
STS014		59	2	7.1	0.93	183	<10
STS015		96	2	16.7	1.73	190	80
STS016		107	1	10.4	1.38	185	10
STS017		49	3	32.3	3.53	389	70
STS018		61	3	31.6	3.33	297	90
STS019		40	2	27.8	3.11	417	50
STS020		23	2	29.8	3.05	501	30
STS021		8	1	15.2	1.56	279	10
STS022		37	1	15.2	1.81	265	20
STS023		39	2	15.5	1.78	268	20
STS024		36	2	25.7	2.82	352	40
STS025		37	2	22.4	2.30	296	40
STS025S1		69	5	28.2	1.63	229	10
STS026		31	1	8.3	0.90	148	10
STS027		111	2	3.0	0.47	179	<10
STS028		97	3	19.3	2.04	244	70
STS029		107	3	25.1	2.59	250	80
STS030		60	2	16.5	1.77	239	40
STS031		48	3	32.2	3.53	487	60
STS032		31	2	20.1	2.22	306	40
STS033		6	1	4.7	0.58	111	<10
STS034		122	2	18.3	2.18	215	100
STS035		78	2	13.4	1.57	187	70
STS036		103	2	20.7	2.25	210	80
STS037		175	1	21.2	2.11	170	80
STS038		202	1	14.3	3.27	122	20
STS039		84	2	16.5	1.96	210	50



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 3 - A

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
STS040		0.33		<0.5	3.14	10	90	0.5	<2	0.02	<0.5	<1	41	10	0.88	10
STS041		0.40		<0.5	1.02	<5	40	<0.5	<2	0.03	<0.5	<1	25	7	0.47	<10
STS042		0.36		<0.5	1.62	<5	90	<0.5	<2	0.01	<0.5	<1	21	4	0.30	10
STS043		0.32		<0.5	1.06	<5	60	<0.5	<2	0.01	<0.5	1	20	6	0.35	<10
STS044		0.33		<0.5	2.50	6	70	<0.5	2	0.02	<0.5	3	62	13	4.32	10
STS045		0.16		<0.5	0.15	<5	20	<0.5	<2	0.09	<0.5	<1	13	17	0.98	<10
STS046		0.38		<0.5	2.37	10	100	<0.5	3	0.01	<0.5	<1	36	8	2.18	10
STS047		0.30		<0.5	1.37	8	70	<0.5	<2	0.01	<0.5	<1	24	6	0.76	<10
STS048		0.30		<0.5	1.72	6	100	<0.5	2	0.01	<0.5	<1	32	4	0.83	10
STS049		0.24		<0.5	4.98	18	290	0.9	3	0.01	<0.5	9	195	40	7.01	10
STS050		0.30	98.0	<0.5	3.63	12	260	0.6	<2	0.02	<0.5	1	257	18	3.14	10
STS050S1		0.02		<0.5	4.90	41	2080	30.9	13	1.11	<0.5	8	59	301	3.25	20
STS051		0.27		<0.5	1.90	7	100	<0.5	<2	0.01	<0.5	<1	33	10	1.19	10
STS052		0.22		<0.5	0.16	<5	20	<0.5	4	0.01	<0.5	<1	38	7	12.65	<10
STS053		0.24		<0.5	3.23	<5	100	<0.5	2	0.02	<0.5	4	91	19	6.20	10
STS054		0.28		<0.5	1.76	<5	60	<0.5	<2	0.05	<0.5	1	68	9	3.73	10
STS055		0.16		<0.5	0.22	5	10	<0.5	<2	0.14	<0.5	<1	15	6	2.86	<10
STS056		0.27		<0.5	0.11	<5	10	<0.5	<2	0.03	<0.5	<1	47	4	0.40	<10
STS057		0.26		<0.5	0.11	5	10	<0.5	2	0.02	<0.5	<1	51	6	0.46	<10
STS058		0.31		<0.5	0.27	<5	20	<0.5	2	0.02	<0.5	<1	13	5	0.68	<10
STS059		0.28		<0.5	0.23	<5	20	<0.5	2	0.02	<0.5	<1	13	4	0.35	<10
STS060		0.36		<0.5	0.81	8	30	<0.5	<2	0.02	<0.5	<1	17	11	0.80	<10
STS061		0.32		<0.5	2.24	11	80	<0.5	<2	0.01	<0.5	<1	32	19	2.07	10
STS062		0.35		<0.5	1.01	7	40	<0.5	2	0.01	<0.5	<1	19	5	0.84	<10
STS063		0.35		<0.5	3.56	14	140	0.7	<2	0.02	<0.5	5	126	25	4.25	10
STS064		0.34		<0.5	5.25	13	90	0.7	5	0.02	<0.5	4	152	44	6.17	20
STS065		0.21		<0.5	8.77	<5	40	0.9	<2	0.02	<0.5	8	144	115	11.55	20
STS066		0.28		<0.5	6.19	5	100	0.8	<2	0.01	<0.5	2	114	41	6.87	20
STS067		0.31		<0.5	5.97	<5	90	0.8	<2	0.01	<0.5	5	100	38	5.98	20
STS068		0.31		<0.5	7.23	10	60	1.0	4	0.01	<0.5	5	146	64	9.69	20
STS069		0.20		<0.5	7.40	12	230	1.2	<2	0.06	<0.5	57	140	85	9.48	20
STS070		0.33		<0.5	6.73	10	120	1.0	2	0.02	<0.5	8	140	62	8.59	20
STS071		0.25		1.5	3.53	6	150	0.5	<2	0.02	<0.5	<1	64	30	2.18	10
STS072		0.29		0.7	2.39	10	60	<0.5	2	0.02	<0.5	1	31	12	2.47	10
STS073		0.33		<0.5	1.49	10	60	<0.5	<2	0.02	<0.5	1	28	10	2.02	10
STS074		0.28		<0.5	1.59	7	60	<0.5	5	0.01	<0.5	<1	26	9	1.60	10
STS075		0.24		<0.5	0.10	<5	10	<0.5	2	0.05	<0.5	<1	10	8	0.90	<10
STS075S1		0.02		<0.5	4.78	39	2040	30.4	15	1.09	<0.5	8	57	291	3.17	20
STS076		0.14		<0.5	0.31	<5	20	<0.5	<2	0.08	<0.5	<1	28	6	0.96	<10
STS077		0.26		<0.5	1.14	5	50	<0.5	2	0.04	<0.5	<1	21	5	0.41	<10



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 3 - B

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61 K %	ME-ICP61 La ppm	ME-ICP61 Mg %	ME-ICP61 Mn ppm	ME-ICP61 Mo ppm	ME-ICP61 Na %	ME-ICP61 Ni ppm	ME-ICP61 P ppm	ME-ICP61 Pb ppm	ME-ICP61 S %	ME-ICP61 Sb ppm	ME-ICP61 Sc ppm	ME-ICP61 Sr ppm	ME-ICP61 Th ppm	ME-ICP61 Ti %
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20	0.01
STS040		1.18	40	0.26	25	1	0.02	7	220	51	0.03	<5	6	16	<20	0.47
STS041		0.37	20	0.09	25	<1	0.02	4	90	7	0.01	<5	2	9	<20	0.22
STS042		0.59	30	0.11	21	<1	0.03	2	130	7	0.02	<5	4	18	<20	0.40
STS043		0.39	20	0.07	32	<1	0.02	3	90	5	0.01	<5	2	13	<20	0.30
STS044		0.63	30	0.24	47	1	0.02	7	230	18	0.03	<5	4	13	<20	0.55
STS045		0.05	<10	0.06	23	1	0.03	2	130	9	0.09	<5	2	31	<20	0.15
STS046		1.05	30	0.25	24	3	0.02	3	140	35	0.01	<5	6	16	<20	0.55
STS047		0.58	40	0.16	28	1	0.02	3	140	27	0.02	<5	3	12	<20	0.51
STS048		0.70	30	0.21	32	1	0.02	2	160	11	0.02	<5	5	9	<20	0.70
STS049		1.59	30	0.37	164	2	0.04	17	280	15	0.03	<5	13	14	<20	0.63
STS050		1.08	40	0.30	62	4	0.03	11	270	20	0.03	<5	10	15	<20	0.56
STS050S1		1.63	650	0.53	391	8	0.97	31	1690	35	0.03	8	10	313	100	0.47
STS051		0.77	30	0.23	33	1	0.02	3	150	12	0.02	<5	5	10	<20	0.44
STS052		0.03	<10	0.06	31	1	0.02	1	140	<2	0.03	<5	5	9	<20	0.28
STS053		0.70	30	0.35	121	1	0.02	10	330	19	0.04	<5	6	11	<20	0.90
STS054		0.37	20	0.21	43	<1	0.02	7	240	12	0.05	<5	4	11	<20	0.86
STS055		0.04	<10	0.04	37	<1	0.02	2	210	6	0.06	<5	2	22	<20	0.19
STS056		0.02	<10	0.04	42	<1	0.02	2	70	3	0.03	<5	1	8	<20	0.25
STS057		0.02	<10	0.04	50	1	0.02	2	70	2	0.04	<5	1	7	<20	0.26
STS058		0.06	10	0.04	32	<1	0.02	3	120	16	0.03	<5	1	9	<20	0.26
STS059		0.06	10	0.03	31	<1	0.01	1	90	4	0.02	<5	1	5	<20	0.22
STS060		0.29	10	0.08	28	1	0.01	2	90	11	0.02	<5	2	10	<20	0.28
STS061		0.70	20	0.18	31	1	0.02	7	160	29	0.02	<5	5	11	<20	0.31
STS062		0.27	10	0.08	27	1	0.01	5	130	9	0.01	<5	2	9	<20	0.22
STS063		0.95	30	0.21	77	1	0.03	12	240	16	0.02	<5	14	19	<20	1.28
STS064		0.60	30	0.21	38	2	0.02	21	200	24	0.03	<5	18	21	<20	1.43
STS065		0.05	10	0.25	303	1	0.03	60	690	23	0.05	<5	43	23	<20	1.80
STS066		0.77	30	0.22	40	<1	0.02	19	200	18	0.03	<5	21	24	<20	2.02
STS067		0.71	30	0.30	124	<1	0.03	14	210	12	0.03	<5	19	18	<20	1.65
STS068		0.52	20	0.25	135	1	0.02	21	430	17	0.04	<5	31	15	<20	1.65
STS069		1.12	30	0.27	2780	1	0.03	64	630	65	0.04	<5	29	24	<20	1.49
STS070		0.96	30	0.29	126	1	0.03	18	310	20	0.03	<5	29	21	<20	1.77
STS071		1.52	20	0.25	31	1	0.02	7	270	83	0.04	<5	13	13	<20	0.51
STS072		0.62	30	0.13	42	1	0.02	14	350	119	0.03	7	5	20	<20	0.28
STS073		0.41	20	0.11	29	1	0.02	4	180	36	0.02	<5	4	16	<20	0.33
STS074		0.52	20	0.14	25	1	0.02	3	140	19	0.02	<5	4	13	<20	0.40
STS075		0.03	<10	0.05	22	<1	0.02	1	120	5	0.05	<5	1	12	<20	0.16
STS075S1		1.60	640	0.52	381	8	0.95	31	1660	31	0.03	9	10	306	100	0.46
STS076		0.07	<10	0.04	32	<1	0.02	2	190	13	0.04	<5	1	14	<20	0.19
STS077		0.44	10	0.10	34	<1	0.02	2	180	13	0.03	<5	2	16	<20	0.21



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 3 - C

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ti	U	V	W	Zn	Ba	Ce	Cr	Cs	Dy	Er	Eu	Ga	Gd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2	0.5	0.1	10	0.01	0.05	0.03	0.02	0.1	0.05
STS040		<10	<10	71	<10	10	87.2	83.8	50	3.68	3.49	2.27	0.77	11.6	3.45
STS041		<10	<10	17	<10	7	43.8	34.3	30	1.69	2.23	1.54	0.39	3.5	1.84
STS042		<10	<10	22	<10	5	93.8	83.2	20	3.53	5.61	3.32	0.93	6.4	4.69
STS043		<10	<10	15	<10	6	59.8	48.5	30	2.06	3.85	2.38	0.54	4.2	3.08
STS044		<10	<10	67	<10	26	67.1	57.2	70	5.71	2.89	1.75	0.73	8.5	2.83
STS045		<10	<10	18	<10	11	15.8	4.1	10	0.16	0.57	0.32	0.06	1.1	0.39
STS046		<10	<10	82	<10	7	101.0	66.5	40	4.19	3.64	2.14	0.91	10.2	3.79
STS047		<10	<10	38	<10	7	71.5	81.4	20	2.31	2.99	1.66	0.85	5.7	3.54
STS048		<10	<10	61	<10	6	93.9	72.1	50	3.16	3.81	2.06	0.92	7.1	3.74
STS049		<10	<10	143	10	26	321	83.0	240	8.89	3.93	2.20	1.09	15.1	4.11
STS050		<10	<10	189	<10	20	266	81.9	310	4.91	4.07	2.08	1.26	10.0	4.88
STS050S1		10	<10	61	10	143	1940	1160	70	223	8.69	2.46	9.48	22.6	19.35
STS051		<10	<10	69	<10	9	96.5	53.9	40	3.70	2.53	1.35	0.64	6.7	2.76
STS052		<10	<10	219	<10	10	21.5	6.0	60	0.14	0.74	0.43	0.11	1.6	0.52
STS053		<10	<10	93	<10	45	96.2	52.7	100	10.85	2.65	1.51	0.84	9.9	2.41
STS054		<10	<10	59	<10	19	54.4	45.3	90	4.94	2.08	1.38	0.66	6.8	2.09
STS055		<10	<10	45	<10	21	11.1	4.2	20	0.16	0.49	0.36	0.07	1.8	0.38
STS056		<10	<10	7	<10	10	12.9	4.3	70	0.15	0.81	0.58	0.09	1.1	0.61
STS057		<10	<10	7	<10	11	13.2	4.7	80	0.16	1.00	0.71	0.09	1.1	0.62
STS058		<10	<10	12	<10	5	20.2	23.1	20	0.30	1.29	0.71	0.34	1.8	1.57
STS059		<10	<10	9	<10	6	16.5	11.2	20	0.29	0.99	0.64	0.16	1.6	0.83
STS060		<10	<10	26	<10	6	31.5	28.3	20	0.92	1.38	0.85	0.30	4.0	1.34
STS061		<10	<10	65	<10	6	81.2	44.2	50	2.70	2.15	1.28	0.57	9.2	2.41
STS062		<10	<10	38	<10	5	44.0	31.0	30	1.43	1.28	0.76	0.35	4.3	1.55
STS063		<10	<10	122	<10	17	137.5	79.7	150	4.65	4.12	2.20	1.29	10.8	4.71
STS064		<10	<10	165	<10	24	94.3	62.4	180	5.14	4.17	2.39	1.26	16.2	4.33
STS065		<10	<10	473	<10	69	41.8	26.0	160	2.33	2.86	2.03	0.65	24.3	2.31
STS066		<10	<10	244	<10	21	102.5	71.0	140	6.14	7.53	4.05	1.83	20.2	7.25
STS067		<10	<10	206	<10	49	96.4	65.4	110	8.02	4.98	2.93	1.28	19.2	4.53
STS068		<10	<10	254	<10	35	67.4	54.6	170	6.25	6.33	3.85	1.30	23.7	5.09
STS069		<10	<10	233	<10	61	230	71.1	170	5.95	6.21	3.65	1.34	23.4	5.18
STS070		<10	<10	236	<10	40	124.5	67.8	160	7.78	6.25	3.72	1.55	21.6	5.57
STS071		<10	<10	254	<10	16	149.0	44.3	80	2.76	3.48	2.01	0.86	11.2	3.54
STS072		<10	<10	71	<10	8	63.7	69.6	40	2.28	2.28	1.12	0.85	6.8	3.05
STS073		<10	<10	51	<10	7	60.1	48.6	30	1.71	2.45	1.26	0.69	5.0	2.58
STS074		<10	<10	57	<10	6	61.7	50.1	30	2.13	2.65	1.41	0.68	6.3	2.83
STS075		<10	<10	11	<10	8	9.2	2.4	20	0.12	0.35	0.29	0.04	0.4	0.18
STS075S1		10	<10	60	10	138	2140	1300	80	286	9.13	2.81	10.40	25.7	21.9
STS076		<10	<10	11	<10	12	18.6	5.8	50	0.38	0.56	0.41	0.09	0.7	0.43
STS077		<10	<10	15	<10	8	45.3	29.1	30	2.24	2.49	1.63	0.34	3.4	1.90



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 3 - D

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ho	La	Lu	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tm
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.1	0.01	0.1	0.1	0.02	0.2	0.03	1	0.1	0.1	0.01	0.05	0.01
STS040		0.78	42.7	0.37	31.6	31.8	8.97	61.4	4.42	2	15.4	1.9	0.57	8.04	0.36
STS041		0.51	16.9	0.28	12.7	13.6	3.71	17.2	2.44	1	9.2	0.8	0.33	3.46	0.25
STS042		1.12	38.5	0.51	21.2	36.2	9.46	35.1	6.23	1	18.0	1.4	0.85	7.97	0.52
STS043		0.81	23.2	0.43	16.2	21.3	5.48	21.4	3.71	11	12.5	1.1	0.57	5.17	0.39
STS044		0.57	30.2	0.29	32.0	23.6	6.47	42.4	3.98	2	12.5	1.9	0.42	5.47	0.29
STS045		0.11	2.1	0.05	5.2	1.7	0.43	1.8	0.28	<1	27.8	0.3	0.07	0.75	0.05
STS046		0.71	33.8	0.36	22.1	27.2	7.31	48.1	4.59	3	15.5	1.4	0.61	8.01	0.34
STS047		0.57	41.5	0.26	22.1	32.7	8.82	29.8	5.40	2	11.2	1.5	0.52	6.97	0.25
STS048		0.70	36.3	0.32	25.8	29.0	7.88	28.5	4.97	2	7.4	1.6	0.59	6.03	0.34
STS049		0.76	41.6	0.35	19.9	35.7	9.57	90.8	6.04	3	13.9	1.3	0.61	10.50	0.34
STS050		0.77	46.0	0.27	17.3	41.8	10.80	53.8	7.00	2	14.0	1.2	0.74	7.17	0.30
STS050S1		1.20	706	0.21	1195	369	113.0	1165	45.8	796	274	16.2	2.05	89.7	0.30
STS051		0.49	27.3	0.22	20.5	22.3	5.82	32.7	3.76	2	9.3	1.2	0.42	5.41	0.23
STS052		0.13	2.9	0.08	7.4	2.5	0.65	1.2	0.53	1	8.4	0.3	0.11	1.15	0.08
STS053		0.53	29.4	0.23	58.6	21.2	6.11	34.3	3.54	2	10.5	3.4	0.40	4.69	0.25
STS054		0.47	24.8	0.23	64.8	18.1	5.02	18.2	2.80	1	11.3	3.8	0.34	4.28	0.22
STS055		0.11	2.2	0.07	6.1	1.8	0.45	1.3	0.33	1	21.7	0.3	0.08	0.84	0.06
STS056		0.19	2.2	0.10	10.3	1.9	0.50	0.9	0.39	1	8.0	0.6	0.11	0.96	0.08
STS057		0.23	2.4	0.11	11.5	2.0	0.53	1.0	0.46	1	7.3	0.7	0.14	1.02	0.10
STS058		0.26	11.6	0.13	11.6	10.5	2.68	2.5	1.88	1	8.9	0.7	0.22	1.98	0.11
STS059		0.22	5.8	0.11	9.6	4.9	1.25	2.2	0.96	1	6.4	0.6	0.16	1.44	0.10
STS060		0.28	14.7	0.13	13.3	11.1	3.10	12.8	1.87	1	9.8	0.8	0.21	2.87	0.13
STS061		0.42	22.6	0.20	15.4	20.1	5.25	37.8	3.41	2	11.5	1.0	0.36	5.18	0.21
STS062		0.27	15.8	0.12	9.4	13.7	3.60	16.2	2.25	1	8.7	0.6	0.23	2.65	0.12
STS063		0.75	37.4	0.30	29.4	34.2	8.86	54.3	6.14	3	18.6	1.8	0.69	8.16	0.34
STS064		0.82	30.8	0.37	34.2	28.9	7.28	39.1	5.70	3	20.6	2.1	0.69	7.67	0.39
STS065		0.61	9.5	0.36	19.9	10.0	2.46	3.3	2.45	2	21.2	1.2	0.44	2.64	0.33
STS066		1.48	33.5	0.56	36.2	36.1	8.59	55.2	7.90	4	23.8	2.2	1.22	8.87	0.61
STS067		1.01	31.8	0.47	30.7	28.5	7.14	67.4	5.61	4	17.2	2.0	0.75	9.26	0.46
STS068		1.36	25.8	0.61	30.3	24.7	6.25	43.1	5.28	4	15.5	1.9	0.92	9.35	0.61
STS069		1.23	30.7	0.57	29.5	28.3	7.35	62.4	5.96	4	24.4	1.8	0.93	9.25	0.57
STS070		1.24	33.5	0.56	33.7	31.1	8.03	68.3	6.54	4	21.3	2.1	0.92	10.25	0.58
STS071		0.66	21.6	0.32	17.6	21.6	5.54	56.3	4.14	2	12.9	0.9	0.56	5.16	0.30
STS072		0.44	31.9	0.17	12.6	31.0	8.06	31.2	5.27	2	20.9	0.8	0.42	4.72	0.18
STS073		0.46	23.7	0.19	14.4	20.9	5.52	23.4	3.75	1	15.6	0.9	0.44	4.05	0.19
STS074		0.51	25.6	0.23	21.2	21.1	5.51	26.1	3.72	2	12.6	1.3	0.44	4.52	0.22
STS075		0.09	1.2	0.05	4.3	1.0	0.25	0.8	0.19	1	11.3	0.2	0.04	0.60	0.03
STS075S1		1.33	802	0.25	1315	427	131.5	1430	52.7	895	321	17.8	2.18	100.5	0.32
STS076		0.14	3.0	0.06	8.1	2.6	0.69	3.3	0.49	1	12.3	0.4	0.08	0.83	0.06
STS077		0.56	14.1	0.31	10.8	12.2	3.34	22.6	2.12	1	13.3	0.7	0.36	3.74	0.24



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 3 – E

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	B-ICP69
		V	W	Y	Yb	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm
		5	1	0.1	0.03	2	10
STS040		71	2	20.9	2.37	264	50
STS041		17	2	13.9	1.77	302	20
STS042		25	3	32.9	3.68	478	40
STS043		16	2	23.1	2.62	430	30
STS044		68	2	16.3	1.83	248	30
STS045		22	<1	3.1	0.41	72	10
STS046		87	2	19.5	2.38	241	120
STS047		41	2	15.5	1.74	264	70
STS048		61	2	19.6	2.11	260	40
STS049		159	3	20.1	2.37	190	60
STS050		196	2	19.4	1.91	155	40
STS050S1		64	5	25.7	1.62	203	20
STS051		70	2	12.9	1.56	229	50
STS052		244	1	4.2	0.53	130	10
STS053		104	3	13.8	1.71	232	30
STS054		61	1	13.0	1.60	229	20
STS055		47	<1	3.2	0.43	86	20
STS056		7	<1	5.2	0.66	137	10
STS057		6	1	6.4	0.76	145	10
STS058		13	1	6.6	0.82	160	20
STS059		9	1	6.2	0.82	116	10
STS060		27	1	8.2	0.90	128	20
STS061		74	1	11.4	1.38	159	30
STS062		40	1	7.4	0.83	140	20
STS063		129	3	20.4	2.07	195	40
STS064		177	2	22.0	2.57	282	30
STS065		589	1	15.6	2.29	195	10
STS066		265	2	38.3	3.83	295	30
STS067		223	3	27.3	3.24	270	30
STS068		287	2	34.6	4.07	277	20
STS069		268	2	31.6	3.66	259	40
STS070		263	3	33.0	3.87	287	40
STS071		266	2	18.0	2.10	212	40
STS072		78	1	10.6	1.20	166	30
STS073		56	1	12.0	1.29	200	30
STS074		63	2	13.8	1.52	222	30
STS075		14	<1	2.3	0.31	77	<10
STS075S1		75	5	30.2	1.71	240	20
STS076		13	1	3.7	0.45	87	10
STS077		16	1	16.2	1.61	327	30



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 4 - A

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.01	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STS078		0.23		<0.5	3.96	<5	190	0.8	<2	0.04	<0.5	<1	34	3	0.42	10
STS079		0.22		<0.5	4.83	8	280	1.0	<2	0.02	<0.5	3	72	12	2.49	10
STS080		0.28		<0.5	0.47	<5	30	<0.5	<2	0.01	<0.5	<1	17	4	0.64	<10
STS081		0.34		<0.5	0.66	<5	50	<0.5	<2	0.04	<0.5	1	20	5	1.07	<10
STS082		0.28		<0.5	0.60	<5	40	<0.5	5	0.05	<0.5	<1	17	6	0.57	<10
STS083		0.22		<0.5	0.11	<5	10	<0.5	<2	0.11	<0.5	<1	8	5	1.47	<10
STS084		0.20		<0.5	0.26	5	30	<0.5	2	0.01	<0.5	<1	26	6	1.13	<10
STS085		0.24		<0.5	2.91	5	150	0.6	<2	0.01	<0.5	<1	28	4	0.41	10
STS086		0.23		<0.5	3.20	<5	170	0.7	<2	0.01	<0.5	<1	28	4	0.40	10
STS087		0.29		<0.5	2.23	<5	100	0.5	<2	0.01	<0.5	<1	29	2	0.41	10
STS088		0.34		<0.5	6.91	13	340	1.5	<2	<0.01	<0.5	<1	64	9	3.52	20
STS089		0.31		<0.5	0.17	<5	20	<0.5	2	0.01	<0.5	<1	21	10	1.59	<10
STS090		0.24		<0.5	0.46	<5	40	<0.5	3	0.03	<0.5	1	15	6	0.36	<10
STS091		0.24		<0.5	0.32	<5	30	<0.5	<2	0.03	<0.5	<1	11	6	0.56	<10
STS092		0.22		<0.5	0.10	<5	20	<0.5	2	0.02	<0.5	<1	13	12	0.65	<10
STS093		0.29		<0.5	0.64	<5	40	<0.5	<2	0.05	<0.5	<1	15	4	0.55	<10
STS094		0.39		<0.5	1.00	<5	70	<0.5	<2	0.02	<0.5	<1	26	7	0.82	<10
STS095		0.30		<0.5	0.63	<5	50	<0.5	2	0.01	<0.5	1	53	10	0.52	<10
STS096		0.26		<0.5	5.18	6	70	0.7	5	0.04	<0.5	36	149	38	6.72	20
STS097		0.19		<0.5	7.47	11	110	0.9	3	0.01	<0.5	5	192	56	8.12	20
STS098		0.25	98.0	<0.5	5.68	<5	100	0.8	2	0.05	<0.5	8	105	46	7.05	20
STS099		0.30		<0.5	5.16	10	110	0.7	<2	0.05	<0.5	4	111	36	7.48	10
STS100		0.27		<0.5	2.92	9	110	<0.5	<2	0.04	<0.5	1	233	12	2.00	10
STS100S1		0.02		<0.5	4.51	40	1920	28.9	13	1.03	<0.5	7	58	276	3.01	20
STS101		0.27		<0.5	6.12	9	290	1.0	<2	0.01	<0.5	8	47	22	2.04	20
STS102		0.36		<0.5	7.20	10	150	<0.5	<2	0.02	<0.5	4	586	39	8.46	10
STS103		0.32		<0.5	3.91	22	110	<0.5	2	0.03	<0.5	2	245	21	3.09	10
STS104		0.25		<0.5	1.38	<5	30	<0.5	<2	0.03	<0.5	<1	32	7	3.79	<10
STS105		0.26		<0.5	2.31	6	110	0.5	2	0.02	<0.5	<1	24	4	0.69	10
STS106		0.34		<0.5	1.60	<5	70	<0.5	<2	0.02	<0.5	<1	23	4	0.57	<10
STS107		0.20		<0.5	0.19	<5	20	<0.5	<2	0.04	<0.5	1	18	10	0.73	<10
STS108		0.34		<0.5	6.45	16	190	1.3	2	0.01	<0.5	<1	81	66	6.81	20
STS109		0.38		<0.5	1.71	5	70	<0.5	<2	0.02	<0.5	<1	30	7	1.41	10
STS110		0.28		<0.5	2.77	9	90	<0.5	<2	0.01	<0.5	1	128	8	2.09	10
STS111		0.23		<0.5	4.35	10	80	<0.5	<2	0.05	<0.5	1	133	43	3.91	10
STS112		0.27		<0.5	8.15	11	90	0.7	<2	0.02	<0.5	13	172	114	11.35	20
STS113		0.32		<0.5	5.68	12	90	0.9	<2	0.02	<0.5	19	125	59	8.99	20
STS114		0.27		<0.5	4.61	5	70	0.6	<2	0.03	<0.5	10	116	40	8.14	10
STS115		0.28		<0.5	5.09	6	80	0.7	2	0.02	<0.5	7	124	27	7.95	20
STS116		0.31		<0.5	5.16	7	120	1.0	4	0.03	<0.5	10	115	42	7.52	20



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 4 - B

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
		%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
STS078		1.88	30	0.30	16	<1	0.04	3	180	9	0.03	<5	7	34	<20
STS079		1.58	30	0.47	134	1	0.14	16	130	18	0.02	<5	10	13	<20
STS080		0.16	10	0.05	32	1	0.01	3	100	3	0.02	<5	1	5	<20
STS081		0.21	20	0.08	30	<1	0.02	3	120	7	0.03	<5	2	9	<20
STS082		0.20	20	0.07	29	<1	0.02	2	120	14	0.04	<5	2	15	<20
STS083		0.03	<10	0.07	22	<1	0.03	1	110	3	0.06	<5	1	24	<20
STS084		0.07	10	0.04	42	1	0.02	2	110	7	0.02	<5	1	5	<20
STS085		1.31	30	0.22	22	<1	0.03	2	140	6	0.02	<5	5	24	<20
STS086		1.44	30	0.23	18	<1	0.04	3	150	8	0.02	<5	5	28	<20
STS087		1.00	30	0.19	29	<1	0.02	2	80	3	0.01	<5	4	11	<20
STS088		2.75	40	0.44	19	1	0.05	3	160	24	0.02	<5	12	31	<20
STS089		0.04	20	0.04	59	1	0.02	2	130	7	0.02	<5	1	10	<20
STS090		0.13	10	0.06	35	<1	0.02	4	70	7	0.03	<5	2	8	<20
STS091		0.12	10	0.05	37	1	0.02	2	90	4	0.02	<5	1	9	<20
STS092		0.03	<10	0.07	46	2	0.03	2	110	7	0.05	<5	1	6	<20
STS093		0.25	20	0.06	57	<1	0.02	2	100	3	0.02	<5	2	18	<20
STS094		0.31	20	0.11	41	<1	0.02	4	200	42	0.02	<5	2	17	<20
STS095		0.18	10	0.07	63	1	0.02	3	100	6	0.02	<5	2	7	<20
STS096		0.68	20	0.38	1670	<1	0.28	22	450	21	0.04	<5	22	16	<20
STS097		0.98	20	0.36	190	1	0.04	22	390	21	0.04	<5	28	14	<20
STS098		0.78	20	0.41	472	1	0.08	17	420	18	0.04	<5	19	17	<20
STS099		0.88	20	0.38	240	<1	0.28	13	310	18	0.03	<5	19	25	<20
STS100		0.58	20	0.20	78	<1	0.10	12	190	14	0.02	<5	11	21	<20
STS100S1		1.51	600	0.49	359	8	0.90	30	1570	29	0.03	6	9	290	100
STS101		2.14	30	0.57	47	1	0.02	25	120	12	0.01	<5	16	11	<20
STS102		1.28	10	0.52	59	1	0.02	31	180	9	0.02	<5	31	11	<20
STS103		0.57	20	0.19	82	1	0.02	13	180	25	0.02	<5	13	18	<20
STS104		0.19	10	0.11	32	<1	0.02	6	230	13	0.06	<5	4	13	<20
STS105		0.71	30	0.15	50	<1	0.03	3	200	7	0.03	<5	4	21	<20
STS106		0.60	30	0.12	41	1	0.02	3	150	12	0.02	<5	3	19	<20
STS107		0.03	10	0.04	53	<1	0.03	3	110	9	0.04	<5	1	14	<20
STS108		2.93	30	0.77	22	4	0.03	5	210	51	0.04	<5	13	15	<20
STS109		0.62	30	0.18	37	1	0.02	3	160	21	0.02	<5	4	17	<20
STS110		0.91	20	0.28	60	1	0.02	9	160	22	0.02	<5	8	11	<20
STS111		0.34	10	0.17	89	1	0.15	14	200	15	0.03	<5	15	28	<20
STS112		0.50	10	0.31	263	1	0.06	27	490	20	0.05	<5	30	11	<20
STS113		0.64	20	0.49	561	1	0.20	28	390	20	0.04	<5	20	13	<20
STS114		0.56	20	0.27	493	1	0.09	14	440	19	0.06	<5	17	12	<20
STS115		0.81	20	0.34	290	<1	0.06	19	350	15	0.03	<5	21	10	<20
STS116		0.99	20	0.31	399	1	0.12	16	290	17	0.03	<5	20	16	<20



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 4 - C

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ti	U	V	W	Zn	Ba	Ce	Cr	Cs	Dy	Er	Eu	Ga	Gd	Hf
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	ppm 0.5	ppm 0.1	ppm 10	ppm 0.01	ppm 0.05	ppm 0.03	ppm 0.02	ppm 0.1	ppm 0.05	ppm 0.1
STS078		<10	<10	49	<10	8	163.5	62.7	40	5.73	4.36	2.57	0.72	10.7	3.37	7.2
STS079		<10	<10	104	10	33	274	66.3	100	7.06	2.77	1.62	0.73	15.1	2.70	4.6
STS080		<10	<10	15	<10	6	31.0	23.9	30	0.87	1.29	0.97	0.28	1.7	1.29	6.0
STS081		<10	<10	28	<10	6	47.4	34.2	40	0.91	1.82	1.20	0.34	2.6	1.63	6.5
STS082		<10	<10	21	<10	9	37.5	39.1	20	0.88	1.69	0.90	0.50	2.5	2.11	4.6
STS083		<10	<10	15	<10	7	8.7	3.4	10	0.11	0.42	0.27	0.06	0.4	0.29	1.7
STS084		<10	<10	21	<10	11	30.9	28.6	90	0.42	1.33	0.84	0.30	1.1	1.31	5.0
STS085		<10	<10	35	<10	7	141.5	63.2	30	5.58	4.20	2.59	0.63	8.5	3.54	9.6
STS086		<10	<10	36	<10	8	176.0	76.5	40	6.16	5.49	3.42	0.90	10.3	4.47	12.0
STS087		<10	<10	26	<10	8	101.0	62.9	40	3.06	3.48	2.28	0.59	7.1	2.92	8.0
STS088		<10	<10	107	10	7	340	104.5	80	9.21	4.24	3.07	0.72	23.7	3.28	8.2
STS089		<10	<10	11	<10	9	23.9	43.4	30	0.17	2.31	1.44	0.36	0.7	1.95	3.8
STS090		<10	<10	13	<10	7	38.2	27.8	30	0.79	1.53	1.02	0.28	1.7	1.38	5.3
STS091		<10	<10	14	<10	5	31.1	33.3	20	0.54	1.43	0.82	0.40	1.5	1.68	4.2
STS092		<10	<10	14	<10	5	18.7	7.2	20	0.12	1.33	1.09	0.13	0.5	0.94	2.5
STS093		<10	<10	10	<10	6	44.1	59.7	20	1.41	3.85	2.63	0.57	2.7	3.14	12.3
STS094		<10	<10	21	<10	8	75.0	69.2	50	2.36	3.35	1.83	0.95	4.0	3.75	7.5
STS095		<10	<10	16	<10	20	49.1	24.7	90	1.07	1.86	1.22	0.35	2.3	1.69	7.2
STS096		<10	<10	207	<10	70	77.5	56.5	190	7.94	4.29	3.00	0.91	18.3	3.92	6.4
STS097		<10	<10	254	<10	33	106.5	50.9	230	7.86	4.14	2.83	0.95	24.8	3.58	6.6
STS098		<10	<10	197	<10	58	97.1	34.4	110	7.55	2.99	2.26	0.61	19.1	2.57	5.9
STS099		<10	<10	198	<10	32	114.5	45.0	140	6.58	3.24	2.40	0.79	18.1	3.10	7.1
STS100		<10	<10	90	<10	17	105.5	37.5	310	3.95	2.30	1.58	0.46	8.0	2.26	4.8
STS100S1		10	<10	57	10	132	1985	1230	80	240	8.68	2.83	9.55	22.3	21.7	6.0
STS101		<10	<10	90	10	21	301	61.2	60	11.75	4.26	3.27	0.94	19.7	4.20	7.6
STS102		<10	<10	174	<10	32	141.0	24.2	710	10.75	2.19	1.55	0.55	12.7	2.52	4.1
STS103		<10	<10	106	<10	19	104.5	33.2	310	4.12	1.97	1.36	0.50	9.3	2.29	3.4
STS104		<10	<10	54	<10	15	25.9	21.2	40	1.89	1.05	0.77	0.31	4.6	1.18	3.5
STS105		<10	<10	29	<10	8	105.0	62.3	30	3.63	4.43	3.15	0.76	7.3	4.08	10.7
STS106		<10	<10	21	<10	6	70.5	71.6	30	2.60	3.33	2.37	0.64	4.9	3.07	10.8
STS107		<10	<10	10	<10	9	15.9	13.6	30	0.19	1.06	0.81	0.16	0.7	0.80	3.5
STS108		<10	<10	158	<10	12	177.0	73.6	90	8.34	4.75	3.07	1.03	21.7	4.31	9.5
STS109		<10	<10	51	<10	6	68.3	63.6	30	3.16	2.46	1.48	0.66	6.5	3.15	4.6
STS110		<10	<10	79	<10	13	90.3	43.3	170	5.03	2.03	1.25	0.51	7.8	2.28	4.6
STS111		<10	<10	208	<10	19	88.7	26.0	190	3.26	2.03	1.68	0.39	13.3	1.94	5.6
STS112		<10	<10	295	<10	37	93.5	36.7	220	5.25	2.50	2.21	0.37	25.5	1.69	7.2
STS113		<10	<10	189	<10	49	84.4	51.1	150	4.91	4.40	2.98	1.05	16.8	4.31	6.6
STS114		<10	<10	198	10	28	68.1	34.5	150	6.90	4.03	3.16	0.85	16.5	4.01	7.9
STS115		<10	<10	225	<10	34	81.6	46.7	150	5.65	4.38	3.19	0.98	16.9	4.24	8.3
STS116		<10	<10	180	<10	33	118.5	48.0	140	4.92	4.91	3.30	1.18	15.5	5.17	7.0



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 4 - D

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ho	La	Lu	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tm
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.1	0.01	0.1	0.1	0.02	0.2	0.03	1	0.1	0.1	0.01	0.05	0.01
STS078		0.90	30.2	0.40	15.7	27.0	7.17	83.5	4.59	2	30.7	1.1	0.64	8.36	0.39
STS079		0.57	32.8	0.29	17.0	24.6	7.32	89.8	3.73	3	13.6	1.2	0.44	9.71	0.28
STS080		0.26	12.1	0.15	9.0	9.1	2.63	7.5	1.59	1	4.7	0.7	0.22	2.76	0.15
STS081		0.39	17.5	0.20	14.8	12.5	3.80	9.5	2.01	1	9.4	1.0	0.28	3.62	0.19
STS082		0.30	19.7	0.15	14.2	15.0	4.43	9.4	2.80	1	15.2	0.9	0.31	3.05	0.15
STS083		0.09	1.7	0.04	2.9	1.3	0.39	0.8	0.30	<1	27.2	0.2	0.06	0.54	0.05
STS084		0.29	14.5	0.16	12.0	10.5	3.14	2.9	1.74	1	4.9	0.8	0.21	2.79	0.13
STS085		0.94	30.1	0.46	14.5	24.7	7.24	64.0	4.33	2	23.3	1.1	0.66	7.87	0.44
STS086		1.20	37.0	0.56	19.2	30.5	8.73	74.9	5.00	2	28.8	1.4	0.78	9.54	0.55
STS087		0.78	30.7	0.37	15.5	25.4	7.28	50.2	4.00	2	10.5	1.2	0.54	6.12	0.36
STS088		1.00	51.0	0.57	26.1	40.8	11.80	161.5	5.31	4	30.8	1.8	0.61	13.10	0.51
STS089		0.47	23.0	0.25	16.3	17.1	5.15	1.5	2.32	1	9.5	1.1	0.35	3.12	0.23
STS090		0.32	14.5	0.18	13.6	10.0	3.09	5.9	1.65	1	7.4	1.0	0.25	2.69	0.16
STS091		0.28	17.1	0.13	11.0	13.3	3.88	5.4	2.30	1	9.0	0.7	0.28	2.45	0.13
STS092		0.33	3.5	0.16	7.6	3.3	0.84	0.8	0.64	1	6.6	0.5	0.19	1.09	0.16
STS093		0.87	29.1	0.43	18.3	22.5	6.86	12.6	3.55	1	18.1	1.2	0.59	5.38	0.42
STS094		0.68	33.7	0.31	23.4	29.5	8.28	20.9	4.79	1	17.6	1.5	0.56	4.71	0.30
STS095		0.38	12.9	0.23	22.0	9.8	2.85	7.3	1.74	1	6.9	1.4	0.30	3.21	0.19
STS096		1.01	20.4	0.50	26.7	20.2	4.97	58.1	4.59	3	17.2	1.6	0.68	8.65	0.45
STS097		0.96	23.1	0.51	27.5	21.1	5.37	75.8	4.39	4	13.2	1.7	0.62	10.35	0.44
STS098		0.71	17.6	0.42	25.1	14.6	3.57	65.3	2.93	4	17.1	1.7	0.42	8.13	0.37
STS099		0.75	22.0	0.45	29.0	18.2	4.68	73.9	3.78	4	25.8	1.9	0.52	8.85	0.39
STS100		0.48	19.0	0.25	18.4	15.4	4.10	36.4	2.85	2	22.0	1.3	0.39	4.89	0.22
STS100S1		1.20	741	0.23	1245	402	123.0	1280	51.5	769	294	18.0	2.24	93.6	0.30
STS101		0.92	31.7	0.56	27.9	26.7	6.90	98.0	4.91	3	11.7	1.9	0.67	12.40	0.50
STS102		0.48	12.7	0.25	18.4	12.3	3.00	50.6	2.80	2	10.0	1.1	0.40	5.23	0.22
STS103		0.39	17.2	0.21	12.0	13.9	3.68	33.9	2.63	2	18.9	0.8	0.38	6.00	0.18
STS104		0.24	11.5	0.13	29.1	8.4	2.27	9.6	1.35	1	12.8	1.6	0.19	2.65	0.11
STS105		0.98	30.1	0.44	17.7	26.9	7.23	39.2	4.70	2	21.3	1.2	0.75	7.59	0.45
STS106		0.75	36.4	0.40	23.0	30.4	8.23	32.1	4.50	1	18.3	1.6	0.57	6.80	0.34
STS107		0.24	7.3	0.13	20.1	5.3	1.48	1.3	0.99	1	14.0	1.3	0.18	2.13	0.12
STS108		0.97	38.3	0.41	37.2	29.1	7.86	121.5	5.23	5	14.7	2.4	0.82	18.95	0.42
STS109		0.50	32.4	0.21	22.9	26.4	7.21	35.0	4.54	2	17.8	1.4	0.50	5.67	0.21
STS110		0.42	21.9	0.21	16.7	18.1	4.75	47.8	3.35	2	11.1	1.0	0.35	4.17	0.20
STS111		0.48	13.6	0.30	20.9	10.4	2.78	27.2	2.00	2	29.9	1.5	0.34	6.45	0.26
STS112		0.63	8.8	0.39	27.0	7.0	1.76	33.2	1.73	3	12.0	1.7	0.32	8.97	0.35
STS113		0.91	23.3	0.44	27.0	23.4	5.87	46.4	5.01	3	13.1	1.7	0.74	8.59	0.44
STS114		0.90	18.5	0.49	33.2	17.7	4.40	49.2	4.06	3	13.5	2.1	0.67	6.85	0.46
STS115		0.94	22.2	0.54	34.2	20.5	5.19	62.2	4.56	4	10.9	2.3	0.74	7.41	0.49
STS116		1.04	25.0	0.46	27.9	23.9	5.94	65.0	5.61	3	15.5	1.8	0.91	7.87	0.48



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 4 – E

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	B-ICP69
		V	W	Y	Yb	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm
		5	1	0.1	0.03	2	10
STS078		49	2	26.0	2.77	294	80
STS079		116	2	16.2	1.87	172	70
STS080		14	1	8.2	0.92	240	20
STS081		30	1	11.2	1.38	250	20
STS082		22	1	8.5	0.95	174	20
STS083		18	<1	2.3	0.34	76	10
STS084		20	1	8.2	0.96	194	10
STS085		38	3	26.3	2.80	357	60
STS086		41	2	33.8	3.65	435	70
STS087		28	2	22.2	2.30	293	50
STS088		116	3	28.9	3.53	278	110
STS089		13	2	16.1	1.55	147	10
STS090		16	1	10.0	1.18	206	20
STS091		17	1	8.6	0.86	160	10
STS092		15	1	11.2	1.05	95	<10
STS093		13	2	25.3	2.83	454	20
STS094		24	2	19.8	2.04	287	20
STS095		17	1	11.2	1.44	294	20
STS096		247	2	26.9	3.09	251	20
STS097		277	2	24.7	2.90	249	30
STS098		218	2	19.5	2.63	226	30
STS099		225	3	20.7	2.63	273	30
STS100		96	2	13.4	1.56	179	30
STS100S1		65	6	27.8	1.76	219	20
STS101		105	2	24.9	3.77	278	90
STS102		190	1	11.4	1.59	151	30
STS103		109	2	10.5	1.43	120	20
STS104		56	1	6.4	0.83	147	20
STS105		33	2	28.2	3.23	397	40
STS106		23	3	21.2	2.70	397	30
STS107		12	1	6.7	0.88	143	10
STS108		169	3	25.3	2.86	358	120
STS109		52	1	13.1	1.43	186	60
STS110		82	1	10.9	1.39	183	40
STS111		237	2	12.9	1.93	194	20
STS112		348	2	16.7	2.67	256	30
STS113		201	3	24.7	3.02	240	30
STS114		229	2	24.5	3.33	280	20
STS115		248	2	27.1	3.54	293	20
STS116		194	2	26.9	3.14	241	30



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 5 - A

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
STS117		0.33		<0.5	6.53	6	110	1.3	3	0.09	<0.5	19	134	45	4.39	20
STS118		0.22		<0.5	5.27	6	70	<0.5	<2	0.35	<0.5	6	87	45	2.06	10
STS119		0.34		<0.5	0.92	<5	40	<0.5	<2	0.02	<0.5	1	42	4	0.73	<10
STS120		0.39		<0.5	0.72	5	40	<0.5	2	0.01	<0.5	<1	27	4	0.63	<10
STS121		0.36		<0.5	0.95	<5	50	<0.5	2	0.01	<0.5	<1	21	4	0.62	<10
STS122		0.26		<0.5	1.27	<5	70	<0.5	<2	0.01	<0.5	<1	22	4	0.58	<10
STS123		0.18		<0.5	0.82	<5	40	<0.5	<2	0.02	<0.5	<1	22	5	0.70	<10
STS124		0.28		<0.5	6.14	13	130	0.9	4	0.05	<0.5	11	110	51	7.20	20
STS125		0.34		<0.5	6.53	8	140	0.9	<2	0.03	<0.5	12	114	56	7.85	20
STS125S1		0.02		<0.5	4.65	40	1980	29.6	13	1.06	<0.5	8	56	284	3.09	20
STS126		0.38		<0.5	3.08	5	180	0.6	2	0.01	<0.5	<1	35	4	0.56	10
STS127		0.24		<0.5	7.22	9	60	1.1	3	0.04	<0.5	18	87	98	10.25	20
STS128		0.30		<0.5	8.01	17	70	0.8	3	0.02	<0.5	44	280	123	11.35	20
STS129		0.18		<0.5	7.89	11	30	0.7	4	0.03	<0.5	80	507	111	13.00	20
STS130		0.19		<0.5	8.04	<5	50	0.8	2	0.06	<0.5	15	140	90	11.40	20
STS131		0.27		<0.5	9.43	7	60	1.0	2	0.02	<0.5	18	138	105	12.20	30
STS132		0.21		<0.5	10.20	13	40	0.6	<2	0.01	<0.5	58	209	121	14.75	30
STS133		0.29		<0.5	7.59	11	220	1.0	2	0.03	<0.5	39	178	71	12.40	20
STS134		0.20		<0.5	6.85	<5	150	0.5	<2	0.06	<0.5	18	194	59	11.15	20
STS135		0.24		<0.5	8.18	<5	150	0.6	2	0.07	<0.5	22	241	91	13.65	20
STS136		0.29		<0.5	10.25	7	30	1.1	3	0.02	<0.5	50	227	152	15.75	30
STS137		0.22		<0.5	8.70	11	70	1.0	4	0.02	<0.5	50	132	104	13.00	30
STS138		0.26		<0.5	8.06	11	100	1.0	<2	0.02	<0.5	13	106	93	10.10	20
STS139		0.25		<0.5	8.57	9	60	1.0	3	0.01	<0.5	49	300	152	13.05	20
STS140		0.24		<0.5	8.22	12	30	0.6	<2	0.03	<0.5	12	202	101	12.40	20
STS141		0.24		<0.5	8.77	<5	30	0.7	4	0.02	<0.5	20	345	117	12.35	20
STS142		0.23		<0.5	8.10	10	70	1.0	<2	0.08	<0.5	9	96	97	9.89	30
STS143		0.42		<0.5	7.05	5	330	1.4	2	0.01	<0.5	<1	66	4	1.49	20
STS144		0.38		<0.5	2.68	9	70	0.5	2	0.02	<0.5	6	118	22	4.00	10
STS145		0.24		<0.5	5.72	6	80	0.9	3	0.02	<0.5	7	95	46	7.91	20
STS146		0.22	99.0	<0.5	5.61	8	100	1.0	6	0.01	<0.5	12	98	50	7.66	20
STS147		0.22		<0.5	4.84	<5	70	0.8	3	0.04	<0.5	15	101	40	6.49	20
STS148		0.22		<0.5	4.84	7	40	1.0	5	0.04	<0.5	16	100	44	7.66	20
STS149		0.22		<0.5	8.16	7	50	1.0	3	0.01	<0.5	7	130	48	9.51	30
STS150		0.31		<0.5	4.16	5	150	0.9	2	0.03	<0.5	5	66	11	3.61	10
STS150S1		0.02		<0.5	4.54	40	1930	28.9	9	1.04	<0.5	7	60	277	3.02	20
STS151		0.37		<0.5	5.04	18	300	1.0	<2	0.01	<0.5	<1	106	16	2.51	10
STS152		0.35		<0.5	5.61	12	350	1.1	<2	0.01	<0.5	1	77	18	2.68	20
STS153		0.20		<0.5	4.17	17	180	0.6	3	0.01	<0.5	1	64	37	4.93	10
STS154		0.20		<0.5	4.69	8	170	0.8	2	0.02	<0.5	3	100	27	5.31	10



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 5 - B

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
		%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
STS117		1.33	20	1.12	533	1	0.69	47	320	14	0.02	<5	29	38	<20
STS118		0.19	10	0.38	176	<1	1.84	21	290	17	0.07	<5	16	107	<20
STS119		0.32	10	0.07	72	<1	0.02	3	120	6	0.02	<5	2	9	<20
STS120		0.27	10	0.06	59	<1	0.02	4	80	4	0.02	<5	2	8	<20
STS121		0.38	20	0.09	57	<1	0.02	2	110	8	0.03	<5	2	12	<20
STS122		0.50	30	0.08	56	<1	0.03	2	100	3	0.01	<5	3	18	<20
STS123		0.22	10	0.10	41	1	0.02	5	200	9	0.04	<5	3	12	<20
STS124		0.86	30	0.46	729	2	0.13	21	410	20	0.04	<5	18	17	<20
STS125		0.95	30	0.50	640	2	0.13	22	400	21	0.04	<5	19	16	<20
STS125S1		1.55	620	0.50	373	7	0.92	31	1610	33	0.03	8	9	296	100
STS126		1.21	50	0.24	32	1	0.04	2	160	12	0.03	<5	6	16	<20
STS127		0.48	10	0.35	423	1	0.02	31	1190	18	0.07	<5	22	15	<20
STS128		0.22	10	0.45	2370	4	0.12	90	910	10	0.08	<5	29	11	<20
STS129		0.12	<10	0.25	2390	2	0.03	107	990	26	0.09	<5	33	8	<20
STS130		0.40	<10	0.38	914	1	0.02	42	1110	15	0.08	<5	28	11	<20
STS131		0.28	10	0.30	570	2	0.02	48	840	20	0.08	5	40	11	<20
STS132		0.19	<10	0.26	1970	2	0.03	66	940	52	0.11	<5	49	8	<20
STS133		1.03	10	0.38	916	2	0.03	50	730	16	0.04	<5	33	9	<20
STS134		0.68	10	0.35	455	1	0.03	42	510	15	0.05	<5	24	19	<20
STS135		0.66	10	0.41	460	1	0.04	56	600	15	0.05	11	31	24	<20
STS136		0.12	<10	0.24	1130	2	0.02	90	1180	11	0.12	<5	54	7	<20
STS137		0.57	10	0.37	3430	2	0.02	62	1090	14	0.07	<5	32	10	<20
STS138		0.70	10	0.50	540	2	0.03	82	780	17	0.06	6	22	7	<20
STS139		0.19	<10	0.40	1640	1	0.02	111	1160	8	0.08	<5	32	6	<20
STS140		0.15	<10	0.21	413	3	0.02	44	910	22	0.08	<5	28	9	<20
STS141		0.25	<10	0.32	529	2	0.03	78	730	17	0.06	<5	35	7	<20
STS142		0.59	10	0.34	807	2	0.03	24	990	17	0.06	<5	28	19	<20
STS143		3.43	40	0.51	46	<1	0.05	4	100	8	0.01	7	11	13	<20
STS144		0.37	20	0.14	221	1	0.11	9	160	14	0.02	<5	12	14	<20
STS145		0.70	10	0.31	374	1	0.02	22	660	12	0.06	<5	23	8	<20
STS146		0.83	20	0.37	610	1	0.03	29	660	17	0.05	<5	21	9	<20
STS147		0.63	10	0.27	1360	<1	0.05	28	560	17	0.06	<5	20	9	<20
STS148		0.36	20	0.23	271	1	0.07	26	750	18	0.07	<5	22	14	<20
STS149		0.67	20	0.41	147	1	0.15	28	420	12	0.04	<5	28	10	<20
STS150		1.70	40	0.50	108	<1	0.10	14	230	18	0.03	<5	10	15	<20
STS150S1		1.52	610	0.49	362	7	0.90	30	1590	29	0.03	7	9	288	100
STS151		1.89	50	0.43	30	4	0.04	11	150	27	0.01	<5	11	15	<20
STS152		2.16	50	0.49	28	4	0.04	11	190	24	0.02	<5	11	16	<20
STS153		0.94	30	0.29	40	2	0.03	16	330	34	0.04	5	10	14	<20
STS154		1.29	30	0.38	45	1	0.03	20	320	20	0.03	<5	12	13	<20



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 5 - C

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ti	U	V	W	Zn	Ba	Ce	Cr	Cs	Dy	Er	Eu	Ga	Gd	Hf
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	ppm 0.5	ppm 0.1	ppm 10	ppm 0.01	ppm 0.05	ppm 0.03	ppm 0.02	ppm 0.1	ppm 0.05	ppm 0.1
STS117		<10	<10	267	<10	80	115.0	70.3	190	5.33	6.82	4.09	1.91	21.9	7.91	8.4
STS118		<10	<10	217	<10	33	67.8	27.6	130	1.52	2.62	1.66	0.77	13.5	2.92	4.8
STS119		<10	<10	14	<10	7	45.9	30.2	70	1.90	1.92	1.44	0.29	2.9	1.85	7.8
STS120		<10	<10	14	<10	5	37.8	23.8	40	1.34	1.37	1.11	0.24	2.5	1.37	4.7
STS121		<10	<10	16	<10	7	45.0	35.8	30	1.96	2.17	1.63	0.36	3.1	1.87	7.0
STS122		<10	<10	17	<10	7	64.3	54.7	20	2.48	3.69	2.54	0.54	4.2	3.22	9.7
STS123		<10	<10	28	<10	8	39.2	30.1	30	1.67	1.61	0.98	0.44	3.4	1.96	3.4
STS124		<10	<10	175	<10	53	135.0	65.5	140	7.18	4.63	3.04	1.24	19.2	4.83	6.7
STS125		<10	<10	185	<10	55	144.0	66.1	140	7.37	4.70	3.32	1.22	20.6	5.07	6.7
STS125S1		10	<10	59	10	135	1985	1225	80	239	8.52	2.78	9.89	22.6	21.7	5.8
STS126		<10	<10	47	<10	5	172.0	108.5	40	6.44	3.80	2.49	0.86	10.5	4.03	6.8
STS127		<10	<10	219	<10	80	60.5	37.3	100	5.24	3.16	2.60	0.59	23.5	2.52	7.0
STS128		<10	<10	304	<10	104	71.3	27.9	360	2.59	6.91	3.97	1.91	27.3	7.41	7.4
STS129		<10	<10	318	<10	85	33.9	30.0	660	1.82	2.17	1.75	0.58	26.7	1.94	7.8
STS130		<10	<10	283	<10	74	45.4	24.3	150	3.76	1.78	1.65	0.28	23.7	1.12	6.9
STS131		<10	<10	286	<10	56	54.8	88.2	150	2.92	2.38	2.16	0.58	28.3	2.06	7.9
STS132		<10	<10	390	<10	72	37.1	53.4	230	2.12	1.69	1.52	0.33	31.0	1.07	8.1
STS133		<10	<10	301	<10	45	223	32.6	220	3.21	3.50	2.45	0.65	24.7	2.72	8.4
STS134		<10	<10	288	<10	38	141.5	22.6	220	3.48	1.73	1.37	0.31	21.2	1.15	7.2
STS135		<10	<10	345	<10	47	137.0	33.2	270	4.02	2.28	1.67	0.39	24.6	1.59	7.5
STS136		<10	<10	442	<10	64	28.2	74.7	280	1.49	1.98	1.27	0.43	34.4	1.39	8.2
STS137		<10	<10	337	<10	62	71.4	36.7	140	4.49	2.25	1.93	0.39	27.8	1.50	7.5
STS138		<10	<10	254	<10	63	103.0	26.3	110	8.22	2.93	2.33	0.57	26.7	2.04	6.7
STS139		<10	<10	312	<10	83	55.7	31.7	320	2.31	2.09	1.82	0.38	27.0	1.25	6.5
STS140		<10	<10	316	<10	42	29.2	19.0	240	2.31	2.79	2.17	0.40	29.2	1.47	7.5
STS141		<10	<10	348	<10	62	36.9	39.2	460	3.56	2.60	1.77	0.57	30.1	1.74	8.4
STS142		<10	<10	286	<10	86	69.7	32.6	100	6.21	3.72	2.82	0.59	27.7	2.44	7.3
STS143		<10	<10	94	10	8	324	91.4	80	10.65	5.19	3.51	0.92	20.6	4.64	6.9
STS144		<10	<10	124	<10	24	71.5	57.1	170	3.45	4.84	2.94	1.08	8.8	4.75	9.1
STS145		<10	<10	189	<10	53	74.4	41.8	90	7.57	5.08	3.39	1.10	20.0	4.08	6.6
STS146		<10	<10	185	<10	62	98.3	53.8	100	7.61	5.19	3.34	1.09	19.6	4.27	6.7
STS147		<10	<10	204	<10	39	71.2	36.2	110	6.26	3.81	2.70	0.64	18.0	2.93	7.6
STS148		<10	<10	214	<10	57	40.0	73.3	110	4.31	6.61	3.86	1.35	19.2	5.94	7.4
STS149		<10	<10	300	<10	48	49.2	52.0	150	8.48	5.89	4.02	1.17	31.6	4.75	7.8
STS150		<10	<10	97	<10	34	150.5	83.5	70	5.54	4.07	2.29	1.02	12.4	4.61	4.9
STS150S1		10	<10	57	10	132	1960	1195	70	240	9.02	2.85	9.79	22.3	21.7	5.6
STS151		<10	<10	156	<10	10	310	125.5	130	7.30	5.26	2.72	1.45	16.3	6.06	5.0
STS152		<10	<10	168	10	11	365	123.0	90	8.67	5.69	3.18	1.50	18.9	6.34	5.1
STS153		<10	<10	121	<10	12	189.5	72.1	80	6.41	3.50	1.88	0.97	12.3	4.19	3.8
STS154		<10	<10	142	<10	26	172.5	81.0	130	8.17	3.63	1.96	0.95	14.6	3.98	5.1



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 5 - D

Total # Pages: 6 (A - E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ho	La	Lu	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tm
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.1	0.01	0.1	0.1	0.02	0.2	0.03	1	0.1	0.1	0.01	0.05	0.01
STS117		1.41	32.4	0.60	29.3	36.0	8.47	69.8	8.71	4	42.1	1.9	1.31	7.81	0.58
STS118		0.56	12.0	0.26	13.7	12.8	3.11	11.1	3.12	2	110.0	0.9	0.48	2.53	0.24
STS119		0.48	14.9	0.22	10.3	12.6	3.48	18.8	2.28	1	8.9	0.7	0.32	3.33	0.20
STS120		0.33	12.1	0.16	8.1	10.0	2.71	13.4	1.57	1	7.7	0.6	0.24	2.46	0.16
STS121		0.46	18.2	0.25	11.4	14.9	3.98	19.1	2.35	1	11.4	0.9	0.38	3.76	0.23
STS122		0.77	26.8	0.37	17.8	23.1	6.28	24.8	3.41	1	17.1	1.3	0.57	5.51	0.37
STS123		0.33	15.3	0.14	17.1	13.5	3.51	10.0	2.47	1	12.5	1.0	0.29	2.46	0.13
STS124		0.97	32.0	0.41	27.5	29.3	7.63	71.5	6.10	4	17.4	1.9	0.80	10.35	0.45
STS125		1.01	32.3	0.44	27.9	29.7	7.62	75.7	5.97	4	15.9	1.9	0.84	11.20	0.47
STS125S1		1.24	750	0.23	1255	402	123.5	1270	51.3	815	294	18.2	2.29	93.4	0.32
STS126		0.80	53.4	0.37	20.4	43.2	12.15	78.1	6.65	3	15.3	1.4	0.68	7.19	0.35
STS127		0.79	14.2	0.41	29.2	10.8	2.77	32.5	2.21	3	16.3	1.9	0.49	7.00	0.38
STS128		1.34	16.9	0.52	30.3	23.6	5.36	11.4	6.40	3	12.6	2.0	1.19	6.47	0.55
STS129		0.52	6.5	0.32	33.8	7.8	1.82	8.6	1.98	3	9.3	2.3	0.35	5.85	0.27
STS130		0.46	2.6	0.34	29.2	3.3	0.74	26.5	1.07	3	10.8	1.9	0.26	6.00	0.25
STS131		0.58	10.5	0.38	30.4	8.8	2.36	19.1	2.21	5	10.7	2.1	0.39	8.37	0.35
STS132		0.35	5.1	0.26	34.2	4.6	1.20	12.0	1.22	5	8.6	2.1	0.21	6.83	0.21
STS133		0.70	11.1	0.45	32.9	9.4	2.36	55.3	2.39	3	10.3	2.0	0.46	6.33	0.38
STS134		0.37	10.6	0.27	29.2	5.6	1.73	48.3	1.20	3	19.8	1.8	0.22	5.90	0.21
STS135		0.47	11.1	0.32	30.7	7.4	2.07	51.6	1.68	3	23.9	1.9	0.28	5.70	0.23
STS136		0.39	3.0	0.24	34.8	4.5	1.03	8.0	1.46	4	7.0	2.2	0.27	6.10	0.19
STS137		0.54	6.6	0.35	32.9	5.6	1.46	43.2	1.40	3	10.0	2.0	0.27	6.66	0.28
STS138		0.67	8.2	0.41	27.5	8.4	2.02	52.7	2.18	4	7.4	1.7	0.39	7.98	0.34
STS139		0.47	2.9	0.31	28.6	4.3	1.00	10.7	1.37	3	6.2	1.8	0.29	5.52	0.25
STS140		0.59	3.3	0.39	33.1	3.9	0.91	10.4	1.32	3	10.2	2.1	0.34	6.97	0.35
STS141		0.54	4.2	0.33	35.3	6.7	1.45	18.3	2.10	4	9.3	2.3	0.33	6.88	0.27
STS142		0.85	13.0	0.46	31.8	10.1	2.53	43.4	2.15	4	20.3	2.1	0.45	7.40	0.41
STS143		1.03	46.6	0.55	18.3	35.3	10.05	165.5	5.83	3	13.0	1.3	0.71	12.70	0.51
STS144		0.95	27.6	0.43	35.5	25.9	6.62	30.2	5.40	3	14.4	2.2	0.70	7.52	0.39
STS145		1.02	17.3	0.51	29.5	18.2	4.31	47.7	4.18	3	8.9	1.8	0.67	6.40	0.47
STS146		1.04	20.2	0.48	29.9	20.0	5.05	58.2	4.36	3	10.2	1.9	0.69	7.73	0.47
STS147		0.85	12.0	0.47	30.5	11.8	2.95	50.8	2.83	4	10.0	2.0	0.48	6.71	0.45
STS148		1.30	27.1	0.54	29.4	27.1	6.63	26.4	6.05	4	14.8	1.8	0.96	7.64	0.56
STS149		1.21	23.4	0.63	27.4	23.1	5.71	44.6	4.73	5	10.6	1.7	0.77	7.91	0.58
STS150		0.75	39.9	0.28	20.1	34.7	9.14	89.5	5.91	3	14.5	1.4	0.62	8.48	0.30
STS150S1		1.19	732	0.21	1200	386	120.0	1235	48.0	787	294	16.6	2.06	88.8	0.28
STS151		0.93	63.3	0.38	22.7	54.0	14.45	110.0	8.79	4	15.3	1.6	0.79	11.75	0.36
STS152		1.04	62.2	0.45	20.7	53.5	14.30	129.0	8.67	5	17.6	1.5	0.92	11.95	0.41
STS153		0.60	36.7	0.26	16.9	32.0	8.78	68.5	5.96	3	15.5	1.1	0.57	7.98	0.24
STS154		0.67	40.4	0.32	21.2	33.9	9.23	80.6	5.66	3	13.7	1.4	0.53	9.47	0.29



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 5 – E

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85 V ppm 5	ME-MS85 W ppm 1	ME-MS85 Y ppm 0.1	ME-MS85 Yb ppm 0.03	ME-MS85 Zr ppm 2	B-ICP69 B ppm 10
STS117		313	2	36.0	3.99	301	40
STS118		232	1	13.8	1.71	172	20
STS119		16	1	12.7	1.60	292	20
STS120		13	1	9.5	1.18	178	20
STS121		19	1	13.7	1.59	264	20
STS122		18	2	22.9	2.77	358	30
STS123		32	1	8.5	1.06	150	20
STS124		202	3	25.0	2.94	235	20
STS125		213	3	26.5	3.21	243	40
STS125S1		65	5	27.8	1.76	215	30
STS126		49	2	22.7	2.56	250	70
STS127		244	1	20.6	2.75	247	20
STS128		354	1	31.3	3.48	268	10
STS129		393	1	11.2	1.85	275	<10
STS130		285	1	12.0	1.95	249	10
STS131		298	1	15.3	2.44	285	10
STS132		473	1	10.1	1.54	298	<10
STS133		351	1	17.2	2.53	302	10
STS134		327	1	9.7	1.48	262	20
STS135		405	1	11.6	1.69	271	10
STS136		554	1	9.2	1.39	308	<10
STS137		377	2	13.3	2.05	279	10
STS138		287	1	17.4	2.33	255	20
STS139		345	1	12.3	1.97	247	10
STS140		385	1	16.0	2.42	278	10
STS141		481	1	12.3	2.01	310	10
STS142		326	2	23.0	2.90	281	20
STS143		104	3	30.8	3.24	253	150
STS144		141	3	24.7	2.85	334	20
STS145		213	2	28.9	3.27	253	20
STS146		208	3	29.3	3.18	251	20
STS147		230	2	22.2	2.96	276	20
STS148		250	2	35.8	3.65	276	10
STS149		359	2	34.9	3.93	289	20
STS150		103	2	21.3	2.04	182	40
STS150S1		63	5	27.9	1.60	211	20
STS151		185	3	26.5	2.43	190	60
STS152		197	6	29.3	2.72	187	70
STS153		135	2	16.7	1.69	148	30
STS154		155	2	18.3	1.93	194	40

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 6 – E

Total # Pages: 6 (A – E)

Plus Appendix Pages

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	B-ICP69
		V	W	Y	Yb	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm
		5	1	0.1	0.03	2	10
STS155		132	1	10.3	1.31	188	10
STS156		95	2	16.8	1.56	150	20
STS157		103	7	18.4	1.89	203	10
STS158		110	1	9.0	0.87	104	<10
STS159		31	16	12.7	1.27	195	10
STS160		70	2	21.5	2.13	243	30
STS161		217	2	17.6	1.71	191	30
STS162		154	5	17.8	2.01	164	50
STS163		198	2	15.9	1.88	100	60
STS164		75	3	18.6	1.84	134	50
STS165		47	4	16.8	1.71	168	40
STS166		111	3	22.0	1.97	190	40
STS167		208	1	11.1	1.41	123	30
STS168		186	1	13.4	1.73	105	50
STS168S1		62	5	27.7	1.63	241	20



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 8-APR-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21065600

CERTIFICATE COMMENTS

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist
ME-ICP61

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 79 Distinction Road, Wangara, WA, Australia

B-ICP69

LEV-01

LOG-22

ME-ICP61

ME-MS85

PUL-31L

PUL-QC

SPL-21

WEI-21