



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Page: 1

Total # Pages: 4 (A – E)

Plus Appendix Pages

Finalized Date: 29-MAY-2021

Account: VENMIN

CERTIFICATE PH21113786

Project: MT LINDSAY

This report is for 87 samples of Soil submitted to our lab in Perth, WA, Australia on 7-MAY-2021.

The following have access to data associated with this certificate:

ANGELIQUE MARTIN
STUART OWEN

SERGI MASCLANS

RITWIK NAITHANI

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login – Rcd w/o BarCode
PUL-31L	Pulverize 250g soil to 85% < 75um
SPL-21	Split sample – riffle splitter
PUL-QC	Pulverizing QC Test

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
ME-MS85	Lithium Borate Fusion – Select Elements	ICP-MS
B-ICP69	Boron – HF Digest ICP-AES	ICP-AES
ME-ICP61	33 element four acid ICP-AES	ICP-AES

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Cameron Brosnan, Laboratory Manager, Perth



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 2 - A

Total # Pages: 4 (A - E)

Plus Appendix Pages

Finalized Date: 29-MAY-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21113786

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
STS169		0.33	99.0	<0.5	4.72	17	280	0.8	<2	0.03	<0.5	3	242	20	3.98	10
STS170		0.30		<0.5	2.99	7	130	0.6	<2	0.03	<0.5	1	39	14	1.69	10
STS171		0.22		<0.5	2.08	<5	80	<0.5	<2	0.04	<0.5	<1	35	13	3.19	10
STS172		0.17		<0.5	0.87	<5	40	<0.5	<2	0.04	<0.5	1	21	7	2.26	<10
STS173		0.23		<0.5	0.33	<5	20	<0.5	<2	0.07	<0.5	1	52	11	1.06	<10
STS174		0.30		<0.5	4.89	<5	210	0.9	2	0.01	<0.5	<1	37	6	1.25	20
STS175		0.34		<0.5	4.66	<5	200	0.8	<2	0.01	<0.5	1	38	6	1.31	20
STS176		0.43		<0.5	0.85	<5	50	<0.5	<2	0.01	<0.5	1	19	5	0.32	<10
STS177		0.26		<0.5	1.19	<5	50	<0.5	<2	0.02	<0.5	<1	23	7	0.51	<10
STS178		0.19		<0.5	0.95	<5	50	<0.5	<2	0.36	<0.5	<1	14	9	0.30	<10
STS179		0.29		<0.5	1.34	<5	50	<0.5	<2	0.05	<0.5	<1	20	5	0.52	<10
STS180		0.24		<0.5	2.23	<5	100	<0.5	<2	0.09	<0.5	<1	26	6	0.36	10
STS181		0.15		<0.5	4.06	<5	170	0.8	2	0.15	<0.5	1	43	6	0.42	10
STS182		0.14		0.5	3.43	<5	120	0.7	2	0.03	<0.5	1	47	10	0.52	10
STS183		0.30		<0.5	2.20	<5	90	0.5	<2	0.02	<0.5	1	29	9	0.43	10
STS184		0.35		<0.5	2.08	<5	80	<0.5	<2	0.01	<0.5	1	22	4	0.40	10
STS185		0.38		<0.5	5.31	<5	180	1.1	<2	0.01	<0.5	1	45	6	1.45	20
STS186		0.20		<0.5	7.11	26	300	8.5	2	0.21	<0.5	73	88	36	2.28	20
STS187		0.13		<0.5	7.87	10	240	1.8	<2	0.04	<0.5	3	81	34	2.28	20
STS188		0.20		<0.5	4.49	<5	180	0.8	3	0.01	<0.5	1	36	7	0.79	10
STS189		0.23		<0.5	6.57	<5	300	1.2	<2	0.01	<0.5	1	49	4	0.83	20
STS190		0.26		<0.5	1.68	<5	90	<0.5	<2	0.04	<0.5	<1	24	7	0.49	10
STS191		0.14		<0.5	4.79	<5	60	0.7	<2	0.08	<0.5	3	130	34	3.35	10
STS192		0.18		<0.5	0.35	<5	10	<0.5	<2	0.07	<0.5	1	10	14	1.75	<10
STS192S1		0.02		1.7	8.73	828	260	6.7	335	2.26	1.1	23	93	2470	14.95	30
STS193		0.16		<0.5	0.83	<5	50	<0.5	<2	0.15	<0.5	2	54	15	0.59	<10
STS194		0.27		<0.5	0.87	<5	40	<0.5	<2	0.04	<0.5	1	58	13	0.63	<10
STS195		0.18		<0.5	1.65	<5	50	<0.5	<2	0.03	<0.5	3	63	19	0.99	10
STS196		0.22		<0.5	0.80	<5	40	<0.5	<2	0.02	<0.5	2	40	13	0.63	<10
STS197		0.25		<0.5	1.67	<5	60	<0.5	<2	0.02	<0.5	3	54	18	1.08	10
STS198		0.16		<0.5	1.36	5	50	<0.5	<2	0.04	<0.5	1	55	14	1.90	10
STS199		0.22		<0.5	1.69	6	60	<0.5	2	0.03	<0.5	1	55	17	1.68	<10
STS200		0.31		<0.5	0.63	<5	40	<0.5	<2	0.02	<0.5	1	18	4	0.47	<10
STS201		0.27		<0.5	0.65	<5	40	<0.5	2	0.02	<0.5	<1	17	4	0.43	<10
STS202		0.15		<0.5	2.38	<5	110	0.5	<2	0.02	<0.5	1	25	4	0.55	10
STS203		0.27		<0.5	1.30	<5	50	<0.5	<2	0.02	<0.5	1	28	3	0.45	<10
STS204		0.23		<0.5	3.93	<5	170	0.8	<2	0.01	<0.5	1	33	5	0.65	10
STS205		0.24		<0.5	2.44	<5	110	0.5	<2	0.05	<0.5	<1	27	5	0.40	10
STS206		0.22		<0.5	3.06	<5	130	0.6	3	0.03	<0.5	<1	34	5	0.47	10
STS207		0.16		<0.5	1.33	<5	70	<0.5	<2	0.12	<0.5	<1	16	5	0.27	10



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 2 - B

Total # Pages: 4 (A - E)

Plus Appendix Pages

Finalized Date: 29-MAY-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21113786

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
		%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
STS169		1.81	30	0.36	130	5	0.04	11	280	14	0.03	<5	13	15	<20
STS170		1.16	30	0.30	40	3	0.03	5	260	20	0.03	<5	6	16	<20
STS171		0.77	30	0.22	41	1	0.02	2	230	24	0.03	<5	5	14	<20
STS172		0.29	20	0.10	34	1	0.02	3	240	18	0.04	<5	3	15	<20
STS173		0.08	10	0.06	51	<1	0.03	2	180	10	0.05	<5	2	21	<20
STS174		2.03	40	0.33	23	1	0.05	3	160	8	0.02	5	8	26	<20
STS175		1.95	40	0.32	20	<1	0.05	2	170	11	0.03	<5	7	24	<20
STS176		0.32	40	0.07	29	<1	0.02	1	100	6	0.01	<5	2	12	<20
STS177		0.41	10	0.09	33	<1	0.03	3	100	15	0.02	<5	2	12	<20
STS178		0.40	20	0.16	25	<1	0.04	<1	300	10	0.10	<5	2	58	<20
STS179		0.48	30	0.12	30	<1	0.04	2	180	10	0.05	<5	2	25	<20
STS180		0.91	30	0.17	25	<1	0.05	3	170	10	0.04	<5	4	30	<20
STS181		1.94	40	0.45	19	<1	0.06	4	320	19	0.07	<5	5	67	<20
STS182		1.51	40	0.34	20	1	0.04	2	230	25	0.05	<5	6	23	<20
STS183		0.83	60	0.20	24	1	0.03	3	170	7	0.02	<5	3	14	<20
STS184		0.78	50	0.17	28	<1	0.02	4	110	9	0.01	<5	3	13	<20
STS185		1.97	60	0.45	16	1	0.04	6	150	18	0.01	<5	7	17	<20
STS186		3.16	100	0.64	40	<1	0.20	89	420	68	1.32	<5	12	47	20
STS187		3.13	50	0.67	59	2	0.04	11	370	34	0.03	5	12	16	20
STS188		1.90	40	0.37	21	1	0.04	4	220	20	0.03	<5	7	15	<20
STS189		2.80	50	0.42	20	1	0.06	3	190	11	0.02	<5	10	21	<20
STS190		0.62	40	0.12	34	<1	0.03	2	180	10	0.03	<5	4	21	<20
STS191		1.10	20	0.35	30	1	0.03	32	570	14	0.09	<5	10	24	<20
STS192		0.04	<10	0.09	36	<1	0.03	3	220	10	0.07	<5	2	19	<20
STS192S1		0.57	70	0.44	897	2	0.39	50	470	59	0.04	14	19	115	20
STS193		0.30	30	0.11	79	1	0.03	4	260	17	0.06	<5	3	24	<20
STS194		0.31	20	0.11	47	1	0.02	3	150	12	0.03	<5	3	13	<20
STS195		0.34	40	0.15	74	1	0.02	7	170	9	0.02	<5	4	11	<20
STS196		0.24	30	0.09	59	1	0.02	3	170	12	0.03	<5	2	9	<20
STS197		0.42	30	0.16	84	1	0.03	6	190	14	0.03	<5	4	9	<20
STS198		0.34	40	0.13	57	2	0.02	5	270	22	0.04	<5	4	14	<20
STS199		0.48	30	0.17	59	4	0.02	5	190	27	0.02	<5	4	10	<20
STS200		0.23	20	0.05	46	<1	0.02	2	80	4	0.02	<5	2	15	<20
STS201		0.25	20	0.05	42	<1	0.02	1	80	5	0.02	<5	2	15	<20
STS202		1.01	20	0.16	39	<1	0.03	2	160	9	0.04	<5	4	21	<20
STS203		0.55	20	0.09	41	1	0.02	3	100	5	0.01	5	2	12	<20
STS204		1.75	30	0.29	24	<1	0.04	1	280	13	0.04	<5	6	26	<20
STS205		1.02	30	0.18	22	<1	0.03	1	230	8	0.04	<5	4	29	<20
STS206		1.27	30	0.23	20	<1	0.04	1	330	16	0.08	<5	5	26	<20
STS207		0.58	20	0.16	15	<1	0.05	<1	340	19	0.17	<5	2	33	<20



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 2 - C

Total # Pages: 4 (A - E)

Plus Appendix Pages

Finalized Date: 29-MAY-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21113786

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ti	U	V	W	Zn	Ba	Ce	Cr	Cs	Dy	Er	Eu	Ga	Gd
		ppm 10	ppm 10	ppm 1	ppm 10	ppm 2	ppm 0.5	ppm 0.1	ppm 10	ppm 0.01	ppm 0.05	ppm 0.03	ppm 0.02	ppm 0.1	ppm 0.05
STS169		<10	<10	157	<10	17	258	61.6	290	6.48	3.65	2.16	0.80	12.5	3.80
STS170		<10	<10	72	<10	12	121.0	54.2	60	6.99	3.44	2.11	0.71	10.0	3.25
STS171		<10	<10	53	<10	10	73.7	55.8	40	2.81	2.89	1.59	0.82	7.9	3.28
STS172		<10	<10	39	<10	9	40.0	42.8	20	1.52	2.15	1.17	0.66	3.8	2.60
STS173		<10	<10	22	<10	11	19.8	26.6	70	0.43	1.80	1.16	0.46	1.3	1.61
STS174		<10	<10	70	<10	8	191.5	91.3	50	10.60	5.27	3.51	0.94	16.6	4.63
STS175		<10	<10	65	<10	8	183.5	85.6	40	10.00	4.62	2.97	0.87	16.0	4.30
STS176		<10	<10	12	<10	4	44.4	77.2	30	2.54	4.47	3.18	0.79	3.5	4.30
STS177		<10	<10	16	<10	3	43.4	26.4	30	1.84	3.27	2.26	0.39	3.8	2.33
STS178		<10	<10	12	<10	11	45.1	38.9	20	1.66	2.89	1.81	0.45	3.2	2.31
STS179		<10	<10	18	<10	6	50.3	55.8	20	2.50	3.81	2.44	0.55	4.3	3.06
STS180		<10	<10	25	<10	6	89.3	58.1	30	4.47	4.17	2.71	0.60	7.7	3.35
STS181		<10	<10	35	<10	14	152.0	79.1	40	9.26	4.37	2.61	1.11	12.8	5.20
STS182		<10	<10	35	<10	7	108.5	77.1	50	7.19	3.88	2.50	0.86	9.9	4.11
STS183		<10	<10	22	<10	6	89.4	109.5	30	6.65	4.07	3.04	0.87	8.8	4.63
STS184		<10	<10	24	<10	5	83.6	102.5	40	5.15	4.55	2.89	1.00	7.8	4.93
STS185		<10	<10	54	<10	10	133.5	96.7	50	10.05	4.36	2.76	0.83	13.0	4.29
STS186		<10	<10	48	<10	129	280	194.5	110	28.0	11.20	6.58	1.84	21.9	12.40
STS187		<10	<10	65	<10	24	226	119.5	100	16.55	5.77	3.90	1.08	21.0	5.65
STS188		<10	<10	48	<10	8	174.5	97.3	40	10.95	5.07	3.37	1.00	15.1	4.77
STS189		<10	<10	72	<10	10	284	103.5	60	16.30	5.51	3.69	1.05	21.5	4.91
STS190		<10	<10	22	<10	8	82.7	90.8	40	4.00	5.13	3.24	0.90	6.8	4.71
STS191		<10	<10	109	<10	18	58.4	49.2	140	6.55	2.94	2.14	0.78	14.2	2.70
STS192		<10	<10	21	<10	17	7.7	3.5	10	0.20	0.44	0.32	0.04	1.8	0.28
STS192S1		<10	<10	157	40	3550	238	115.5	110	8.86	11.80	7.09	2.89	27.9	11.75
STS193		<10	<10	29	<10	25	46.3	57.0	80	2.81	2.78	1.73	0.86	3.4	3.26
STS194		<10	<10	31	<10	8	36.2	39.5	80	2.94	2.32	1.65	0.54	3.7	2.28
STS195		<10	<10	46	<10	40	44.5	72.8	110	4.42	3.11	1.93	1.01	6.3	3.50
STS196		<10	<10	26	<10	22	38.1	56.0	70	2.36	2.44	1.62	0.68	3.7	2.62
STS197		<10	<10	47	<10	39	59.3	63.6	90	4.95	2.79	1.67	0.96	6.2	3.15
STS198		<10	<10	54	<10	12	53.5	86.6	90	4.26	3.39	2.17	1.09	5.4	3.86
STS199		<10	<10	53	<10	18	58.2	64.9	90	4.33	2.51	1.65	0.93	5.8	3.05
STS200		<10	<10	9	<10	4	38.8	37.9	40	1.31	3.49	2.40	0.49	2.2	2.61
STS201		<10	<10	9	<10	3	41.1	38.1	30	1.37	3.58	2.24	0.52	2.3	2.58
STS202		<10	<10	26	<10	7	108.5	51.3	40	5.46	3.62	2.22	0.58	7.2	2.80
STS203		<10	<10	30	<10	7	56.5	49.7	60	1.59	2.34	1.46	0.54	4.2	2.22
STS204		<10	<10	46	<10	8	179.5	79.2	50	8.08	4.30	2.95	0.83	12.2	3.56
STS205		<10	<10	31	<10	6	109.0	69.2	40	5.58	4.44	2.92	0.79	8.0	3.50
STS206		<10	<10	37	<10	7	143.5	68.7	50	7.36	3.87	2.68	0.73	10.6	3.39
STS207		<10	<10	15	<10	12	77.5	36.3	30	2.74	1.73	1.19	0.30	4.1	1.40



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 2 - D

Total # Pages: 4 (A - E)

Plus Appendix Pages

Finalized Date: 29-MAY-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21113786

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ho	La	Lu	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tm
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.1	0.01	0.1	0.1	0.02	0.2	0.03	1	0.1	0.1	0.01	0.05	0.01
STS169		0.71	32.2	0.31	16.4	26.2	7.32	77.0	4.76	3	12.1	1.2	0.58	8.69	0.31
STS170		0.67	29.0	0.32	15.0	23.9	6.51	58.9	4.02	2	14.4	1.1	0.53	6.11	0.31
STS171		0.52	28.5	0.23	18.4	24.1	6.60	40.2	4.15	2	12.6	1.2	0.49	6.16	0.22
STS172		0.40	21.8	0.18	15.9	18.0	4.95	12.4	3.22	1	12.9	1.1	0.35	3.56	0.16
STS173		0.41	13.9	0.19	28.2	11.2	3.09	2.8	2.02	1	18.2	1.8	0.27	2.55	0.20
STS174		1.08	44.9	0.50	22.5	38.6	10.60	102.5	6.23	3	21.0	1.6	0.80	10.20	0.46
STS175		0.93	41.5	0.48	21.0	35.1	9.91	99.8	5.57	3	20.3	1.5	0.68	9.69	0.43
STS176		0.92	39.1	0.45	23.4	31.2	8.90	15.9	5.06	1	10.4	1.6	0.68	6.00	0.45
STS177		0.72	13.5	0.36	15.4	10.8	2.98	18.3	1.94	1	10.9	1.2	0.45	4.45	0.33
STS178		0.59	19.1	0.26	12.8	16.0	4.55	17.9	2.51	1	51.7	0.8	0.42	4.02	0.25
STS179		0.77	28.1	0.38	17.3	22.4	6.45	24.6	3.59	1	22.1	1.2	0.52	5.85	0.32
STS180		0.90	29.9	0.42	18.8	22.9	6.66	43.7	3.66	2	27.6	1.4	0.62	6.24	0.41
STS181		0.79	38.1	0.38	16.6	36.4	9.76	88.9	6.94	3	59.0	1.2	0.73	9.09	0.36
STS182		0.76	39.3	0.38	14.3	33.1	9.30	70.2	5.52	2	19.4	1.0	0.57	7.00	0.32
STS183		0.88	60.2	0.47	52.6	41.9	12.20	44.4	6.16	2	11.6	3.6	0.66	7.78	0.40
STS184		0.92	52.2	0.49	29.3	43.2	12.05	44.4	6.82	2	11.4	2.0	0.70	7.54	0.40
STS185		0.83	50.4	0.45	37.2	38.0	11.20	90.7	5.85	4	10.8	2.7	0.63	8.52	0.38
STS186		2.13	101.5	0.91	68.1	81.5	22.9	149.0	14.70	4	42.2	6.6	1.72	20.2	0.91
STS187		1.16	54.5	0.64	31.0	41.2	12.15	151.0	6.74	4	14.7	2.8	0.84	16.00	0.57
STS188		0.97	48.7	0.51	20.7	39.1	11.20	95.1	6.31	3	12.8	1.6	0.76	10.05	0.47
STS189		1.14	51.2	0.56	22.8	42.3	11.95	144.0	6.86	4	18.2	1.7	0.77	12.15	0.52
STS190		0.97	46.0	0.45	21.6	37.5	10.55	30.9	6.10	2	18.5	1.6	0.76	7.63	0.45
STS191		0.62	25.7	0.31	32.0	19.9	5.66	44.3	3.56	2	22.4	2.1	0.41	6.28	0.32
STS192		0.10	2.0	0.05	4.2	1.4	0.38	1.4	0.25	2	16.4	0.3	0.05	0.91	0.05
STS192S1		2.24	74.2	0.93	15.7	58.5	16.15	54.1	11.60	6240	101.5	1.3	1.82	20.6	0.97
STS193		0.54	29.8	0.27	45.3	23.3	6.60	11.7	3.83	2	21.5	3.0	0.46	4.40	0.24
STS194		0.50	21.0	0.25	33.6	16.0	4.55	11.9	2.83	1	10.3	2.2	0.35	3.77	0.23
STS195		0.63	38.9	0.29	75.8	28.6	8.30	14.9	4.52	1	9.6	4.9	0.50	5.28	0.27
STS196		0.54	28.5	0.27	37.1	21.8	6.19	10.1	3.75	1	8.2	2.3	0.40	4.42	0.25
STS197		0.57	32.7	0.26	62.4	25.1	6.94	17.6	4.36	2	8.3	3.7	0.46	4.90	0.30
STS198		0.74	43.8	0.32	34.7	33.3	9.64	18.5	5.66	2	13.0	2.2	0.59	5.88	0.33
STS199		0.56	33.1	0.24	34.4	26.5	7.27	26.5	4.41	2	9.6	2.1	0.46	5.00	0.24
STS200		0.76	18.0	0.39	17.2	15.5	4.25	12.2	2.80	1	14.3	1.2	0.51	4.48	0.36
STS201		0.75	18.2	0.36	16.7	15.2	4.26	13.1	2.55	1	14.2	1.2	0.50	4.44	0.36
STS202		0.81	24.8	0.37	15.6	20.8	5.81	52.6	3.44	2	19.7	1.1	0.52	6.15	0.40
STS203		0.52	24.4	0.24	19.6	19.4	5.48	22.2	3.00	2	11.0	1.3	0.37	4.73	0.24
STS204		0.97	37.8	0.48	20.9	32.8	8.81	94.2	5.25	3	25.4	1.5	0.63	9.73	0.47
STS205		1.03	33.2	0.47	22.4	28.0	7.79	52.8	4.45	2	27.7	1.5	0.67	8.71	0.45
STS206		0.91	33.4	0.45	20.0	28.0	7.69	68.3	4.47	2	25.8	1.4	0.59	9.15	0.43
STS207		0.41	17.8	0.21	11.0	13.6	4.10	30.4	2.07	2	32.5	0.7	0.25	3.79	0.19



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 2 – E

Total # Pages: 4 (A – E)

Plus Appendix Pages

Finalized Date: 29-MAY-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21113786

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	B-ICP69
		V	W	Y	Yb	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm
		5	1	0.1	0.03	2	10
STS169		164	6	19.5	2.07	144	60
STS170		83	13	18.6	2.10	279	50
STS171		68	3	14.0	1.64	210	40
STS172		45	3	10.3	1.24	175	30
STS173		24	2	11.1	1.34	218	10
STS174		76	4	29.7	3.41	314	80
STS175		74	3	26.7	3.13	292	80
STS176		17	3	27.0	2.96	458	30
STS177		19	3	20.8	2.23	359	30
STS178		17	2	17.0	1.96	224	20
STS179		25	3	22.1	2.39	344	30
STS180		30	3	25.4	2.68	322	40
STS181		43	2	20.8	2.60	241	50
STS182		41	3	21.5	2.48	239	70
STS183		28	5	25.8	3.22	432	40
STS184		29	4	27.0	3.23	475	40
STS185		48	3	24.5	2.87	304	70
STS186		58	3	61.0	6.05	519	110
STS187		80	3	33.5	4.07	337	110
STS188		56	3	29.2	3.47	332	70
STS189		85	3	32.2	3.98	314	110
STS190		29	3	29.7	3.04	320	30
STS191		129	2	17.1	2.18	208	20
STS192		27	<1	2.4	0.41	73	10
STS192S1		170	48	70.1	6.39	294	30
STS193		34	2	14.8	1.70	241	30
STS194		36	2	13.6	1.64	232	20
STS195		55	2	16.5	1.94	295	20
STS196		25	2	14.6	1.77	221	20
STS197		55	2	15.6	1.82	255	10
STS198		62	4	21.8	2.26	220	10
STS199		66	2	14.8	1.68	200	20
STS200		15	3	22.7	2.32	378	20
STS201		14	2	22.2	2.51	381	30
STS202		30	2	22.6	2.55	320	40
STS203		35	2	15.0	1.57	179	30
STS204		51	3	27.4	3.15	309	80
STS205		35	3	28.4	3.24	336	60
STS206		41	3	26.2	3.06	296	60
STS207		19	3	11.4	1.42	172	30



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 3 - A

Total # Pages: 4 (A - E)

Plus Appendix Pages

Finalized Date: 29-MAY-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21113786

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	ME-ICP61 Ag ppm	ME-ICP61 Al %	ME-ICP61 As ppm	ME-ICP61 Ba ppm	ME-ICP61 Be ppm	ME-ICP61 Bi ppm	ME-ICP61 Ca %	ME-ICP61 Cd ppm	ME-ICP61 Co ppm	ME-ICP61 Cr ppm	ME-ICP61 Cu ppm	ME-ICP61 Fe %	ME-ICP61 Ga ppm
		0.02	0.01	0.5	0.01	5	10	0.5	2	0.01	0.5	1	1	1	0.01	10
STS208		0.15		<0.5	2.91	<5	140	0.6	2	0.10	<0.5	1	36	9	0.52	10
STS209		0.14		<0.5	1.91	<5	110	<0.5	<2	0.10	<0.5	1	24	18	0.39	10
STS210		0.41		<0.5	1.30	<5	60	<0.5	<2	0.01	<0.5	<1	23	4	0.37	10
STS211		0.37		<0.5	1.01	<5	50	<0.5	<2	0.01	<0.5	1	21	5	0.39	<10
STS212		0.28		<0.5	4.04	<5	150	0.7	<2	0.01	<0.5	<1	80	10	0.54	10
STS213		0.38		<0.5	2.57	<5	100	0.5	2	0.01	<0.5	1	31	3	0.44	10
STS214		0.32		<0.5	1.83	<5	70	<0.5	<2	0.01	<0.5	1	25	5	0.53	10
STS215		0.26		<0.5	2.52	<5	100	0.6	<2	0.02	<0.5	<1	35	5	0.52	10
STS216		0.35		<0.5	2.16	<5	80	0.5	<2	0.02	<0.5	<1	26	4	0.53	10
STS217		0.35		<0.5	6.95	6	280	1.6	<2	0.01	<0.5	<1	80	5	1.60	20
STS217S1		0.02		1.4	8.22	813	250	6.5	332	2.19	1.2	22	94	2450	14.70	30
STS218		0.24	99.0	<0.5	6.30	17	260	1.4	<2	0.01	<0.5	<1	67	8	1.59	20
STS219		0.31		<0.5	3.73	<5	160	0.8	<2	0.01	<0.5	<1	42	6	0.63	10
STS220		0.32		<0.5	7.11	<5	300	1.5	2	0.01	<0.5	<1	65	3	1.01	20
STS221		0.24		<0.5	1.13	<5	60	<0.5	2	0.08	<0.5	1	15	4	0.32	<10
STS222		0.10		<0.5	0.45	<5	30	<0.5	<2	0.14	<0.5	<1	8	4	0.40	<10
STS223		0.23		<0.5	2.48	<5	130	0.6	<2	0.01	<0.5	<1	20	3	0.39	10
STS224		0.27		<0.5	4.14	<5	190	0.9	<2	0.04	<0.5	<1	37	3	0.58	10
STS225		0.18		<0.5	2.75	<5	130	0.6	<2	0.01	<0.5	<1	23	3	0.46	10
STS226		0.25		<0.5	2.79	<5	140	0.6	<2	0.01	<0.5	<1	26	3	0.40	10
STS227		0.25		<0.5	2.76	<5	140	0.6	2	0.01	<0.5	1	26	3	0.38	10
STS228		0.39		<0.5	3.95	20	110	0.7	2	0.02	<0.5	7	192	46	7.74	10
STS229		0.25		<0.5	7.53	9	200	1.2	<2	0.01	<0.5	35	93	50	7.00	20
STS230		0.25		<0.5	6.42	6	110	0.9	5	0.03	<0.5	15	125	53	7.15	20
STS231		0.19		<0.5	5.65	9	120	0.9	<2	0.02	<0.5	6	120	42	6.01	20
STS232		0.21		<0.5	5.63	<5	100	0.9	<2	0.01	<0.5	13	113	41	6.05	20
STS233		0.23		<0.5	5.12	8	170	1.1	<2	0.01	<0.5	10	116	41	5.49	20
STS234		0.24		<0.5	6.86	12	90	1.2	<2	0.02	<0.5	17	125	66	8.95	20
STS235		0.19		<0.5	3.78	21	100	0.6	<2	0.02	<0.5	3	123	34	6.94	10
STS236		0.27		<0.5	3.86	20	120	0.6	<2	0.01	<0.5	2	89	24	5.82	10
STS237		0.19		<0.5	4.38	19	160	0.7	<2	0.01	<0.5	2	85	25	4.91	10
STS238		0.30		<0.5	2.88	9	130	<0.5	<2	0.01	<0.5	1	54	12	2.64	10
STS239		0.26		<0.5	1.60	<5	130	<0.5	<2	0.02	<0.5	1	35	9	2.24	10
STS239S1		0.02		1.5	8.51	832	260	6.5	333	2.24	1.1	22	93	2440	14.70	30
STS240		0.13		<0.5	0.58	11	50	<0.5	<2	0.06	<0.5	<1	24	12	2.81	<10
STS241		0.21		<0.5	1.00	6	50	<0.5	<2	0.03	<0.5	1	40	13	1.32	<10
STS242		0.21		<0.5	3.13	10	100	<0.5	2	0.01	<0.5	2	98	15	2.95	10
STS243		0.34		<0.5	3.23	6	100	0.5	<2	0.02	<0.5	1	99	10	1.92	10
STS244		0.26		<0.5	5.78	<5	310	1.6	2	0.02	<0.5	6	80	11	2.80	20
STS245		0.29		<0.5	3.10	<5	110	0.5	<2	0.01	<0.5	2	116	9	0.90	10



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 3 - B

Total # Pages: 4 (A - E)

Plus Appendix Pages

Finalized Date: 29-MAY-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21113786

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
		%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
STS208		1.24	30	0.32	24	<1	0.05	3	270	17	0.06	<5	5	49	<20
STS209		0.87	20	0.21	24	<1	0.06	1	260	16	0.09	<5	4	43	<20
STS210		0.53	40	0.09	33	<1	0.02	3	130	8	0.01	5	2	25	<20
STS211		0.38	40	0.08	36	<1	0.02	3	130	11	0.02	<5	2	19	<20
STS212		1.65	50	0.32	29	2	0.04	4	160	28	0.03	<5	7	22	<20
STS213		1.13	40	0.22	29	<1	0.03	2	120	53	0.01	<5	4	17	<20
STS214		0.74	20	0.15	43	1	0.02	2	110	36	0.02	<5	3	13	<20
STS215		1.05	40	0.22	31	1	0.02	3	190	19	0.02	7	4	15	<20
STS216		0.86	30	0.17	40	<1	0.02	3	120	18	0.02	<5	3	11	<20
STS217		2.94	50	0.53	26	1	0.05	4	250	29	0.01	<5	10	18	20
STS217S1		0.54	40	0.41	875	2	0.38	50	480	53	0.04	17	17	110	20
STS218		2.77	60	0.50	19	2	0.05	3	270	36	0.02	6	10	33	<20
STS219		1.44	50	0.27	25	<1	0.04	2	190	9	0.01	<5	7	35	<20
STS220		3.35	40	0.53	21	1	0.05	3	190	23	0.01	<5	12	39	<20
STS221		0.43	20	0.09	21	<1	0.02	1	120	8	0.03	<5	2	25	<20
STS222		0.19	10	0.10	39	<1	0.04	1	160	6	0.08	<5	1	34	<20
STS223		0.99	20	0.12	30	<1	0.03	3	100	5	0.01	<5	4	22	<20
STS224		1.86	30	0.27	37	<1	0.04	2	180	11	0.03	<5	7	33	<20
STS225		1.11	30	0.17	35	<1	0.03	1	140	8	0.02	<5	4	24	<20
STS226		1.17	30	0.17	28	<1	0.03	2	140	6	0.04	<5	5	27	<20
STS227		1.18	30	0.17	26	<1	0.03	<1	120	8	0.03	<5	5	27	<20
STS228		0.72	30	0.20	181	1	0.05	12	270	17	0.03	5	14	18	<20
STS229		1.23	30	0.40	2090	1	0.03	18	450	23	0.03	<5	17	16	<20
STS230		0.80	30	0.41	1970	1	0.05	27	390	30	0.03	<5	20	17	<20
STS231		0.84	30	0.27	330	1	0.03	17	360	31	0.02	<5	16	21	<20
STS232		0.72	30	0.25	737	1	0.03	22	500	23	0.03	<5	22	18	<20
STS233		1.02	30	0.34	580	1	0.06	27	400	35	0.03	<5	15	20	<20
STS234		0.61	30	0.34	140	2	0.14	78	620	20	0.02	<5	21	18	<20
STS235		0.70	30	0.19	59	2	0.05	10	380	27	0.03	5	12	19	<20
STS236		1.06	30	0.23	44	3	0.03	10	350	28	0.03	<5	10	15	<20
STS237		1.32	30	0.31	31	3	0.03	6	310	32	0.03	<5	11	18	<20
STS238		1.06	40	0.25	34	4	0.03	4	190	37	0.02	6	6	14	<20
STS239		0.55	30	0.15	44	2	0.03	1	190	10	0.03	<5	4	18	<20
STS239S1		0.55	60	0.43	877	2	0.38	51	470	56	0.04	20	18	112	20
STS240		0.18	20	0.07	42	1	0.03	1	180	10	0.05	<5	2	24	<20
STS241		0.24	40	0.08	32	1	0.03	3	200	15	0.03	<5	4	19	<20
STS242		0.60	40	0.19	37	2	0.03	8	170	21	0.02	<5	10	20	<20
STS243		0.78	40	0.20	38	1	0.02	12	140	16	0.01	<5	9	19	<20
STS244		2.41	30	0.81	52	<1	0.04	24	250	12	0.02	<5	11	18	<20
STS245		1.10	30	0.31	35	1	0.02	16	170	25	0.02	<5	7	11	<20



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 3 - C

Total # Pages: 4 (A - E)

Plus Appendix Pages

Finalized Date: 29-MAY-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21113786

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ti	U	V	W	Zn	Ba	Ce	Cr	Cs	Dy	Er	Eu	Ga	Gd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2	0.5	0.1	10	0.01	0.05	0.03	0.02	0.1	0.05
STS208		<10	<10	28	<10	12	141.5	62.5	50	11.90	2.92	2.20	0.56	9.3	2.37
STS209		<10	<10	21	<10	13	101.0	47.9	30	3.32	2.88	1.85	0.39	5.7	2.06
STS210		<10	<10	18	<10	4	65.6	91.9	40	2.97	3.52	2.62	0.70	5.0	2.85
STS211		<10	<10	14	<10	5	45.6	72.6	40	2.47	3.40	2.62	0.59	3.6	2.78
STS212		<10	<10	38	<10	7	139.0	109.5	90	6.48	5.48	3.18	1.45	10.8	5.88
STS213		<10	<10	25	<10	6	100.0	80.3	50	4.57	4.34	2.68	0.94	7.7	3.90
STS214		<10	<10	18	<10	6	66.1	53.4	50	3.17	3.22	2.15	0.62	5.4	2.91
STS215		<10	<10	26	<10	7	98.3	97.0	50	4.42	4.86	3.15	1.05	8.2	5.19
STS216		<10	<10	20	<10	6	84.8	60.0	50	3.45	3.43	2.03	0.79	6.1	3.67
STS217		<10	<10	88	<10	10	281	118.0	110	11.55	5.11	3.06	1.12	21.1	5.66
STS217S1		<10	<10	154	40	3480	261	122.0	120	9.03	10.55	6.34	3.10	26.7	11.05
STS218		<10	<10	99	<10	10	266	139.0	90	14.50	5.06	3.31	1.12	20.7	4.99
STS219		<10	<10	48	<10	6	160.0	108.0	50	7.51	4.09	2.53	0.89	12.7	3.35
STS220		<10	<10	95	<10	9	323	103.0	90	12.05	5.35	3.43	1.22	21.0	4.95
STS221		<10	<10	18	<10	5	57.4	53.4	30	2.24	3.30	2.23	0.53	3.7	2.62
STS222		<10	<10	9	<10	8	26.7	28.7	20	0.71	1.65	1.07	0.33	1.4	1.65
STS223		<10	<10	25	<10	5	136.5	55.8	40	3.87	4.45	2.83	0.71	7.3	3.45
STS224		<10	<10	48	<10	8	192.5	67.5	60	6.80	3.82	2.49	0.74	11.6	3.35
STS225		<10	<10	29	<10	6	134.0	59.6	40	5.01	3.22	2.05	0.59	8.6	2.66
STS226		<10	<10	32	<10	7	145.5	71.2	40	4.91	3.85	2.52	0.78	8.9	3.51
STS227		<10	<10	31	<10	7	144.5	67.5	40	4.84	3.67	2.30	0.65	8.7	3.06
STS228		<10	<10	171	<10	27	113.5	75.9	250	3.43	4.62	2.56	1.38	10.9	5.13
STS229		<10	<10	170	<10	40	201	59.9	120	10.80	4.51	3.07	1.03	25.2	4.45
STS230		<10	<10	204	<10	64	113.0	64.9	150	10.20	5.55	3.62	1.33	21.8	5.24
STS231		<10	<10	163	<10	36	123.5	66.6	150	8.30	4.56	2.76	1.28	19.4	4.82
STS232		<10	<10	200	<10	37	104.0	67.3	140	8.13	4.97	3.37	1.38	20.0	5.15
STS233		<10	<10	135	<10	57	176.5	65.0	150	8.51	4.32	2.57	1.23	17.1	4.64
STS234		<10	<10	169	<10	67	86.7	72.2	150	4.96	4.51	2.49	1.25	20.4	4.79
STS235		<10	<10	140	<10	19	103.5	75.3	160	4.83	4.03	2.44	1.28	11.8	4.76
STS236		<10	<10	115	<10	15	118.5	68.0	110	4.90	3.53	2.17	0.91	11.4	3.87
STS237		<10	<10	130	<10	15	161.5	69.0	110	5.32	3.79	2.35	1.02	14.3	4.37
STS238		<10	<10	94	<10	8	136.5	83.6	70	3.59	4.01	2.37	1.16	10.0	5.02
STS239		<10	<10	60	<10	9	132.5	67.0	50	3.12	3.34	2.02	0.91	6.3	3.99
STS239S1		<10	<10	154	40	3480	262	119.0	120	9.04	11.55	7.14	2.95	29.2	11.70
STS240		<10	<10	52	<10	10	47.9	47.2	50	0.89	2.49	1.46	0.60	2.9	2.66
STS241		<10	<10	53	<10	8	51.7	83.4	70	1.10	3.97	2.08	1.31	4.6	5.30
STS242		<10	<10	119	<10	10	98.4	86.0	140	3.72	4.24	2.21	1.50	10.8	5.73
STS243		<10	<10	102	<10	8	107.5	80.7	140	3.93	4.18	2.36	1.38	10.6	5.46
STS244		<10	<10	107	<10	39	322	76.2	110	8.84	5.54	3.35	1.36	17.6	6.34
STS245		<10	<10	97	<10	13	105.5	53.8	180	5.17	2.26	1.39	0.75	10.3	2.66



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 3 - D

Total # Pages: 4 (A - E)

Plus Appendix Pages

Finalized Date: 29-MAY-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21113786

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ho	La	Lu	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tm	U
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.1	0.01	0.1	0.1	0.02	0.2	0.03	1	0.1	0.1	0.01	0.05	0.01	0.05
STS208		0.71	30.8	0.39	18.8	23.2	6.89	68.8	3.29	2	46.4	1.2	0.42	6.51	0.38	2.28
STS209		0.64	23.1	0.30	15.9	19.0	5.44	39.2	2.31	2	38.6	0.7	0.39	5.55	0.30	1.77
STS210		0.84	45.5	0.49	28.8	35.3	10.45	29.6	4.36	2	23.5	2.0	0.49	7.61	0.42	2.38
STS211		0.82	35.4	0.46	25.6	28.0	8.24	20.5	3.71	2	16.1	1.7	0.49	6.26	0.41	2.43
STS212		1.12	54.1	0.49	20.3	51.9	13.75	88.3	8.73	3	18.1	1.4	0.85	9.76	0.52	2.91
STS213		0.90	38.6	0.47	17.2	34.0	9.19	59.0	5.65	2	15.4	1.2	0.70	7.07	0.42	2.42
STS214		0.66	25.6	0.34	12.8	23.0	6.29	41.0	4.05	2	11.3	0.9	0.51	5.35	0.32	2.06
STS215		1.08	47.7	0.48	28.1	40.8	11.30	58.0	6.96	2	13.7	1.9	0.79	8.09	0.47	2.72
STS216		0.73	28.9	0.35	14.8	26.3	7.11	49.0	5.17	2	10.2	1.1	0.59	6.10	0.36	2.13
STS217		1.08	56.1	0.49	43.7	46.2	13.10	155.5	7.89	4	15.4	3.1	0.80	13.20	0.51	3.55
STS217S1		2.31	75.7	0.95	16.1	61.8	16.45	59.7	12.25	6200	106.5	1.2	1.72	21.3	0.98	6.43
STS218		1.13	66.5	0.55	45.1	53.2	15.25	155.5	7.91	5	29.9	3.0	0.77	12.65	0.51	3.60
STS219		0.87	51.4	0.43	38.2	42.4	12.15	74.8	6.11	3	32.5	2.6	0.58	9.16	0.40	2.58
STS220		1.16	48.6	0.56	21.4	43.2	11.90	174.0	6.51	4	38.9	1.4	0.82	12.65	0.55	3.50
STS221		0.76	25.7	0.34	20.3	21.7	5.93	23.5	3.32	1	23.3	1.4	0.50	5.52	0.33	1.94
STS222		0.40	14.0	0.19	12.9	12.0	3.28	9.6	2.15	1	31.9	0.7	0.28	2.82	0.17	1.00
STS223		0.98	26.4	0.45	20.0	23.3	6.37	54.6	4.13	2	20.8	1.4	0.69	7.37	0.43	2.25
STS224		0.85	31.7	0.38	18.6	28.0	7.64	99.1	5.10	3	30.7	1.3	0.58	8.19	0.41	2.40
STS225		0.70	28.7	0.32	23.9	24.1	6.72	65.5	3.90	2	23.2	1.6	0.45	6.73	0.32	1.86
STS226		0.87	33.8	0.38	27.0	29.4	8.03	66.8	4.69	2	26.6	1.9	0.62	8.32	0.40	2.12
STS227		0.82	32.1	0.36	26.0	27.4	7.47	65.6	4.59	2	25.5	1.8	0.56	7.67	0.38	1.99
STS228		0.91	36.7	0.38	33.7	33.6	8.83	49.0	6.49	3	16.1	2.2	0.78	9.36	0.40	2.60
STS229		1.02	29.5	0.47	21.9	25.6	6.80	90.4	4.82	5	14.9	1.6	0.76	14.35	0.45	2.92
STS230		1.18	30.1	0.54	29.3	29.1	7.35	68.0	5.81	4	15.4	2.0	0.86	10.00	0.54	2.51
STS231		0.96	32.0	0.41	32.0	29.4	7.52	61.7	5.60	4	19.8	2.2	0.72	10.20	0.40	2.40
STS232		1.06	32.0	0.48	31.9	30.4	7.73	57.7	6.00	4	15.8	2.2	0.85	8.70	0.48	2.20
STS233		0.84	31.2	0.40	27.3	29.5	7.50	71.4	5.86	4	18.2	1.8	0.73	10.80	0.36	2.26
STS234		0.86	34.0	0.41	23.2	31.9	8.30	34.4	6.03	3	16.5	1.6	0.77	13.05	0.39	2.42
STS235		0.77	36.9	0.32	29.1	33.8	8.69	44.6	6.01	3	17.9	1.9	0.71	8.02	0.33	2.01
STS236		0.67	34.5	0.31	22.3	29.9	7.92	59.6	5.17	3	14.0	1.5	0.61	7.08	0.31	1.91
STS237		0.79	36.2	0.33	22.6	31.2	8.21	69.5	5.35	3	16.0	1.6	0.64	8.85	0.32	2.54
STS238		0.80	44.9	0.36	22.1	38.8	10.20	60.6	6.73	3	13.4	1.6	0.76	7.52	0.34	2.79
STS239		0.67	34.4	0.31	21.9	28.7	7.76	34.5	4.76	2	16.5	1.5	0.58	5.94	0.27	1.64
STS239S1		2.41	76.3	0.93	16.5	62.9	16.65	58.0	12.05	6260	108.0	1.3	1.94	23.1	0.95	6.38
STS240		0.50	24.3	0.20	17.2	19.9	5.39	7.8	3.39	2	22.9	1.2	0.42	4.13	0.22	1.20
STS241		0.71	41.7	0.27	27.4	37.9	9.70	12.3	6.48	2	17.4	1.9	0.74	5.81	0.28	1.63
STS242		0.78	41.7	0.34	32.7	38.8	9.98	41.9	7.48	3	18.6	2.2	0.83	7.71	0.32	1.95
STS243		0.78	39.0	0.33	29.1	36.4	9.22	47.4	6.56	3	17.5	2.0	0.76	7.98	0.34	1.97
STS244		1.11	35.0	0.42	14.8	34.7	8.50	113.5	7.03	4	16.6	1.2	1.00	11.75	0.45	1.64
STS245		0.47	26.8	0.22	18.8	21.9	6.01	55.0	3.79	2	8.8	1.3	0.40	5.42	0.19	1.47



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 3 – E

Total # Pages: 4 (A – E)

Plus Appendix Pages

Finalized Date: 29-MAY-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21113786

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	B-ICP69
		V	W	Y	Yb	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm
		5	1	0.1	0.03	2	10
STS208		33	2	20.6	2.71	297	50
STS209		22	2	18.0	2.13	255	30
STS210		24	3	24.3	3.20	482	40
STS211		19	3	24.4	3.07	520	30
STS212		43	4	32.6	3.24	328	50
STS213		30	3	26.7	2.98	421	50
STS214		21	2	19.8	2.26	380	40
STS215		29	3	30.5	3.33	388	30
STS216		24	2	21.5	2.39	319	40
STS217		89	3	28.7	3.46	295	110
STS217S1		154	47	70.1	6.13	289	10
STS218		102	4	32.2	3.51	277	110
STS219		53	4	25.8	2.89	261	70
STS220		105	3	33.5	3.60	250	120
STS221		22	2	21.5	2.38	345	30
STS222		13	1	11.5	1.23	209	10
STS223		32	2	27.9	2.96	344	60
STS224		52	3	23.9	2.71	236	80
STS225		38	3	20.2	2.23	248	60
STS226		36	3	24.1	2.58	247	60
STS227		36	3	22.4	2.45	238	50
STS228		168	4	24.1	2.75	255	30
STS229		181	5	25.4	3.20	213	40
STS230		221	4	30.9	3.74	249	30
STS231		185	5	23.7	2.70	227	30
STS232		219	4	26.7	3.17	253	30
STS233		150	4	21.9	2.38	199	40
STS234		177	3	21.6	2.57	207	30
STS235		153	4	19.9	2.12	208	40
STS236		127	3	18.6	2.08	169	60
STS237		142	3	20.4	2.20	206	60
STS238		110	4	22.0	2.24	198	50
STS239		71	4	17.6	1.83	196	40
STS239S1		168	54	72.4	6.38	303	40
STS240		63	3	13.3	1.43	169	20
STS241		62	3	19.1	1.83	177	30
STS242		128	3	20.6	2.08	223	40
STS243		110	4	19.7	2.08	236	40
STS244		117	2	32.9	2.84	151	70
STS245		96	2	11.9	1.39	162	40



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: MT LINDSAY

Page: 4 - A
Total # Pages: 4 (A - E)
Plus Appendix Pages
Finalized Date: 29-MAY-2021
Account: VENMIN

CERTIFICATE OF ANALYSIS PH21113786

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass7Sum % 0.01	ME-ICP61 Ag ppm 0.5	ME-ICP61 Al % 0.01	ME-ICP61 As ppm 5	ME-ICP61 Ba ppm 10	ME-ICP61 Be ppm 0.5	ME-ICP61 Bi ppm 2	ME-ICP61 Ca % 0.01	ME-ICP61 Cd ppm 0.5	ME-ICP61 Co ppm 1	ME-ICP61 Cr ppm 1	ME-ICP61 Cu ppm 1	ME-ICP61 Fe % 0.01	ME-ICP61 Ga ppm 10
STS246		0.19		<0.5	0.18	<5	20	<0.5	<2	0.01	<0.5	1	19	3	0.51	<10
STS247		0.29		<0.5	0.09	<5	10	<0.5	<2	0.01	<0.5	<1	14	4	0.45	<10
STS248		0.26		<0.5	0.93	5	20	<0.5	<2	0.01	<0.5	<1	23	5	1.33	<10
STS249		0.23		<0.5	1.37	<5	40	<0.5	<2	0.03	<0.5	1	38	5	0.57	<10
STS250		0.19		<0.5	0.80	<5	40	<0.5	<2	0.02	<0.5	1	26	4	0.44	<10
STS251		0.21		<0.5	1.49	<5	80	<0.5	2	0.01	<0.5	<1	20	4	0.34	10
STS252		0.21		<0.5	2.51	<5	120	0.5	2	0.01	<0.5	1	28	3	0.45	10



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 4 - B

Total # Pages: 4 (A - E)

Plus Appendix Pages

Finalized Date: 29-MAY-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21113786

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61
		K	La	Mg	Mn	Mo	Na	Ni	P	Pb	S	Sb	Sc	Sr	Th
		%	ppm	%	ppm	ppm	%	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.01	10	0.01	5	1	0.01	1	10	2	0.01	5	1	1	20
STS246		0.06	10	0.02	45	<1	0.01	1	60	<2	0.01	<5	1	4	<20
STS247		0.02	<10	0.03	46	<1	0.01	1	40	2	0.02	<5	1	8	<20
STS248		0.21	10	0.07	51	<1	0.01	7	90	36	0.02	<5	4	5	<20
STS249		0.29	10	0.08	26	<1	0.02	10	180	48	0.05	<5	4	12	<20
STS250		0.29	10	0.07	41	<1	0.02	1	140	13	0.03	<5	2	14	<20
STS251		0.54	40	0.09	26	<1	0.03	<1	130	3	0.01	<5	3	23	<20
STS252		0.94	40	0.16	30	<1	0.03	1	130	6	0.02	<5	5	25	<20



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: MT LINDSAY

Page: 4 - C
Total # Pages: 4 (A - E)
Plus Appendix Pages
Finalized Date: 29-MAY-2021
Account: VENMIN

CERTIFICATE OF ANALYSIS PH21113786

Sample Description	Method Analyte Units LOD	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-ICP61	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ti	U	V	W	Zn	Ba	Ce	Cr	Cs	Dy	Er	Eu	Ga	Gd
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		10	10	1	10	2	0.5	0.1	10	0.01	0.05	0.03	0.02	0.1	0.05
STS246		<10	<10	8	<10	4	15.2	9.7	50	0.28	1.24	0.89	0.17	0.5	0.93
STS247		<10	<10	5	<10	4	11.6	4.2	50	0.11	0.78	0.58	0.08	0.2	0.51
STS248		<10	<10	34	<10	5	26.0	29.7	50	0.80	1.26	0.84	0.31	3.3	1.29
STS249		<10	<10	27	<10	8	37.0	25.9	70	1.74	1.57	1.12	0.35	3.8	1.57
STS250		<10	<10	13	<10	5	46.0	30.7	50	2.01	2.20	1.47	0.46	2.7	2.40
STS251		<10	<10	21	<10	4	85.3	87.1	40	4.04	5.54	3.74	0.88	6.9	4.82
STS252		<10	<10	31	<10	5	125.5	84.5	40	6.46	5.36	3.63	0.84	10.0	4.73



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED
LEVEL3
24 OUTRAM STREET
WEST PERTH WA 6005

Project: MT LINDSAY

Page: 4 - D
Total # Pages: 4 (A - E)
Plus Appendix Pages
Finalized Date: 29-MAY-2021
Account: VENMIN

CERTIFICATE OF ANALYSIS PH21113786

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85
		Ho	La	Lu	Nb	Nd	Pr	Rb	Sm	Sn	Sr	Ta	Tb	Th	Tm	U
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.1	0.01	0.1	0.1	0.02	0.2	0.03	1	0.1	0.1	0.01	0.05	0.01	0.05
STS246		0.28	5.2	0.14	9.1	4.0	1.06	2.3	0.74	1	4.4	0.7	0.19	1.62	0.14	0.80
STS247		0.18	2.2	0.12	7.7	1.7	0.46	0.9	0.38	1	6.7	0.6	0.12	1.12	0.10	0.52
STS248		0.25	15.3	0.14	12.6	11.2	3.19	10.3	1.79	2	5.1	0.9	0.21	2.77	0.12	0.82
STS249		0.35	12.9	0.18	13.9	10.9	2.92	13.8	1.89	2	11.0	0.9	0.26	2.95	0.16	0.84
STS250		0.46	15.0	0.23	10.4	14.1	3.68	14.0	2.48	1	12.7	0.8	0.39	3.15	0.21	1.09
STS251		1.21	41.8	0.59	25.3	38.5	10.10	31.7	5.90	2	22.6	1.8	0.85	9.73	0.53	2.59
STS252		1.14	41.0	0.54	23.4	36.6	9.73	55.7	5.85	3	24.0	1.7	0.85	9.85	0.53	2.54



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: 4 – E

Total # Pages: 4 (A – E)

Plus Appendix Pages

Finalized Date: 29-MAY-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21113786

Sample Description	Method Analyte Units LOD	ME-MS85	ME-MS85	ME-MS85	ME-MS85	ME-MS85	B-ICP69
		V	W	Y	Yb	Zr	B
		ppm	ppm	ppm	ppm	ppm	ppm
		5	1	0.1	0.03	2	10
STS246		12	2	7.7	0.91	136	10
STS247		11	1	5.2	0.65	108	10
STS248		40	2	6.9	0.80	160	20
STS249		33	2	9.3	1.02	188	20
STS250		17	1	13.0	1.37	204	20
STS251		27	4	33.7	3.68	418	40
STS252		37	4	32.9	3.39	375	50



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Perth is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 23001.

To: VENTURE MINERALS LIMITED

LEVEL3

24 OUTRAM STREET

WEST PERTH WA 6005

Project: MT LINDSAY

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 29-MAY-2021

Account: VENMIN

CERTIFICATE OF ANALYSIS PH21113786

CERTIFICATE COMMENTS

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist
ME-ICP61

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 79 Distinction Road, Wangara, WA, Australia

B-ICP69

LEV-01

LOG-22

ME-ICP61

ME-MS85

PUL-31L

PUL-QC

SPL-21

WEI-21