



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 1

Total # Pages: 7 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

CERTIFICATE BU25094030

Project: EDGI_99

This report is for 220 samples of Drill Core submitted to our lab in Burnie, TAS, Australia on 3-APR-2025.

The following have access to data associated with this certificate:

ESTHER LITTLE

MITCHELL PETERSEN

DECLAN RADFORD

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
PUL-QC	Pulverizing QC Test
SPL-21	Split sample – riffle splitter
WEI-21	Received Sample Weight
LEV-01	Waste Disposal Levy
LOG-22	Sample login – Rcd w/o BarCode
LOG-24	Pulp Login – Rcd w/o Barcode
CRU-21	Crush entire sample
PUL-23	Pulv Sample – Split/Retain
BAG-01	Bulk Master for Storage
BAG-21	Raw Sample in a new bag

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-ICP21	Au 30g FA ICP-AES Finish	ICP-AES
ME-XRF15b	Various elements in ores by fusion XRF	XRF
ME-MS61r	4A multi-element ICP-MS + REE	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Page: 2 - A
Total # Pages: 7 (A - E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

Project: EDGI_99

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg	PUL-QC Pass75um %	Au-ICP21 Au ppm	ME-XRF15b Sn %	ME-MS61r Ag ppm	ME-MS61r Al %	ME-MS61r As ppm	ME-MS61r Ba ppm	ME-MS61r Be ppm	ME-MS61r Bi ppm	ME-MS61r Ca %	ME-MS61r Cd ppm	ME-MS61r Ce ppm	ME-MS61r Co ppm	ME-MS61r Cr ppm
		0.02	0.01	0.001	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
RDD293822		4.63	97.1	0.012	<0.005	0.16	6.99	52.8	150	1.81	0.29	2.52	0.03	86.5	39.6	191
RDD293823		4.57	96.2	0.004	<0.005	0.09	7.60	7.2	190	1.55	0.12	2.77	0.02	64.4	46.2	93
RDD293824		5.22	92.7	0.008	0.016	1.03	5.54	138.5	110	3.00	1.50	3.21	18.40	50.3	39.7	111
RDD293825		4.29		0.002	<0.005	0.26	7.12	20.0	70	2.33	0.10	3.07	0.27	72.5	49.1	152
RDD293826		3.74		0.004	<0.005	0.07	6.77	20.9	90	2.01	1.14	7.07	0.05	69.5	41.6	90
RDD293827		4.06		0.004	<0.005	0.20	7.06	27.3	90	1.47	0.73	3.52	0.83	84.5	43.5	81
RDD293828		1.77		0.001	<0.005	0.10	7.69	6.7	190	1.90	0.17	2.37	0.03	71.0	43.4	122
RDD293829		2.00		0.002	<0.005	0.09	7.40	5.2	200	1.68	0.22	5.48	0.07	66.6	53.7	67
RDD293830		1.30		0.001	<0.005	0.06	6.78	13.8	30	1.42	0.04	3.10	0.02	65.0	35.6	81
RDD293831		1.32		<0.001	<0.005	0.11	7.34	11.2	130	1.71	0.12	3.66	0.03	85.5	44.1	114
RDD293832		2.35		0.008	<0.005	0.12	8.26	28.6	290	2.50	0.63	1.63	7.01	78.7	41.6	101
RDD293833		2.56		0.002	<0.005	<0.01	6.65	16.4	110	1.14	0.03	3.29	0.06	61.1	32.6	110
RDD293834		2.02		0.002	<0.005	0.08	7.68	50.3	160	1.82	0.28	2.06	0.02	68.6	37.4	139
RDD293835		2.07		0.002	<0.005	0.09	6.23	31.6	140	1.18	0.16	3.33	0.03	42.0	33.3	179
RDD293836		2.36		0.001	<0.005	0.10	6.48	33.7	90	1.74	0.16	3.47	0.04	43.9	54.6	79
RDD293837		0.78		0.003	<0.005	0.02	0.07	1.8	10	<0.05	0.03	0.02	0.02	1.66	0.4	6
RDD293838		1.63		0.001	<0.005	0.14	7.29	9.7	130	1.30	0.31	2.47	0.31	54.7	73.6	119
RDD293839		2.50		0.002	<0.005	0.20	6.50	18.8	70	1.40	0.28	4.05	0.08	50.2	60.8	183
RDD293840		1.65		<0.001	0.006	0.12	7.39	30.7	210	1.90	0.59	2.88	<0.02	55.3	59.4	128
RDD293841		2.38		0.003	0.008	1.14	4.96	5.2	40	4.57	0.28	10.35	<0.02	655	38.4	16
RDD293842		2.16		0.001	0.007	1.02	5.29	12.1	30	5.39	0.20	10.10	0.10	560	31.9	20
RDD293843		2.26		0.002	0.009	0.04	2.99	28.5	20	1.15	0.10	3.27	0.02	28.2	8.3	39
RDD293844		1.63		0.001	0.009	0.18	2.94	3.5	<10	0.95	0.27	25.8	<0.02	48.9	24.2	31
RDD293845		2.39		0.003	0.005	0.45	4.05	4.4	<10	1.12	0.91	17.55	4.48	48.7	51.4	51
RDD293846		<0.02			2.68											
RDD293847		0.07		1.645		0.19	7.74	359	670	2.48	0.35	0.91	0.06	81.6	18.2	131
RDD293848		2.23		0.001	0.007	0.23	3.93	6.7	<10	0.88	0.38	20.6	0.32	33.5	28.5	46
RDD293849		2.13		0.002	0.006	0.29	4.30	5.6	<10	1.16	0.32	19.00	0.27	28.5	36.6	43
RDD293850		2.11		0.001	<0.005	0.17	2.79	5.4	<10	0.39	0.24	26.8	0.12	23.8	20.0	30
RDD293851		2.02		<0.001	<0.005	0.29	3.09	6.3	<10	0.55	0.22	23.1	<0.02	23.0	41.3	38
RDD293852		2.02		<0.001	0.005	0.29	4.81	4.1	<10	0.65	0.19	18.20	0.23	37.3	38.3	58
RDD293853		0.80		0.001	<0.005	0.02	0.04	0.9	<10	<0.05	0.03	0.10	<0.02	1.72	0.4	5
RDD293854		2.08		<0.001	0.009	0.17	3.22	6.5	<10	0.78	0.21	23.7	<0.02	24.7	22.2	30
RDD293855		2.16		<0.001	0.009	0.12	2.81	4.0	<10	0.43	0.48	25.9	0.08	36.0	18.4	36
RDD293856		1.58		<0.001	<0.005	0.16	3.29	10.0	<10	0.71	0.68	24.4	0.09	26.2	21.5	50
RDD293857		2.53		0.002	0.006	0.22	6.38	14.1	<10	1.10	1.30	16.05	0.55	45.6	24.7	89
RDD293858		2.41		0.002	<0.005	0.22	6.46	16.8	<10	1.05	1.90	15.40	0.76	45.8	26.1	102
RDD293859		2.17		0.001	<0.005	0.13	3.99	20.8	30	0.75	0.44	20.8	0.14	33.2	31.1	72
RDD293860		1.95		<0.001	<0.005	0.08	2.73	4.3	10	0.59	0.42	24.7	0.45	21.6	18.6	37
RDD293861		2.37		0.001	<0.005	0.23	5.47	44.6	20	0.90	0.63	16.85	1.65	41.3	36.1	83



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Page: 2 - B
Total # Pages: 7 (A - E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

Project: EDGI_99

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
RDD293822		16.55	84.2	9.09	24.2	0.24	6.3	0.111	0.59	39.9	61.0	3.20	1070	1.54	2.23
RDD293823		19.45	42.7	10.90	26.8	0.25	5.6	0.123	0.83	27.6	44.6	3.07	1355	0.52	2.38
RDD293824		48.0	538	11.45	19.50	0.18	3.9	15.35	1.36	22.4	64.9	1.57	15950	0.39	0.09
RDD293825		42.2	96.1	10.75	24.7	0.25	4.7	0.167	0.71	32.6	70.8	3.58	5840	0.40	1.21
RDD293826		11.10	240	10.75	23.2	0.26	4.9	0.412	0.87	32.1	43.7	2.47	3310	0.79	2.10
RDD293827		11.35	196.0	9.28	22.5	0.21	5.5	0.210	0.53	36.7	36.6	2.12	956	5.14	3.79
RDD293828		27.9	96.4	10.15	24.4	0.22	6.0	0.129	1.27	31.6	31.0	2.38	1050	1.06	2.07
RDD293829		18.95	226	11.00	24.5	0.26	6.3	0.241	1.13	28.6	45.8	2.58	1435	2.20	2.34
RDD293830		4.48	13.8	10.45	23.8	0.21	4.5	0.128	0.25	28.9	70.1	3.87	1110	0.60	1.57
RDD293831		5.97	157.5	9.90	25.0	0.24	5.4	0.272	0.91	38.4	79.6	2.91	882	0.67	2.16
RDD293832		20.2	128.0	8.58	23.8	0.18	4.0	0.316	2.24	36.5	40.0	1.75	486	7.11	2.12
RDD293833		11.20	9.2	10.25	20.3	0.23	5.0	0.680	0.49	28.5	45.1	4.35	1445	0.56	1.89
RDD293834		23.6	63.4	9.78	22.2	0.20	4.8	0.751	0.98	31.2	54.7	3.20	1535	2.12	2.17
RDD293835		15.55	65.6	10.25	18.25	0.17	3.3	0.666	0.71	18.0	45.4	3.74	1360	2.76	1.45
RDD293836		17.20	11.8	9.30	22.3	0.17	4.2	0.311	0.38	20.2	156.5	4.75	2790	0.27	0.62
RDD293837		0.16	2.7	0.45	0.36	<0.05	0.5	0.014	0.02	0.8	0.7	0.02	51	0.40	0.01
RDD293838		10.45	70.8	11.00	21.7	0.29	4.6	1.695	0.26	23.1	50.2	4.08	3090	0.39	2.18
RDD293839		16.40	132.0	11.05	21.1	0.37	3.9	1.005	0.28	22.3	85.0	5.05	2490	0.35	1.47
RDD293840		49.6	187.0	10.00	22.1	0.21	5.3	0.352	1.61	24.8	24.9	2.87	1405	14.55	3.19
RDD293841		1.92	123.5	13.35	35.4	0.84	15.0	1.120	0.30	281	20.3	3.83	2670	5.65	0.71
RDD293842		1.95	79.7	12.50	34.6	0.74	12.0	1.685	0.26	248	25.7	3.60	3650	1.57	0.68
RDD293843		1.62	25.7	3.73	8.72	0.06	1.8	1.055	0.11	13.3	3.5	1.06	2620	5.36	1.28
RDD293844		0.29	212	6.36	8.31	0.08	2.3	1.090	0.01	22.2	2.1	1.13	8350	1.30	0.02
RDD293845		1.46	552	12.55	11.25	0.13	2.9	5.46	0.01	20.6	6.6	1.96	10650	1.83	0.03
RDD293846															
RDD293847		10.40	28.6	4.21	19.30	0.16	3.8	0.079	2.82	41.6	55.6	1.78	414	0.91	0.77
RDD293848		0.36	294	8.09	11.05	0.08	2.1	1.295	0.01	14.8	4.7	1.70	9710	2.24	0.02
RDD293849		0.30	312	9.40	9.46	0.09	1.8	1.400	<0.01	13.2	5.9	1.94	10700	1.33	0.01
RDD293850		0.25	186.5	5.28	8.06	0.06	1.6	0.841	<0.01	11.0	1.9	1.04	6400	1.02	0.01
RDD293851		0.31	391	8.23	6.90	0.07	1.7	0.352	<0.01	10.4	1.6	1.29	7540	0.76	0.01
RDD293852		0.33	387	9.44	11.15	0.09	2.9	0.511	<0.01	15.1	3.4	1.68	12000	1.33	0.02
RDD293853		0.08	3.5	0.51	0.22	<0.05	0.5	0.013	0.01	0.9	0.4	0.01	73	0.39	0.01
RDD293854		0.34	204	6.12	9.27	0.07	1.6	0.391	<0.01	11.2	3.6	1.73	6810	0.70	0.02
RDD293855		0.46	155.5	4.40	8.93	0.07	2.0	0.335	0.02	16.0	6.1	1.25	3120	1.84	0.04
RDD293856		0.48	159.0	5.61	8.80	0.07	2.2	0.721	0.02	11.8	15.8	1.92	2940	0.48	0.17
RDD293857		0.36	275	8.44	18.80	0.15	3.0	1.680	<0.01	20.4	13.6	2.76	5460	0.36	0.10
RDD293858		0.64	274	8.73	19.60	0.17	2.9	1.575	0.01	20.3	18.4	2.82	3500	0.29	0.09
RDD293859		23.4	181.0	6.82	11.30	0.05	2.5	0.662	0.55	14.6	44.0	2.26	2480	1.99	0.47
RDD293860		10.75	102.0	5.32	8.95	<0.05	1.7	0.718	0.38	10.0	22.3	2.02	2920	0.45	0.24
RDD293861		12.75	185.0	8.44	16.60	0.08	2.8	0.660	0.51	17.9	48.1	2.84	2490	0.29	0.60



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_99

Page: 2 - C
Total # Pages: 7 (A - E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01
RDD293822		108.0	1350	4.1	57.1	0.002	0.03	1.62	30.3	1	4.5	111.0	2.15	<0.05	6.68
RDD293823		82.0	1280	5.9	58.8	<0.002	0.02	1.02	33.5	1	3.9	157.0	1.72	<0.05	4.48
RDD293824		73.1	1060	162.5	303	<0.002	1.02	25.1	24.5	1	163.0	52.3	1.34	0.05	3.26
RDD293825		103.0	1260	37.9	123.0	<0.002	0.08	13.90	33.6	<1	9.0	72.4	1.87	<0.05	3.97
RDD293826		68.1	1500	22.5	101.0	0.002	3.54	8.26	29.9	2	21.6	169.0	1.66	<0.05	4.70
RDD293827		80.0	1170	13.6	49.0	0.007	4.04	3.92	27.6	3	6.6	121.5	1.71	0.10	7.17
RDD293828		73.5	1290	5.3	81.6	0.002	0.23	1.52	37.5	<1	4.9	96.6	1.71	<0.05	6.62
RDD293829		57.5	2350	11.5	141.5	0.002	1.51	5.79	45.7	1	19.7	320	1.57	0.05	3.86
RDD293830		60.1	1260	5.3	26.7	<0.002	0.05	1.04	31.0	<1	3.9	46.6	1.33	<0.05	5.95
RDD293831		88.1	1210	13.6	77.2	<0.002	0.27	1.60	34.1	1	9.2	44.6	1.66	<0.05	5.61
RDD293832		81.2	770	41.1	142.5	0.030	2.77	3.42	21.8	2	4.6	80.4	1.16	0.09	13.80
RDD293833		82.9	1020	5.4	52.2	<0.002	0.04	3.39	31.4	<1	16.2	89.6	1.34	<0.05	4.52
RDD293834		95.7	1180	7.5	116.0	0.006	0.26	3.61	35.6	1	17.5	97.4	1.45	<0.05	5.66
RDD293835		118.0	710	8.2	85.3	0.005	0.43	7.65	30.1	1	15.8	106.0	1.04	<0.05	4.59
RDD293836		81.8	1020	33.0	80.5	<0.002	0.16	4.45	30.8	1	5.9	80.1	1.28	<0.05	4.51
RDD293837		1.3	10	5.5	1.0	<0.002	<0.01	0.29	0.4	<1	0.5	3.5	0.06	<0.05	0.28
RDD293838		84.4	1180	25.9	35.7	<0.002	1.08	1.86	35.5	1	60.7	127.5	1.43	<0.05	4.32
RDD293839		203	1150	16.4	45.5	<0.002	1.26	6.81	36.8	1	13.6	127.0	1.26	<0.05	3.47
RDD293840		305	1250	7.4	215	0.120	1.73	4.52	29.7	4	5.1	237	1.58	0.05	5.55
RDD293841		29.7	>10000	24.9	16.6	0.003	1.59	4.17	9.2	1	27.5	534	20.4	0.07	29.2
RDD293842		31.0	>10000	27.4	14.4	0.002	1.14	4.19	9.6	1	19.0	490	16.20	<0.05	26.0
RDD293843		25.9	220	3.1	16.0	0.003	0.31	4.36	10.8	<1	9.2	99.3	0.67	<0.05	2.93
RDD293844		27.6	770	14.8	0.8	0.002	1.80	3.57	12.2	1	45.2	188.0	0.83	<0.05	3.07
RDD293845		45.0	790	12.0	1.6	0.003	4.36	3.59	17.4	1	74.9	100.0	1.09	<0.05	4.48
RDD293846															
RDD293847		66.4	760	19.5	160.0	<0.002	0.15	330	15.8	<1	3.7	149.5	1.26	<0.05	14.95
RDD293848		40.1	630	15.0	0.9	0.002	2.16	4.39	13.2	1	60.7	141.0	0.74	<0.05	3.23
RDD293849		38.6	620	8.5	0.4	0.002	2.62	2.73	13.4	1	84.8	82.1	0.74	<0.05	2.66
RDD293850		19.1	570	9.5	0.5	<0.002	1.18	2.28	11.0	1	34.5	195.0	0.59	<0.05	2.59
RDD293851		38.2	540	4.7	0.6	<0.002	2.86	0.93	12.4	1	32.6	126.5	0.65	<0.05	2.36
RDD293852		40.3	930	4.8	0.3	0.002	2.93	1.37	21.5	1	54.1	35.2	1.14	<0.05	4.05
RDD293853		0.7	<10	2.2	0.6	<0.002	0.01	0.21	0.5	<1	0.5	3.6	0.10	<0.05	0.32
RDD293854		31.4	540	4.6	0.7	<0.002	1.43	3.59	11.4	1	35.1	170.5	0.59	<0.05	2.31
RDD293855		28.6	660	5.9	3.1	<0.002	0.96	10.55	13.4	1	22.7	245	0.66	<0.05	1.75
RDD293856		47.7	710	6.1	2.6	<0.002	0.92	18.05	15.6	1	34.9	330	0.72	<0.05	1.36
RDD293857		57.3	1090	6.3	0.5	<0.002	1.41	40.6	27.8	1	77.5	349	1.28	<0.05	2.62
RDD293858		67.9	1150	19.0	1.2	<0.002	1.72	60.5	28.0	1	79.4	388	1.34	<0.05	2.52
RDD293859		55.3	1070	5.5	111.5	<0.002	1.45	18.35	20.8	1	26.3	295	0.90	<0.05	1.66
RDD293860		28.1	740	5.3	80.5	<0.002	0.79	15.45	12.3	<1	11.7	265	0.56	<0.05	1.21
RDD293861		65.2	1110	41.6	95.3	0.002	1.55	16.70	24.4	1	23.1	234	1.15	<0.05	2.14



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 2 - D

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

Project: EDGI_99

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ti	U	V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03
RDD293822		0.75	1.6	248	2.0	40.3	101	243	7.78	4.09	3.16	8.20	1.41	0.50	45.1	10.95
RDD293823		0.69	1.0	242	0.8	42.4	112	214	8.17	4.00	2.84	8.49	1.46	0.49	36.4	8.65
RDD293824		2.56	0.8	203	12.6	29.1	4950	159.0	5.60	2.70	2.10	5.97	1.01	0.32	27.1	6.63
RDD293825		1.14	0.9	307	2.3	35.0	256	205	6.98	3.37	3.50	7.46	1.26	0.40	37.8	8.96
RDD293826		1.26	1.4	231	1.7	38.4	133	193.0	7.52	3.80	2.55	7.85	1.38	0.45	37.2	8.90
RDD293827		1.15	2.1	203	1.6	38.9	374	215	7.33	3.86	2.91	7.63	1.37	0.48	40.0	9.89
RDD293828		0.77	1.6	269	1.2	46.2	129	224	8.60	4.75	2.54	8.16	1.66	0.65	37.4	8.84
RDD293829		1.80	0.9	354	5.4	61.6	113	320	10.75	6.35	3.10	10.05	2.13	0.88	40.1	9.03
RDD293830		0.29	1.4	202	2.2	38.2	121	187.5	6.64	4.02	1.84	6.45	1.32	0.59	32.6	8.04
RDD293831		0.73	1.5	229	3.1	43.4	119	205	8.00	4.22	2.57	8.22	1.50	0.55	44.1	10.90
RDD293832		1.34	5.9	194	1.4	32.0	3130	151.5	6.10	3.32	1.30	5.89	1.10	0.54	35.9	9.17
RDD293833		0.56	1.1	237	1.9	30.8	140	203	5.86	3.27	2.01	6.19	1.11	0.47	31.2	7.52
RDD293834		1.46	1.6	249	2.1	36.6	158	213	7.25	3.80	2.06	6.97	1.37	0.54	35.4	8.61
RDD293835		1.04	1.5	205	1.8	40.8	118	116.0	8.34	4.03	2.41	8.32	1.48	0.47	24.6	5.54
RDD293836		0.83	0.9	228	17.5	32.4	145	170.5	5.68	3.40	1.43	5.37	1.10	0.45	23.0	5.54
RDD293837		0.02	0.2	3	0.3	1.3	4	25.4	0.20	0.14	0.03	0.14	0.04	0.02	0.6	0.16
RDD293838		0.53	0.9	277	1.6	37.8	144	174.0	6.46	3.67	1.91	5.90	1.22	0.50	26.6	6.89
RDD293839		0.67	0.7	235	2.1	34.9	141	175.0	6.14	3.10	2.24	6.24	1.15	0.44	26.5	6.55
RDD293840		2.96	2.7	275	1.4	33.4	97	196.0	6.51	3.60	2.07	6.83	1.22	0.47	28.7	7.01
RDD293841		0.27	5.3	218	7.3	81.8	171	>500	21.5	6.88	15.20	32.9	3.17	0.51	294	74.6
RDD293842		0.25	4.8	202	2.1	73.5	195	>500	18.20	6.33	13.65	27.9	2.81	0.46	265	66.8
RDD293843		0.12	0.8	89	0.9	11.4	67	74.1	1.92	1.09	0.85	2.10	0.37	0.15	11.8	3.03
RDD293844		0.02	1.8	99	1.8	19.8	148	83.4	3.51	1.80	2.58	3.97	0.64	0.21	22.0	5.72
RDD293845		0.09	2.3	146	2.9	22.2	1490	90.1	4.66	2.38	2.65	4.97	0.85	0.25	22.7	5.89
RDD293846																
RDD293847		0.84	2.8	110	2.4	17.2	100	144.0	3.70	1.90	1.28	4.72	0.64	0.31	34.8	9.49
RDD293848		0.03	1.8	125	1.4	16.8	275	81.6	3.04	1.70	1.78	3.28	0.59	0.22	15.9	3.78
RDD293849		0.03	1.8	124	1.5	17.0	233	61.5	3.09	1.71	1.33	3.03	0.58	0.21	14.0	3.27
RDD293850		0.02	1.3	90	3.2	15.2	173	65.5	2.59	1.43	1.10	2.73	0.50	0.18	11.8	2.70
RDD293851		0.02	0.9	103	1.6	16.6	164	59.1	2.88	1.56	0.63	2.76	0.54	0.18	11.0	2.56
RDD293852		0.02	1.3	176	2.0	23.5	259	103.5	4.27	2.33	0.86	4.23	0.81	0.29	18.0	4.19
RDD293853		<0.02	0.2	3	0.7	1.1	3	18.5	0.18	0.13	0.03	0.13	0.03	0.02	0.7	0.17
RDD293854		0.02	1.2	98	1.5	15.2	153	61.3	2.77	1.48	0.96	2.82	0.51	0.18	12.4	2.89
RDD293855		0.04	1.3	112	2.8	15.8	51	81.8	2.67	1.44	1.27	3.00	0.50	0.18	17.6	4.19
RDD293856		0.11	1.4	127	3.9	15.6	117	75.0	2.82	1.43	1.29	2.99	0.52	0.16	14.0	3.22
RDD293857		0.07	1.7	238	3.4	23.2	324	91.8	4.42	2.26	2.04	4.82	0.79	0.27	25.1	5.99
RDD293858		0.08	1.6	239	3.5	23.8	348	128.5	4.71	2.27	2.06	5.02	0.85	0.24	25.5	6.21
RDD293859		0.76	0.8	181	4.1	18.0	142	126.5	3.45	1.73	1.28	3.83	0.65	0.19	18.5	4.35
RDD293860		0.52	1.0	106	1.8	12.8	204	70.6	2.29	1.12	0.96	2.48	0.43	0.13	12.2	2.84
RDD293861		0.87	1.2	242	3.0	22.7	545	103.5	4.16	2.09	1.54	4.58	0.78	0.23	22.8	5.46



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 2 – E

Total # Pages: 7 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Sm	Tb	Tm	Yb
		ppm	ppm	ppm	ppm
		0.03	0.01	0.01	0.03
RDD293822		9.34	1.32	0.58	3.41
RDD293823		8.31	1.38	0.55	3.26
RDD293824		6.16	0.91	0.37	2.30
RDD293825		7.97	1.16	0.47	2.87
RDD293826		8.02	1.23	0.52	3.12
RDD293827		8.45	1.20	0.52	3.31
RDD293828		8.02	1.35	0.73	4.37
RDD293829		9.31	1.66	0.93	5.64
RDD293830		6.69	1.04	0.62	3.88
RDD293831		9.12	1.31	0.60	3.64
RDD293832		6.89	0.94	0.51	3.42
RDD293833		6.57	0.97	0.46	2.98
RDD293834		7.77	1.07	0.55	3.50
RDD293835		6.80	1.42	0.56	3.24
RDD293836		5.36	0.92	0.47	3.01
RDD293837		0.13	0.02	0.01	0.17
RDD293838		5.98	0.94	0.54	3.51
RDD293839		6.22	1.02	0.43	2.86
RDD293840		6.15	1.10	0.51	3.18
RDD293841		52.3	4.44	0.79	4.13
RDD293842		46.5	3.56	0.70	3.56
RDD293843		2.42	0.30	0.14	1.07
RDD293844		4.57	0.60	0.23	1.46
RDD293845		4.91	0.77	0.31	1.92
RDD293846					
RDD293847		6.23	0.62	0.28	1.93
RDD293848		3.37	0.50	0.24	1.50
RDD293849		3.27	0.47	0.23	1.54
RDD293850		2.77	0.43	0.19	1.26
RDD293851		2.64	0.45	0.21	1.32
RDD293852		4.23	0.68	0.33	2.05
RDD293853		0.11	0.02	0.01	0.17
RDD293854		2.97	0.45	0.21	1.32
RDD293855		3.64	0.45	0.20	1.27
RDD293856		3.15	0.47	0.19	1.16
RDD293857		5.52	0.73	0.30	1.91
RDD293858		5.73	0.78	0.31	1.82
RDD293859		4.14	0.60	0.24	1.42
RDD293860		2.74	0.38	0.16	0.93
RDD293861		5.00	0.71	0.28	1.70



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Page: 3 - A
Total # Pages: 7 (A - E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

Project: EDGI_99

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	Au-ICP21 Au ppm 0.001	ME-XRF15b Sn % 0.005	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1
RDD293862		1.97		0.002	<0.005	0.31	5.69	28.9	40	0.97	0.34	15.40	1.52	40.9	46.4	88
RDD293863		2.32		0.002	<0.005	0.21	3.87	6.5	20	0.68	0.34	24.8	1.00	30.0	24.1	54
RDD293864		2.25	95.3	0.003	0.006	0.22	6.15	22.1	10	0.94	1.43	16.80	0.55	53.8	22.0	92
RDD293865		2.42		0.002	<0.005	0.16	5.97	18.6	<10	1.25	1.49	17.30	2.19	47.9	18.2	82
RDD293866		2.15		0.001	0.008	0.27	6.55	13.9	<10	1.31	1.24	16.50	3.21	47.6	22.9	101
RDD293867		2.35		0.002	0.005	0.26	7.35	42.3	20	1.09	0.77	10.20	2.53	47.8	33.5	124
RDD293868		1.86		0.002	0.008	0.35	6.94	50.2	40	0.93	1.54	14.20	1.74	49.3	33.2	97
RDD293869		2.36		0.001	0.006	0.20	6.10	43.3	60	1.04	1.14	12.80	0.39	54.3	27.2	97
RDD293870		2.31		0.001	<0.005	0.18	5.53	11.4	<10	0.66	0.84	18.85	3.52	37.4	19.2	66
RDD293871		<0.02			1.175											
RDD293872		0.07		0.196		0.14	7.35	16.8	80	0.31	0.01	7.65	0.26	10.70	44.5	108
RDD293873		2.12		0.001	0.007	0.20	5.60	9.2	<10	0.67	1.10	18.60	1.38	47.2	23.7	101
RDD293874		2.30		0.001	<0.005	0.16	6.18	28.2	<10	0.49	1.12	19.75	2.44	29.7	23.3	66
RDD293875		2.35		0.001	0.005	0.20	6.46	16.4	<10	0.84	0.98	15.10	0.20	46.5	33.3	111
RDD293876		2.26		0.002	<0.005	0.19	5.50	15.0	<10	0.86	0.87	20.4	0.11	30.6	22.2	75
RDD293877		2.28		0.001	0.007	0.14	6.25	9.0	<10	0.64	1.00	18.20	<0.02	47.1	15.2	98
RDD293878		2.22		0.001	0.011	0.17	5.45	8.6	<10	0.63	0.88	19.60	<0.02	13.80	15.0	48
RDD293879		2.31		0.001	0.007	0.18	5.28	10.8	<10	1.08	1.26	16.50	0.15	52.6	26.0	132
RDD293880		2.21		0.001	<0.005	0.19	5.24	17.2	<10	1.19	0.82	16.35	0.30	64.2	29.2	133
RDD293881		2.25		0.001	0.005	0.25	5.57	9.9	<10	0.60	1.44	18.35	1.12	58.3	18.6	115
RDD293882		2.07		<0.001	0.013	0.11	6.71	74.8	<10	0.62	1.36	17.45	0.13	59.4	30.0	101
RDD293883		1.88		0.001	0.013	0.18	6.02	47.6	10	0.76	1.16	17.50	0.97	51.6	24.7	117
RDD293884		2.33		0.001	0.017	0.17	7.30	94.8	20	0.94	0.36	12.40	<0.02	50.2	33.1	139
RDD293885		2.07		0.007	0.019	0.16	7.19	118.5	10	0.65	0.21	15.40	<0.02	49.9	28.2	127
RDD293886		0.80		0.001	<0.005	0.02	0.05	1.9	<10	<0.05	0.03	0.07	<0.02	1.79	0.4	6
RDD293887		2.14		0.001	0.012	0.13	6.54	132.5	20	0.98	0.24	15.20	0.19	45.1	35.7	128
RDD293888		2.04		0.002	0.006	0.12	6.38	102.0	20	1.22	0.23	11.30	<0.02	31.8	32.8	126
RDD293889		2.18		0.001	0.006	0.12	6.78	108.0	20	0.72	0.18	10.35	0.09	40.1	41.5	105
RDD293890		1.96		0.001	<0.005	0.14	7.19	238	10	0.68	0.16	9.17	0.07	54.3	72.9	130
RDD293891		2.09		0.003	<0.005	0.15	6.05	115.0	10	0.72	0.17	11.10	0.18	43.4	32.8	110
RDD293892		2.34		0.002	<0.005	0.16	6.14	71.7	10	0.64	0.72	13.10	0.07	50.3	38.4	99
RDD293893		2.43		<0.001	0.005	0.17	5.09	28.8	<10	0.41	0.99	18.90	6.70	30.9	28.1	57
RDD293894		1.78		0.001	0.005	0.11	5.63	86.6	20	0.75	0.13	11.60	0.04	40.8	34.0	139
RDD293895		2.33		0.001	<0.005	0.11	5.58	84.7	20	0.56	0.14	9.24	0.27	38.1	35.2	133
RDD293896		<0.02			1.170											
RDD293897		0.07		0.334		0.16	7.40	17.4	80	0.31	0.01	7.73	0.28	10.60	45.9	110
RDD293898		1.92		0.001	<0.005	0.08	4.50	34.1	10	0.55	0.59	18.85	0.19	19.60	24.3	67
RDD293899		2.28		0.001	<0.005	0.05	3.10	5.9	10	0.44	0.20	23.7	<0.02	26.3	20.3	52
RDD293900		1.95		0.001	<0.005	0.04	3.91	110.5	10	0.44	0.81	19.30	<0.02	28.6	33.8	58
RDD293901		3.23		0.001	<0.005	0.07	3.89	31.1	40	1.20	0.10	15.10	<0.02	36.5	23.3	75



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 3 - B

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
RDD293862		10.55	277	8.11	13.80	0.08	3.5	0.386	0.70	17.4	58.6	2.79	2460	0.31	0.74	20.5
RDD293863		12.35	147.0	5.57	9.71	<0.05	2.2	0.219	0.46	13.2	24.3	1.78	2770	0.14	0.32	13.4
RDD293864		4.30	85.4	7.70	23.8	0.08	2.9	1.180	0.18	21.0	20.0	2.98	2800	0.18	0.37	19.6
RDD293865		0.49	72.0	7.00	23.1	0.08	2.8	1.170	0.01	19.9	14.2	2.86	3710	0.17	0.04	20.2
RDD293866		0.64	127.5	7.91	18.50	0.08	3.0	0.652	0.02	20.5	18.5	3.03	3310	0.16	0.15	22.0
RDD293867		2.93	80.4	10.80	23.8	0.19	4.4	0.656	0.28	19.6	56.5	3.51	2950	0.19	0.60	24.9
RDD293868		7.40	105.0	8.77	22.6	0.15	4.0	0.915	0.52	21.0	49.9	2.48	3550	0.21	0.28	24.1
RDD293869		5.76	48.4	8.34	19.00	0.15	3.7	0.945	0.65	23.2	52.6	3.30	3090	0.17	0.37	24.8
RDD293870		0.73	107.5	7.60	15.45	0.06	3.2	0.441	0.03	16.1	14.4	2.44	6140	0.18	0.04	19.0
RDD293871																
RDD293872		0.36	170.5	8.07	15.85	0.10	1.5	0.069	0.26	4.0	9.9	4.00	1355	0.60	1.65	3.4
RDD293873		0.42	154.0	8.31	16.00	0.10	2.9	0.436	0.01	20.3	13.2	2.21	5940	0.20	0.02	21.3
RDD293874		0.43	85.9	7.14	17.20	0.08	2.7	0.456	0.01	12.5	9.5	1.88	6040	0.23	0.02	17.0
RDD293875		0.56	125.5	9.58	21.3	0.09	3.1	0.732	0.06	19.7	21.6	3.19	3360	0.23	0.31	22.6
RDD293876		0.33	124.0	7.10	16.10	0.06	2.3	0.522	<0.01	13.0	8.5	1.93	4520	0.12	0.05	16.2
RDD293877		0.48	64.8	7.84	22.5	0.08	3.1	1.065	0.03	19.2	10.5	2.61	4570	0.17	0.11	20.2
RDD293878		0.58	124.5	7.98	16.05	<0.05	2.0	0.472	0.01	5.5	13.8	1.98	6360	0.13	0.04	12.7
RDD293879		0.39	212	8.35	19.25	0.08	2.8	0.995	0.01	22.9	10.3	3.08	2750	0.19	0.05	21.4
RDD293880		0.38	226	7.72	17.35	0.12	3.0	0.797	<0.01	27.5	14.1	3.19	2820	0.18	0.10	22.1
RDD293881		0.35	129.0	7.69	16.75	0.11	3.1	0.609	<0.01	24.8	11.4	2.31	4760	0.22	0.02	22.3
RDD293882		0.27	40.3	6.70	24.8	0.12	2.7	1.850	<0.01	25.0	11.0	2.19	4450	0.43	0.02	20.9
RDD293883		1.97	64.7	6.80	17.55	0.06	3.1	1.270	0.11	21.6	16.2	2.93	3970	0.19	0.35	21.5
RDD293884		10.15	16.0	7.08	20.4	0.09	3.9	0.817	0.72	21.1	47.9	3.30	2560	0.45	0.71	24.1
RDD293885		9.94	1.7	4.38	16.25	0.07	3.7	0.600	0.52	20.9	32.7	3.34	2340	0.35	0.37	23.0
RDD293886		0.08	2.5	0.38	0.23	<0.05	0.5	0.011	0.01	0.9	0.6	0.02	52	0.36	0.01	1.5
RDD293887		14.50	1.4	4.92	14.65	0.06	3.3	0.593	0.64	18.2	31.1	4.16	2610	0.30	0.42	21.8
RDD293888		13.35	6.5	5.21	13.85	0.06	3.4	0.521	0.64	13.3	35.5	3.87	3230	1.35	1.61	22.5
RDD293889		11.80	13.6	6.21	16.35	0.09	4.1	0.594	0.54	17.0	43.3	3.63	2910	1.63	1.64	23.1
RDD293890		12.55	52.2	5.95	20.2	0.09	4.3	0.470	0.39	23.4	46.5	3.60	2180	1.60	2.22	24.1
RDD293891		13.05	21.0	6.41	16.50	0.08	3.9	0.669	0.31	17.8	35.0	4.23	2350	1.21	1.73	22.2
RDD293892		9.71	76.9	7.43	18.85	0.10	3.6	0.672	0.25	21.0	30.7	3.43	2770	0.62	0.95	20.8
RDD293893		0.75	117.5	7.50	17.70	0.08	2.3	1.210	0.05	11.8	13.4	2.61	5810	0.22	0.41	14.6
RDD293894		23.5	24.4	9.20	17.65	0.28	3.3	1.040	0.45	17.2	27.2	4.99	2620	1.62	1.03	18.9
RDD293895		18.15	4.8	9.21	17.00	0.10	3.7	1.060	0.30	16.0	41.6	5.47	2570	1.60	1.25	19.2
RDD293896																
RDD293897		0.39	175.5	8.11	15.70	0.11	1.5	0.071	0.26	4.1	11.2	4.00	1350	0.77	1.66	3.5
RDD293898		7.72	36.7	6.91	12.10	<0.05	2.5	0.587	0.21	8.4	16.4	2.65	3390	0.59	0.75	12.8
RDD293899		3.99	50.7	4.30	9.15	<0.05	2.0	0.192	0.11	11.9	11.4	2.16	1375	0.36	0.95	9.2
RDD293900		3.47	7.7	7.35	10.90	<0.05	2.2	1.335	0.17	12.8	12.4	2.42	4560	0.25	0.58	11.0
RDD293901		13.40	12.0	8.89	9.72	0.06	2.3	1.320	0.52	16.0	22.2	3.55	4880	0.40	0.79	10.7



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 3 - C

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01
RDD293862		81.7	1210	46.5	128.0	0.002	2.02	6.61	26.6	1	22.2	245	1.25	<0.05	2.22
RDD293863		47.4	820	28.8	88.7	<0.002	0.97	7.38	16.6	1	18.4	266	0.80	<0.05	1.59
RDD293864		66.9	1040	51.7	27.0	<0.002	0.62	63.7	25.5	1	45.9	361	1.18	<0.05	3.13
RDD293865		62.3	1080	25.5	1.6	<0.002	0.54	63.0	27.1	1	57.8	338	1.20	<0.05	2.27
RDD293866		78.4	1190	78.9	2.3	<0.002	0.93	36.5	28.6	1	53.4	350	1.33	<0.05	2.42
RDD293867		78.8	1270	58.0	33.4	0.002	0.41	25.9	35.8	1	37.6	268	1.46	<0.05	2.37
RDD293868		98.9	1190	87.4	96.9	<0.002	0.82	52.0	32.4	1	48.8	276	1.41	<0.05	2.41
RDD293869		65.8	1240	40.9	120.5	<0.002	0.32	45.9	32.3	1	46.2	292	1.46	<0.05	2.74
RDD293870		53.5	980	11.8	5.2	<0.002	0.89	19.90	26.2	1	34.5	146.0	1.11	<0.05	2.47
RDD293871															
RDD293872		87.0	410	8.3	6.4	0.002	0.19	0.69	43.2	1	0.8	244	0.21	<0.05	0.48
RDD293873		86.7	990	10.3	1.2	<0.002	1.43	19.20	28.2	1	32.8	152.0	1.25	<0.05	2.46
RDD293874		37.0	920	11.8	1.9	<0.002	0.65	27.0	23.1	1	28.0	176.5	1.04	<0.05	3.03
RDD293875		91.6	1190	21.0	1.6	<0.002	1.00	20.2	30.1	1	42.4	274	1.36	<0.05	2.71
RDD293876		82.2	900	8.9	0.5	<0.002	1.71	23.7	20.8	1	32.9	246	0.95	<0.05	2.17
RDD293877		52.7	1090	8.5	1.1	<0.002	0.55	29.0	27.2	1	39.6	267	1.24	<0.05	2.46
RDD293878		63.1	750	8.5	1.0	<0.002	1.16	23.7	16.2	1	30.3	161.5	0.73	<0.05	1.61
RDD293879		111.5	1170	6.2	0.6	<0.002	1.56	28.3	28.2	1	47.1	291	1.28	<0.05	2.60
RDD293880		104.5	1210	5.4	0.5	<0.002	1.35	15.65	29.6	1	40.2	289	1.32	<0.05	2.23
RDD293881		72.8	1200	10.0	0.5	<0.002	1.50	31.8	28.7	1	48.9	201	1.34	<0.05	2.27
RDD293882		43.5	1110	5.8	0.4	<0.002	0.32	49.6	28.0	1	108.0	378	1.25	<0.05	2.42
RDD293883		93.2	1160	11.4	21.6	<0.002	0.64	38.3	31.4	1	112.5	264	1.28	<0.05	2.08
RDD293884		88.1	1320	29.6	132.5	<0.002	0.10	8.51	32.9	<1	132.0	213	1.44	<0.05	2.14
RDD293885		67.2	1320	19.7	100.5	<0.002	0.01	4.55	31.5	<1	185.5	104.0	1.39	<0.05	2.07
RDD293886		1.4	10	1.8	0.8	<0.002	0.01	0.28	0.4	<1	0.9	3.8	<0.05	<0.05	0.29
RDD293887		67.2	1240	9.5	134.0	<0.002	<0.01	7.24	30.3	<1	79.1	180.0	1.32	<0.05	1.92
RDD293888		54.8	1150	16.9	140.0	<0.002	0.03	6.02	26.4	<1	39.4	257	1.34	<0.05	2.07
RDD293889		50.6	1230	11.2	109.0	0.002	0.06	4.15	27.3	<1	29.0	282	1.40	<0.05	2.54
RDD293890		105.5	1270	9.8	82.1	0.002	0.38	3.05	31.2	1	15.8	280	1.46	<0.05	2.58
RDD293891		53.3	1170	15.6	63.5	0.002	0.07	3.97	28.1	<1	17.1	272	1.34	<0.05	2.80
RDD293892		75.4	1120	10.4	55.0	<0.002	0.63	22.8	25.8	1	19.0	328	1.26	<0.05	2.75
RDD293893		45.4	800	11.2	6.5	<0.002	0.95	28.4	17.0	1	27.1	179.5	0.88	<0.05	2.69
RDD293894		67.2	980	12.8	75.4	<0.002	0.20	2.93	26.5	<1	17.8	245	1.12	<0.05	1.98
RDD293895		65.5	950	13.8	47.6	0.002	0.03	2.62	29.0	<1	20.5	233	1.15	<0.05	2.28
RDD293896															
RDD293897		89.2	400	9.1	6.5	0.003	0.19	0.65	44.5	1	0.7	243	0.22	0.05	0.48
RDD293898		43.8	770	5.6	40.8	0.002	0.29	17.15	18.6	1	14.6	355	0.75	<0.05	2.05
RDD293899		32.3	560	5.1	16.2	0.002	0.35	2.23	13.3	<1	22.4	658	0.56	<0.05	1.72
RDD293900		50.1	640	7.4	31.9	<0.002	0.04	25.7	17.4	<1	36.5	262	0.67	<0.05	2.39
RDD293901		36.2	590	13.4	98.4	<0.002	0.10	3.74	19.0	<1	29.8	227	0.63	<0.05	1.84



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 3 - D

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ti	U	V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03
RDD293862		1.30	1.0	222	4.8	22.0	493	132.0	4.36	2.21	1.51	4.70	0.81	0.24	23.4	5.68
RDD293863		0.67	1.1	152	3.2	18.4	346	78.9	3.25	1.70	1.12	3.41	0.62	0.20	16.8	3.93
RDD293864		0.25	1.7	226	2.1	25.2	270	89.5	4.70	2.26	2.32	5.09	0.87	0.26	26.2	6.57
RDD293865		0.05	1.4	240	2.8	27.5	673	124.0	4.92	2.50	2.24	5.43	0.94	0.29	26.3	6.43
RDD293866		0.05	1.0	256	2.7	24.4	964	138.0	4.65	2.29	1.94	5.11	0.86	0.23	26.2	6.53
RDD293867		0.41	1.0	331	1.7	28.0	841	132.0	5.16	2.56	1.99	5.58	0.95	0.28	26.8	6.62
RDD293868		0.93	1.4	295	2.5	31.7	587	117.5	5.63	2.98	2.40	5.95	1.12	0.34	29.3	7.00
RDD293869		1.12	1.3	268	1.3	25.0	245	163.0	4.84	2.25	2.28	5.62	0.88	0.22	31.3	7.36
RDD293870		0.10	0.7	233	2.5	25.8	967	112.5	4.38	2.44	1.06	4.37	0.87	0.28	20.5	4.91
RDD293871																
RDD293872		0.08	0.1	283	7.6	21.1	105	51.6	3.60	2.24	0.88	3.05	0.76	0.31	7.7	1.58
RDD293873		0.04	0.9	252	2.5	29.3	435	99.9	5.24	2.73	1.25	5.34	1.00	0.31	25.8	6.39
RDD293874		0.05	0.8	227	4.1	24.6	689	74.9	4.31	2.32	0.86	4.09	0.84	0.26	15.9	3.73
RDD293875		0.05	1.3	261	2.8	24.3	205	120.5	4.65	2.31	1.97	5.11	0.86	0.25	25.5	6.31
RDD293876		0.30	0.7	187	2.9	20.6	116	79.9	3.70	1.88	1.13	3.94	0.69	0.20	16.6	3.92
RDD293877		0.05	2.0	229	2.7	25.6	108	101.0	4.92	2.45	2.46	5.50	0.91	0.26	25.8	6.18
RDD293878		0.11	0.8	155	4.5	20.3	105	63.7	3.71	1.84	1.00	3.65	0.70	0.21	9.4	1.93
RDD293879		0.05	1.3	252	1.6	24.3	148	122.0	4.56	2.25	1.78	5.07	0.84	0.23	28.4	7.36
RDD293880		0.03	1.3	250	2.0	23.3	190	131.5	4.51	2.18	2.01	5.32	0.83	0.21	35.7	8.65
RDD293881		0.21	1.1	272	3.4	26.9	390	101.0	4.99	2.53	1.58	5.19	0.95	0.28	30.4	7.79
RDD293882		<0.02	2.2	228	2.8	25.3	202	90.6	4.90	2.38	2.89	5.79	0.92	0.26	33.0	8.04
RDD293883		0.20	1.8	287	3.0	27.6	405	92.9	5.36	2.59	2.80	6.14	0.99	0.28	30.3	7.17
RDD293884		1.18	1.2	312	3.7	28.2	195	149.5	5.40	2.63	2.33	5.96	0.99	0.28	29.8	6.94
RDD293885		0.85	1.1	289	2.4	28.0	97	123.0	5.39	2.55	2.06	5.96	0.98	0.23	28.5	6.81
RDD293886		<0.02	0.2	4	0.2	1.1	4	17.7	0.19	0.12	0.03	0.14	0.03	0.01	0.7	0.20
RDD293887		1.04	1.0	265	2.3	26.2	102	106.0	4.86	2.26	1.85	5.53	0.88	0.21	26.7	6.43
RDD293888		1.10	1.4	248	4.3	20.3	124	173.0	3.68	1.88	1.66	4.21	0.70	0.21	19.4	4.37
RDD293889		0.88	1.3	272	3.2	21.2	153	151.5	3.86	2.06	1.75	4.31	0.73	0.25	22.6	5.50
RDD293890		0.62	1.1	318	3.9	22.4	109	180.0	4.16	2.18	1.70	4.91	0.78	0.30	29.0	7.05
RDD293891		0.42	1.2	264	3.6	25.3	164	159.5	4.74	2.51	1.56	5.01	0.90	0.28	24.3	5.94
RDD293892		0.37	1.3	216	2.2	24.6	131	126.0	4.67	2.30	1.64	5.17	0.87	0.26	27.4	6.61
RDD293893		0.10	1.1	144	1.9	23.6	1920	85.4	4.26	2.07	1.32	4.39	0.77	0.24	15.9	3.63
RDD293894		0.55	0.9	247	2.1	22.6	165	144.5	4.31	2.18	1.50	4.51	0.81	0.25	22.4	5.54
RDD293895		0.37	1.1	244	1.8	23.7	237	132.0	4.36	2.09	1.40	4.91	0.79	0.26	21.8	5.19
RDD293896																
RDD293897		0.09	0.1	289	8.1	21.4	106	50.5	3.47	2.27	0.94	3.00	0.78	0.33	7.6	1.52
RDD293898		0.32	1.7	150	1.2	16.0	163	100.5	2.80	1.58	0.97	2.97	0.58	0.19	11.4	2.52
RDD293899		0.16	1.6	107	0.5	14.6	66	78.7	2.51	1.37	0.97	2.79	0.51	0.17	13.7	3.22
RDD293900		0.24	1.8	126	1.4	17.8	122	86.9	3.26	1.71	1.28	3.57	0.63	0.21	15.0	3.49
RDD293901		0.79	1.4	136	1.8	19.8	166	84.4	3.53	1.64	1.60	4.19	0.64	0.20	19.5	4.50



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 3 - E

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Sm	Tb	Tm	Yb
		ppm	ppm	ppm	ppm
		0.03	0.01	0.01	0.03
RDD293862		5.10	0.72	0.29	1.66
RDD293863		3.85	0.53	0.23	1.48
RDD293864		5.81	0.77	0.31	1.82
RDD293865		6.08	0.84	0.33	1.98
RDD293866		5.79	0.78	0.30	1.75
RDD293867		6.19	0.87	0.35	2.02
RDD293868		6.57	0.92	0.40	2.40
RDD293869		6.48	0.86	0.30	1.72
RDD293870		4.37	0.71	0.35	2.07
RDD293871					
RDD293872		2.35	0.54	0.33	2.15
RDD293873		5.66	0.85	0.37	2.28
RDD293874		3.71	0.67	0.31	1.88
RDD293875		5.61	0.78	0.31	1.78
RDD293876		3.90	0.61	0.25	1.56
RDD293877		6.03	0.84	0.32	1.90
RDD293878		3.14	0.59	0.25	1.48
RDD293879		5.90	0.77	0.29	1.70
RDD293880		6.88	0.79	0.28	1.64
RDD293881		5.81	0.83	0.34	2.03
RDD293882		6.93	0.85	0.32	1.88
RDD293883		6.83	0.91	0.35	2.15
RDD293884		6.63	0.91	0.36	2.12
RDD293885		6.47	0.91	0.33	1.92
RDD293886		0.14	0.02	0.01	0.16
RDD293887		6.48	0.84	0.30	1.73
RDD293888		4.82	0.62	0.26	1.62
RDD293889		5.08	0.64	0.28	1.80
RDD293890		6.00	0.70	0.31	2.07
RDD293891		5.59	0.79	0.34	2.02
RDD293892		6.02	0.77	0.32	1.92
RDD293893		4.14	0.70	0.28	1.74
RDD293894		5.13	0.70	0.30	1.86
RDD293895		5.25	0.74	0.30	1.86
RDD293896					
RDD293897		2.31	0.54	0.33	2.01
RDD293898		2.91	0.48	0.22	1.30
RDD293899		3.07	0.44	0.19	1.16
RDD293900		3.68	0.57	0.23	1.40
RDD293901		4.64	0.65	0.21	1.31



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 4 - A

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

Project: EDGI_99

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	WEI-21	PUL-QC	Au-ICP21	ME-XRF15b	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Recvd Wt. kg	Pass75um %	Au ppm	Sn %	Ag ppm	Al %	As ppm	Ba ppm	Be ppm	Bi ppm	Ca %	Cd ppm	Ce ppm	Co ppm	Cr ppm
		0.02	0.01	0.001	0.005	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1
RDD293902		2.02		0.001	0.007	0.60	6.35	66.8	120	2.91	0.06	2.59	2.21	49.3	40.0	137
RDD293903		1.96		0.001	<0.005	0.07	3.94	12.2	380	1.71	0.04	9.94	0.09	50.1	16.4	39
RDD293904		2.12	96.2	0.004	0.007	0.15	7.23	28.9	220	1.94	0.55	1.95	0.02	63.0	32.6	68
RDD293905		1.38		0.006	0.006	0.13	6.58	151.5	50	0.77	0.31	12.10	0.10	51.0	42.7	93
RDD293906		2.30		0.004	<0.005	0.13	6.46	51.9	60	1.03	0.24	9.66	<0.02	63.8	26.5	100
RDD293907		2.78		0.002	0.005	0.18	5.66	68.8	30	1.35	0.43	11.05	<0.02	53.7	42.5	67
RDD293908		1.57		0.002	0.005	0.14	5.23	23.5	20	1.18	0.97	18.60	2.38	49.4	33.7	62
RDD293909		1.84		0.004	<0.005	0.12	5.05	12.2	<10	1.06	0.75	19.50	0.16	50.6	29.8	80
RDD293910		0.78		0.001	<0.005	0.02	0.06	1.4	10	<0.05	0.03	0.04	<0.02	1.60	0.4	5
RDD293911		2.71		0.002	0.006	0.16	5.69	8.8	30	1.11	0.65	15.40	0.15	58.0	38.8	75
RDD293912		2.24		0.005	0.009	0.17	5.89	12.2	50	1.13	0.74	13.45	0.26	67.4	44.0	74
RDD293913		1.88		0.003	<0.005	0.23	5.49	32.1	40	1.40	0.64	11.95	1.74	58.1	54.3	76
RDD293914		2.02		0.002	<0.005	0.15	7.40	10.6	50	1.25	0.11	1.41	0.03	72.2	21.7	88
RDD293915		1.97		0.002	<0.005	0.14	6.30	11.1	80	2.09	0.15	2.96	0.02	74.7	22.2	58
RDD293916		2.33		0.006	0.012	0.30	5.62	85.7	40	0.99	1.54	16.90	2.36	48.3	54.5	95
RDD293917		2.44		0.004	0.017	0.17	5.48	86.6	150	1.19	0.76	13.55	1.23	42.4	45.9	123
RDD293918		1.82		0.003	0.018	0.12	5.90	108.5	20	1.22	0.71	11.40	3.64	37.1	53.4	127
RDD293919		2.86		0.004	0.018	0.14	4.95	44.1	20	0.83	0.64	16.45	<0.02	34.9	35.6	96
RDD293920		1.55		0.003	0.016	0.28	5.31	14.2	<10	0.68	1.23	19.05	0.22	41.1	19.8	62
RDD293921		<0.02			1.115											
RDD293922		0.07		0.002		0.22	7.94	2.5	520	2.06	0.04	5.62	0.13	57.8	42.6	149
RDD293923		2.45		0.002	0.005	0.11	7.20	5.0	60	0.95	0.12	7.42	0.02	52.3	35.4	68
RDD293924		2.17		0.004	<0.005	0.09	7.38	19.8	100	1.08	0.10	6.32	0.03	33.1	37.1	68
RDD293925		2.11		0.002	<0.005	0.08	7.33	11.2	140	0.92	0.11	5.51	0.05	29.2	42.9	67
RDD293926		1.94		0.002	0.005	0.03	7.17	39.9	90	1.66	0.35	6.32	<0.02	28.6	36.6	64
RDD293927		1.73		0.003	0.009	0.03	6.82	27.3	70	1.66	0.41	7.63	<0.02	27.4	38.9	57
RDD293928		2.86		0.001	0.005	0.07	7.11	22.6	90	0.77	0.11	7.18	<0.02	29.9	41.1	65
RDD293929		2.59		0.004	0.030	3.45	5.48	722	50	3.59	10.35	4.35	3.83	39.1	32.0	71
RDD293930		0.85		0.002	<0.005	0.02	0.07	2.0	10	<0.05	0.07	0.05	<0.02	1.74	0.7	9
RDD293931		2.11		0.002	0.010	0.12	7.00	47.0	90	3.96	1.11	3.32	<0.02	69.0	36.8	99
RDD293932		2.45		0.001	0.006	0.03	7.98	47.0	20	1.64	0.20	0.41	<0.02	19.45	33.8	166
RDD293933		2.08		0.007	<0.005	0.09	6.33	2.1	70	1.00	0.90	0.86	<0.02	135.0	54.4	76
RDD293934		2.13		0.005	0.005	0.11	5.94	1.7	60	0.98	0.77	1.52	<0.02	74.4	65.3	125
RDD293935		1.76		0.004	<0.005	0.10	4.50	22.7	140	0.80	0.28	4.72	0.03	41.1	50.5	239
RDD293936		1.68		0.003	0.006	0.08	6.99	24.4	60	1.26	0.21	2.65	<0.02	53.2	44.0	194
RDD293937		1.34		0.002	<0.005	0.11	4.96	1.5	30	1.08	0.35	1.64	0.03	41.5	47.1	80
RDD293938		1.99		0.001	<0.005	0.12	7.13	2.2	20	1.94	0.08	2.05	0.05	64.4	38.8	126
RDD293939		1.90		0.001	<0.005	0.07	7.22	2.2	20	1.61	0.09	1.07	0.03	57.3	40.3	144
RDD293940		2.18		0.001	0.005	0.05	5.73	15.6	30	1.62	0.56	1.71	<0.02	44.4	91.1	94
RDD293941		1.38		0.001	<0.005	0.05	6.79	18.8	60	1.51	0.16	2.42	<0.02	66.3	45.4	124



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 4 – B

Total # Pages: 7 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

Project: EDGI_99

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
RDD293902		90.8	189.0	9.05	20.8	0.14	3.9	0.444	1.64	22.9	76.7	3.62	10200	0.76	1.29	26.7
RDD293903		6.53	3.2	8.16	10.95	0.10	2.9	0.486	0.75	20.5	18.2	4.52	2580	0.69	1.51	13.6
RDD293904		45.7	68.6	8.98	22.0	0.18	3.3	0.128	1.26	27.5	56.1	3.08	923	1.45	2.65	25.6
RDD293905		5.87	198.0	9.01	22.9	0.12	3.6	0.254	0.44	22.8	38.6	3.19	2250	1.72	0.46	21.8
RDD293906		13.45	73.8	8.79	21.5	0.13	3.9	0.450	0.46	25.5	49.5	3.94	2070	0.69	1.19	23.6
RDD293907		13.20	218	10.50	19.60	0.16	3.4	0.522	0.42	22.2	52.9	4.03	2560	0.53	0.87	18.2
RDD293908		13.90	132.5	7.68	15.75	<0.05	3.4	0.180	0.20	21.8	24.5	2.20	3810	0.68	0.62	20.1
RDD293909		0.91	126.5	7.75	15.00	0.09	2.8	0.219	0.03	23.2	9.2	1.89	5760	0.66	0.10	18.6
RDD293910		0.12	5.0	0.47	0.23	<0.05	0.4	0.012	0.02	0.8	1.5	0.01	54	0.43	0.01	1.3
RDD293911		16.60	196.5	8.88	17.10	0.09	3.3	0.242	0.41	24.1	29.0	2.76	3100	0.53	0.79	21.2
RDD293912		26.2	242	9.86	16.35	0.09	3.9	0.344	0.49	29.6	40.5	2.65	3960	0.55	0.92	23.6
RDD293913		15.90	295	9.79	16.75	0.10	4.2	0.289	0.42	27.7	45.7	3.62	3600	3.21	0.73	24.3
RDD293914		33.3	75.8	7.91	19.80	0.11	6.6	0.079	0.43	33.2	55.7	4.09	680	0.65	3.55	31.8
RDD293915		6.72	61.2	7.79	18.60	0.17	5.7	0.198	0.21	33.8	39.0	4.16	886	0.74	2.64	28.2
RDD293916		18.60	202	9.39	17.75	0.10	3.3	1.250	0.31	22.3	20.5	2.73	5020	0.44	0.33	21.0
RDD293917		11.15	57.5	8.50	16.65	0.09	3.7	1.010	0.70	19.3	56.4	3.47	4060	0.53	0.46	20.6
RDD293918		2.70	31.5	10.70	19.45	0.17	4.1	1.525	0.28	16.8	37.4	4.67	2820	0.39	0.94	22.6
RDD293919		14.60	132.0	10.25	15.90	0.15	3.3	1.115	0.19	16.1	17.9	3.23	4270	0.48	0.44	17.6
RDD293920		0.64	193.0	9.25	16.55	0.10	3.1	1.030	0.01	19.6	10.1	1.79	6420	0.19	0.07	15.8
RDD293921																
RDD293922		1.16	45.6	8.09	21.1	0.15	4.6	0.066	1.70	28.4	11.8	4.63	1135	4.17	2.33	46.3
RDD293923		7.04	148.0	10.30	20.3	0.27	2.6	0.717	0.43	23.6	28.2	3.60	1680	0.67	1.64	12.6
RDD293924		38.7	56.0	8.88	18.50	0.23	2.9	0.299	1.08	15.5	34.3	3.74	1400	0.61	2.29	12.8
RDD293925		60.3	107.5	10.05	18.70	0.41	3.6	0.254	1.65	13.0	47.3	4.20	1605	0.62	2.25	12.2
RDD293926		26.1	35.9	9.48	20.7	0.48	2.0	1.045	0.78	12.7	60.5	4.19	2280	0.87	2.16	13.1
RDD293927		21.7	29.8	10.50	21.3	0.28	1.8	0.493	0.61	11.9	22.1	4.21	1900	0.69	1.74	12.1
RDD293928		23.0	75.7	9.54	20.5	0.25	2.2	0.437	0.75	13.5	26.7	3.96	1705	0.60	2.07	12.6
RDD293929		74.4	118.0	15.35	18.70	0.19	1.4	4.74	0.80	18.7	101.0	2.62	15400	2.36	0.43	15.2
RDD293930		0.24	3.5	1.16	0.36	<0.05	0.5	0.012	0.02	0.9	1.2	0.02	129	0.66	0.01	1.6
RDD293931		76.7	54.9	11.50	22.6	0.28	3.3	3.14	0.92	30.3	97.3	3.20	3990	0.48	1.20	29.6
RDD293932		12.05	10.4	16.95	22.0	1.08	0.6	0.914	0.16	8.7	74.0	5.50	3730	0.35	0.19	8.7
RDD293933		14.65	107.5	10.60	21.0	0.32	3.8	0.396	0.30	62.0	49.1	4.38	1010	2.18	1.35	21.4
RDD293934		14.20	169.0	9.96	19.10	0.18	3.2	0.287	0.26	33.2	42.5	4.66	1235	1.88	1.21	23.4
RDD293935		13.45	119.0	9.74	14.80	0.15	1.6	0.456	0.61	17.8	31.6	5.53	2140	1.38	0.37	16.6
RDD293936		11.55	71.3	9.82	21.7	0.24	2.6	0.162	0.30	23.7	59.9	6.65	1530	0.90	1.23	24.2
RDD293937		6.43	202	7.50	16.45	0.15	1.4	0.070	0.11	18.3	38.8	5.04	961	0.35	0.89	16.0
RDD293938		8.89	210	8.99	23.0	0.34	1.6	0.071	0.11	29.2	52.7	7.20	1040	0.38	1.33	22.9
RDD293939		10.90	108.5	9.07	23.3	0.31	1.9	0.090	0.12	25.9	58.6	6.70	882	0.37	1.36	23.6
RDD293940		9.38	124.5	11.45	20.0	0.23	2.3	0.411	0.14	20.0	46.8	5.63	1910	0.40	1.04	20.2
RDD293941		8.06	64.2	11.15	22.1	0.30	2.5	0.267	0.28	29.3	43.3	5.87	1700	0.22	1.57	27.4



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 4 - C

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01
RDD293902		86.7	1060	250	387	<0.002	0.12	41.0	33.3	1	19.3	89.9	1.59	<0.05	3.35
RDD293903		36.2	460	19.4	83.7	0.002	<0.01	2.56	21.3	<1	12.8	153.5	0.91	<0.05	4.89
RDD293904		52.8	1100	4.4	127.5	0.002	0.11	1.14	19.4	<1	5.6	91.4	1.74	0.41	8.04
RDD293905		141.5	910	18.2	71.5	0.003	1.85	3.23	23.0	1	29.9	159.0	1.34	<0.05	4.76
RDD293906		61.8	1030	8.3	70.3	<0.002	0.83	2.98	27.3	1	35.7	206	1.43	0.06	4.95
RDD293907		65.5	830	6.7	76.2	0.002	1.87	5.05	22.2	1	33.5	163.5	1.14	0.08	4.73
RDD293908		46.7	850	7.1	41.6	0.002	1.65	16.50	20.0	1	10.8	241	1.23	0.05	4.62
RDD293909		70.0	810	6.0	5.5	0.002	1.60	12.40	19.6	1	14.3	114.0	1.12	<0.05	4.81
RDD293910		1.4	10	5.4	0.9	<0.002	0.01	0.25	0.2	<1	0.4	2.9	<0.05	<0.05	0.27
RDD293911		59.5	900	9.5	88.4	0.002	2.03	9.36	23.0	1	21.1	246	1.25	0.05	5.16
RDD293912		47.4	910	7.5	110.0	0.002	2.36	6.30	21.4	1	36.5	248	1.49	<0.05	7.38
RDD293913		57.4	850	14.2	90.9	0.005	2.73	4.63	21.2	1	22.7	212	1.52	0.05	5.96
RDD293914		69.5	1360	2.9	84.5	<0.002	0.64	5.91	21.7	<1	1.3	115.0	2.02	0.06	9.32
RDD293915		40.0	960	2.8	31.4	0.002	0.14	1.97	17.6	<1	3.8	99.8	1.80	0.15	8.86
RDD293916		90.6	1020	8.3	60.9	0.003	1.89	35.1	23.9	1	96.7	152.0	1.26	<0.05	4.11
RDD293917		72.1	1160	14.2	124.5	0.002	0.45	34.8	28.9	1	93.1	132.5	1.19	<0.05	2.40
RDD293918		60.4	1260	6.7	15.8	<0.002	0.32	19.00	31.6	1	155.0	123.5	1.36	<0.05	3.10
RDD293919		51.8	1040	6.2	29.8	<0.002	1.14	7.86	23.2	1	131.5	72.3	1.06	<0.05	3.05
RDD293920		65.0	900	4.9	1.9	<0.002	0.82	14.40	19.8	1	122.5	107.0	0.97	<0.05	3.71
RDD293921															
RDD293922		135.5	2560	5.0	36.4	<0.002	0.04	0.13	19.8	<1	2.1	792	2.91	<0.05	3.53
RDD293923		43.7	1010	13.4	68.4	0.002	0.53	3.91	45.4	1	31.1	278	0.72	<0.05	2.05
RDD293924		46.3	1050	7.2	190.5	0.002	0.19	3.75	46.3	1	17.1	296	0.76	<0.05	1.98
RDD293925		56.9	1030	6.4	309	0.002	0.33	4.38	43.8	1	11.7	276	0.72	<0.05	1.88
RDD293926		55.3	1060	5.4	171.5	0.003	0.10	6.10	47.3	1	38.3	245	0.74	<0.05	1.77
RDD293927		53.6	970	7.6	124.0	0.002	0.10	4.89	42.0	1	22.8	260	0.66	<0.05	1.70
RDD293928		50.8	1020	7.7	148.0	0.003	0.27	4.15	46.2	1	22.5	289	0.72	<0.05	1.80
RDD293929		59.4	950	436	246	0.002	1.88	61.4	30.1	1	107.0	84.3	0.90	<0.05	2.49
RDD293930		2.0	20	2.6	1.4	<0.002	0.01	0.33	0.4	<1	0.5	3.7	0.10	<0.05	0.32
RDD293931		67.1	1140	18.4	290	0.002	0.55	4.64	27.4	<1	65.3	105.0	1.88	<0.05	6.92
RDD293932		88.7	860	5.2	33.6	0.002	0.22	1.97	48.6	<1	18.0	15.9	0.49	<0.05	0.76
RDD293933		87.1	920	6.6	50.2	0.004	1.76	0.64	21.2	1	4.9	52.3	1.34	0.11	8.07
RDD293934		106.0	1030	6.8	46.4	0.004	1.86	0.69	25.4	1	7.1	61.0	1.45	0.05	4.81
RDD293935		193.5	960	7.0	153.5	0.002	0.69	1.81	22.8	1	13.9	52.3	0.98	<0.05	1.88
RDD293936		168.0	1340	3.7	76.0	0.002	0.42	1.50	32.0	1	5.1	45.4	1.47	<0.05	4.28
RDD293937		73.2	860	6.6	27.7	<0.002	0.67	0.60	26.8	1	2.6	44.5	0.95	<0.05	2.66
RDD293938		127.5	1370	4.6	26.4	<0.002	0.11	0.83	35.9	1	3.4	69.1	1.39	<0.05	3.73
RDD293939		130.5	1240	3.2	29.1	<0.002	0.13	0.77	36.4	1	3.0	39.6	1.39	<0.05	3.28
RDD293940		85.0	780	6.1	41.3	<0.002	0.84	0.96	25.9	1	9.9	71.8	1.28	0.11	5.40
RDD293941		83.8	990	4.3	84.6	<0.002	0.13	1.36	30.0	1	13.3	80.6	1.70	<0.05	6.18



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 4 - D

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ti	U	V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03
RDD293902		3.70	0.8	357	3.8	37.8	822	142.5	6.73	3.64	2.06	7.01	1.29	0.41	26.7	6.43
RDD293903		0.70	1.5	100	1.8	51.2	124	106.5	9.41	4.12	1.66	9.13	1.69	0.44	28.6	6.68
RDD293904		1.86	1.3	193	2.1	24.3	89	159.5	4.86	2.52	1.48	5.31	0.95	0.30	29.7	7.21
RDD293905		0.66	1.6	236	2.5	29.7	146	157.5	5.05	2.81	1.48	5.32	1.02	0.30	24.6	6.14
RDD293906		0.58	1.5	229	2.8	30.1	152	153.5	5.32	2.94	1.78	5.63	1.08	0.35	30.6	7.58
RDD293907		0.74	1.6	191	2.0	27.3	147	122.5	5.20	2.64	1.69	5.63	0.99	0.33	25.2	6.12
RDD293908		0.38	1.7	175	3.4	26.1	751	109.0	4.78	2.66	1.56	4.98	0.97	0.33	23.7	5.80
RDD293909		0.09	1.6	163	3.2	25.0	162	96.0	4.54	2.41	1.43	4.93	0.89	0.29	24.7	6.32
RDD293910		<0.02	0.2	3	0.2	0.9	3	15.4	0.13	0.09	<0.03	0.11	0.03	0.02	0.6	0.17
RDD293911		0.72	1.6	202	2.9	27.2	129	126.5	4.73	2.59	1.61	5.08	0.95	0.33	26.4	6.80
RDD293912		0.87	1.9	170	3.4	31.2	179	137.0	5.52	3.08	1.76	5.87	1.13	0.39	32.4	8.18
RDD293913		0.78	1.8	175	2.5	32.9	535	141.0	6.00	3.25	1.70	6.09	1.19	0.41	28.2	7.20
RDD293914		1.06	2.1	183	1.5	28.1	93	239	4.86	3.29	1.42	5.24	1.08	0.52	34.1	8.60
RDD293915		0.34	1.9	160	1.1	35.6	92	214	6.48	3.62	2.28	7.46	1.29	0.50	37.9	9.37
RDD293916		0.63	1.4	217	4.7	28.5	823	105.0	5.12	2.78	1.82	5.44	1.02	0.34	25.0	6.14
RDD293917		1.23	1.0	260	3.9	25.3	525	157.0	4.74	2.50	1.58	5.05	0.92	0.29	23.9	5.67
RDD293918		0.28	1.2	285	3.2	26.7	1330	180.0	4.82	2.68	1.42	4.99	0.99	0.32	21.2	5.03
RDD293919		0.25	1.3	203	8.4	26.2	150	114.0	4.55	2.52	1.40	4.62	0.94	0.32	19.2	4.48
RDD293920		0.04	1.2	166	3.4	24.6	254	130.0	4.46	2.46	1.78	4.75	0.91	0.30	21.8	5.32
RDD293921																
RDD293922		0.14	1.3	195	0.2	19.6	113	202	3.76	1.82	1.84	4.51	0.70	0.21	27.3	7.01
RDD293923		0.60	0.5	347	2.1	40.5	164	94.2	7.01	3.89	2.75	7.84	1.42	0.47	33.0	7.33
RDD293924		2.08	0.5	349	3.1	38.9	134	94.1	6.57	3.95	2.19	6.20	1.38	0.50	19.9	4.34
RDD293925		3.24	0.6	340	2.0	34.2	144	125.5	5.93	3.52	1.58	5.50	1.27	0.49	17.7	3.85
RDD293926		1.73	0.4	354	4.2	36.7	148	68.0	6.58	3.78	1.97	6.26	1.37	0.45	18.1	4.11
RDD293927		1.32	0.4	324	3.3	34.6	166	57.6	6.28	3.60	1.91	5.90	1.29	0.43	17.3	3.83
RDD293928		1.26	0.4	344	2.7	36.3	145	66.6	6.29	3.67	1.86	5.91	1.33	0.44	18.5	4.24
RDD293929		2.38	0.5	239	21.1	22.9	1440	56.0	4.47	2.32	1.51	5.01	0.88	0.27	21.5	5.48
RDD293930		0.02	0.2	4	0.2	1.4	4	17.6	0.23	0.16	0.04	0.18	0.05	0.03	0.6	0.19
RDD293931		2.86	1.3	214	5.4	30.2	276	119.0	6.40	3.23	1.95	7.33	1.23	0.36	35.3	8.90
RDD293932		0.38	0.2	341	3.0	19.1	220	24.0	3.64	1.96	0.91	3.75	0.72	0.21	12.1	2.69
RDD293933		0.56	1.8	185	1.0	21.1	123	145.0	3.70	2.22	2.48	6.87	0.77	0.32	63.5	16.75
RDD293934		0.58	1.1	209	1.8	24.4	118	119.0	4.61	2.49	1.81	5.97	0.93	0.30	38.0	9.45
RDD293935		1.11	0.4	184	1.7	25.8	134	60.1	5.04	2.28	2.09	5.62	0.94	0.24	22.2	5.60
RDD293936		0.51	0.8	279	1.5	37.1	134	96.4	7.68	3.77	2.12	7.75	1.48	0.39	30.9	7.17
RDD293937		0.25	0.6	205	1.0	41.2	95	55.7	8.40	3.79	1.83	8.11	1.53	0.35	23.1	5.83
RDD293938		0.26	0.6	228	1.5	40.4	122	65.2	8.17	3.85	2.54	8.67	1.54	0.37	36.8	8.79
RDD293939		0.29	0.6	241	1.2	33.7	132	73.5	6.90	3.38	2.10	7.25	1.34	0.34	32.5	7.96
RDD293940		0.45	1.1	251	1.4	24.7	138	85.2	4.66	2.42	2.01	5.02	0.92	0.29	24.1	6.10
RDD293941		0.62	1.2	316	1.4	24.5	130	93.8	4.84	2.63	2.41	5.97	0.97	0.33	34.5	8.97



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 4 – E

Total # Pages: 7 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Sm	Tb	Tm	Yb
		ppm	ppm	ppm	ppm
		0.03	0.01	0.01	0.03
RDD293902		6.61	1.23	0.46	2.73
RDD293903		8.18	1.63	0.52	3.14
RDD293904		6.14	0.87	0.33	2.08
RDD293905		5.61	0.87	0.37	2.22
RDD293906		6.53	0.91	0.39	2.31
RDD293907		5.81	0.92	0.35	2.17
RDD293908		5.33	0.80	0.36	2.22
RDD293909		5.41	0.79	0.33	2.03
RDD293910		0.11	0.01	0.01	0.12
RDD293911		5.88	0.80	0.36	2.25
RDD293912		6.73	0.95	0.41	2.58
RDD293913		6.50	1.00	0.44	2.68
RDD293914		6.46	0.80	0.49	3.25
RDD293915		7.83	1.11	0.55	3.27
RDD293916		5.79	0.88	0.37	2.28
RDD293917		5.46	0.81	0.35	1.98
RDD293918		5.08	0.81	0.37	2.30
RDD293919		4.60	0.76	0.35	2.16
RDD293920		5.04	0.76	0.32	2.00
RDD293921					
RDD293922		5.44	0.69	0.23	1.44
RDD293923		7.98	1.21	0.53	3.47
RDD293924		5.44	1.05	0.54	3.35
RDD293925		4.80	0.95	0.49	3.16
RDD293926		4.99	1.03	0.53	3.20
RDD293927		4.72	0.98	0.50	3.12
RDD293928		4.99	0.98	0.50	3.15
RDD293929		4.90	0.79	0.31	1.87
RDD293930		0.13	0.04	0.03	0.17
RDD293931		7.45	1.15	0.42	2.61
RDD293932		3.31	0.61	0.25	1.46
RDD293933		11.30	0.80	0.32	2.06
RDD293934		7.42	0.83	0.34	2.11
RDD293935		5.48	0.88	0.30	1.70
RDD293936		7.22	1.28	0.48	2.84
RDD293937		6.24	1.40	0.47	2.66
RDD293938		8.46	1.42	0.49	2.73
RDD293939		7.37	1.16	0.43	2.50
RDD293940		5.28	0.81	0.33	2.05
RDD293941		7.16	0.87	0.36	2.27

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 5 - A

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

Project: EDGI_99

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	Au-ICP21 Au ppm 0.001	ME-XRF15b Sn % 0.005	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1
RDD293942		2.12		0.001	0.018	0.10	6.59	5.7	50	5.46	5.45	5.44	<0.02	57.6	48.3	195
RDD293943		1.91		0.027	0.028	0.27	4.88	63.3	40	1.50	59.8	5.88	<0.02	36.7	202	102
RDD293944		2.10	92.1	0.007	0.018	0.16	6.77	20.2	50	1.50	8.04	5.93	<0.02	68.0	83.1	107
RDD293945		2.17		0.006	0.032	0.18	6.29	8.6	90	1.60	6.55	6.88	<0.02	46.0	92.6	99
RDD293946		<0.02			1.115											
RDD293947		0.07		1.755		0.15	7.73	364	690	2.47	0.36	0.90	0.05	81.1	17.8	129
RDD293948		1.83		0.002	0.017	0.07	7.48	12.0	130	2.19	1.23	7.25	<0.02	69.5	26.4	73
RDD293949		1.46		0.003	<0.005	0.02	6.95	7.6	50	3.87	0.48	0.51	<0.02	58.8	19.8	71
RDD293950		1.33		0.005	<0.005	0.01	6.01	12.0	50	1.75	0.30	0.78	0.02	61.4	13.2	66
RDD293951		2.17		0.003	0.008	0.04	8.37	132.0	160	2.79	1.03	4.96	<0.02	78.6	39.9	75
RDD293952		2.02		0.001	0.030	0.11	6.97	39.0	90	2.71	1.28	6.20	<0.02	55.4	35.3	95
RDD293953		2.16		0.004	0.049	0.12	6.52	31.6	80	1.96	1.95	5.61	<0.02	69.6	40.8	89
RDD293954		2.02		0.008	0.015	0.09	5.93	370	110	1.62	4.33	5.42	<0.02	45.5	49.5	487
RDD293955		1.89		0.004	0.012	0.06	8.54	56.7	380	4.89	2.02	1.90	<0.02	75.3	27.5	128
RDD293956		2.14		0.002	0.006	0.05	9.73	1.4	300	3.08	0.34	0.45	<0.02	41.6	40.2	141
RDD293957		1.42		0.003	0.011	0.02	10.20	75.0	470	4.58	0.21	2.20	<0.02	65.8	18.5	137
RDD293958		2.54		0.002	0.015	0.12	4.70	75.3	110	2.50	1.55	6.15	<0.02	54.8	24.7	58
RDD293959		1.93		0.003	0.018	0.16	6.16	22.9	140	5.58	2.68	7.04	<0.02	74.3	23.2	56
RDD293960		1.28		0.003	0.023	0.15	3.27	36.5	120	5.71	24.4	12.00	<0.02	38.3	11.2	26
RDD293961		2.02		0.002	0.008	0.07	6.22	49.1	360	4.18	1.93	2.27	<0.02	67.3	13.0	59
RDD293962		1.82		0.003	0.015	0.10	5.05	8.2	240	2.75	3.06	7.49	<0.02	60.2	11.3	40
RDD293963		1.93		0.002	0.010	0.07	7.57	27.7	520	5.43	1.30	3.13	<0.02	82.4	12.4	51
RDD293964		1.79		0.002	0.006	0.06	6.64	31.4	430	2.86	0.54	0.90	0.02	74.4	10.5	62
RDD293965		1.80		0.001	<0.005	0.10	7.18	10.2	500	2.91	0.43	0.40	<0.02	101.0	16.8	51
RDD293966		1.80		0.001	0.009	0.16	7.68	7.8	520	3.14	0.33	0.45	0.03	136.0	16.5	60
RDD293967		0.69		0.001	<0.005	0.01	0.05	2.7	10	<0.05	0.04	0.01	<0.02	1.62	0.7	12
RDD293968		2.00		0.001	0.006	0.07	6.92	18.4	180	13.35	0.35	1.75	<0.02	59.2	29.2	57
RDD293969		1.97		0.002	0.008	0.08	7.08	25.3	190	17.85	0.48	1.17	<0.02	60.5	21.9	59
RDD293970		2.05		0.003	0.005	0.13	6.93	10.9	400	2.50	0.91	0.23	<0.02	69.3	23.9	73
RDD293971		<0.02			1.125											
RDD293972		0.07		0.001		0.11	7.86	1.4	540	2.04	0.02	5.71	0.12	60.2	47.0	147
RDD293973		1.05		0.002	0.007	0.05	8.18	48.3	580	1.32	0.18	2.62	<0.02	35.7	52.0	231
RDD293974		1.54		0.002	0.006	0.05	3.21	27.5	630	2.14	0.86	15.60	<0.02	26.4	30.6	52
RDD293975		1.36		0.003	0.006	0.03	7.97	3.0	910	2.25	1.02	0.60	<0.02	61.0	29.5	132
RDD293976		2.13		0.003	0.009	0.04	8.14	7.7	1270	3.26	1.38	1.00	<0.02	103.5	34.7	81
RDD293977		2.10		0.001	0.034	0.10	4.90	22.2	270	11.35	2.36	7.84	<0.02	58.8	13.2	33
RDD293978		2.56		0.001	0.021	0.08	3.94	37.7	170	2.37	4.38	6.33	<0.02	57.9	10.6	26
RDD293979		2.11		0.003	0.006	0.04	6.25	25.7	610	2.96	0.31	3.03	<0.02	74.3	17.6	40
RDD293980		2.00		0.002	0.007	0.08	4.53	39.5	370	3.20	0.67	3.41	<0.02	53.4	15.6	40
RDD293981		0.93		0.002	<0.005	0.02	0.04	1.3	10	<0.05	0.04	0.01	<0.02	1.53	0.3	4



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Page: 5 - B
Total # Pages: 7 (A - E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

Project: EDGI_99

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
RDD293942		11.60	180.0	11.85	21.2	0.22	1.7	0.660	0.44	26.7	45.4	2.91	1920	0.62	2.93	27.0
RDD293943		5.55	1330	21.2	16.85	0.33	2.5	1.120	0.25	17.0	19.5	3.11	1690	1.10	1.27	17.1
RDD293944		5.81	536	11.90	21.1	0.19	4.0	1.235	0.32	29.9	13.9	2.56	1490	17.80	2.78	28.9
RDD293945		15.35	557	15.15	22.1	0.21	2.7	3.06	0.78	21.3	31.6	3.39	2200	0.82	1.34	22.2
RDD293946																
RDD293947		10.20	28.5	4.21	19.85	0.20	3.9	0.069	2.85	41.2	57.0	1.82	413	0.94	0.77	16.6
RDD293948		11.25	33.3	9.19	23.5	0.23	3.1	1.375	0.77	32.1	30.8	2.87	1960	0.40	1.96	28.3
RDD293949		29.2	11.5	5.16	20.0	0.19	3.1	0.078	0.44	26.4	58.6	3.42	350	0.42	2.98	18.3
RDD293950		18.30	14.4	4.54	16.15	0.19	2.4	0.155	0.21	26.9	60.4	2.80	479	0.35	2.83	17.0
RDD293951		17.15	6.6	7.86	25.4	0.26	3.9	0.554	1.24	36.1	49.2	2.35	1630	0.50	2.66	24.1
RDD293952		11.80	121.0	12.45	22.7	0.23	2.9	8.82	0.68	24.6	30.5	3.10	2460	1.26	1.45	26.7
RDD293953		15.05	178.0	13.70	20.6	0.24	3.5	10.15	0.71	32.1	20.7	2.65	2580	0.89	1.67	22.6
RDD293954		39.2	45.2	11.75	20.3	0.22	1.3	2.29	1.63	21.1	37.7	6.75	4050	0.81	0.40	22.4
RDD293955		37.9	84.6	6.88	23.5	0.23	2.8	1.465	2.62	35.0	92.1	1.92	2120	0.38	1.15	23.8
RDD293956		27.5	19.0	8.02	26.3	0.24	2.5	0.156	2.32	18.0	119.0	3.31	629	0.26	1.96	23.5
RDD293957		36.9	9.2	4.60	26.3	0.25	2.8	0.106	4.05	29.9	56.7	1.63	733	0.48	1.06	18.4
RDD293958		5.22	125.5	7.82	13.40	0.19	2.5	0.436	0.83	27.5	17.2	4.14	1590	1.26	0.49	14.2
RDD293959		7.40	153.5	7.65	19.25	0.18	3.3	0.424	1.20	37.5	27.2	3.57	1155	3.38	0.68	16.9
RDD293960		27.9	135.0	7.73	10.30	0.08	1.7	2.25	1.23	18.5	55.5	8.42	2220	0.40	0.09	6.7
RDD293961		15.75	57.1	3.25	16.50	0.18	3.5	0.300	3.18	32.9	47.3	1.51	612	1.22	0.67	10.5
RDD293962		14.60	60.5	5.33	13.60	0.13	2.8	0.999	2.17	28.6	40.2	4.77	1635	0.52	0.29	9.3
RDD293963		25.2	52.1	3.06	21.1	0.26	4.0	0.384	4.04	40.3	48.1	2.01	929	1.12	0.39	14.9
RDD293964		10.80	89.8	3.19	17.75	0.24	4.2	0.113	2.66	36.3	35.0	0.73	211	3.05	0.65	18.7
RDD293965		9.80	192.0	3.93	20.5	0.24	5.6	0.096	3.18	50.8	41.5	0.80	166	1.78	0.31	25.6
RDD293966		15.60	359	3.31	22.1	0.27	6.9	0.266	3.26	68.2	56.7	1.05	219	3.78	0.35	30.3
RDD293967		0.08	3.8	1.55	0.42	<0.05	0.5	0.010	0.02	0.8	1.3	0.01	163	0.82	0.01	1.6
RDD293968		46.4	171.0	8.92	22.0	0.29	0.7	0.279	1.72	25.4	117.5	4.11	1395	0.39	0.73	23.0
RDD293969		58.7	148.0	7.96	21.8	0.26	0.9	0.288	2.01	26.0	153.5	3.21	930	0.60	0.78	24.4
RDD293970		18.35	219	5.40	20.5	0.21	3.3	0.296	2.25	32.4	133.0	1.85	462	1.71	0.27	18.3
RDD293971																
RDD293972		1.20	50.1	8.04	24.0	0.32	4.8	0.071	1.70	29.8	12.1	4.66	1140	4.35	2.33	47.6
RDD293973		20.8	22.7	8.08	20.0	0.32	1.3	0.444	2.02	16.5	41.2	4.16	2070	0.43	2.35	15.3
RDD293974		7.02	22.8	5.13	8.97	0.13	1.4	1.825	0.65	13.9	15.8	9.41	4210	0.33	0.31	6.9
RDD293975		19.10	2.5	7.43	21.7	0.28	0.7	0.359	2.96	27.3	75.3	1.71	625	0.80	2.77	14.6
RDD293976		31.1	1.6	6.65	26.0	0.31	2.6	0.727	3.95	43.0	99.7	1.97	1275	0.56	1.22	19.2
RDD293977		25.6	98.4	15.70	17.50	0.84	2.1	9.45	0.83	26.8	31.4	8.17	9810	0.47	0.25	10.8
RDD293978		9.51	59.1	19.80	14.50	0.38	1.7	16.60	0.44	31.6	12.4	9.14	21800	0.37	0.32	9.8
RDD293979		18.50	12.6	7.46	20.2	0.17	2.2	5.09	1.85	33.5	68.9	3.52	8040	0.41	0.75	16.5
RDD293980		24.3	98.5	5.18	13.50	0.15	1.5	0.545	1.89	26.2	72.0	2.67	1250	0.57	0.48	9.6
RDD293981		0.10	2.4	0.44	0.25	<0.05	0.4	0.026	0.02	0.8	2.1	0.01	61	0.38	0.01	1.3



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 5 - C

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

Project: EDGI_99

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01
RDD293942		99.1	1100	3.2	121.5	0.002	1.46	1.74	37.4	1	154.0	144.5	1.61	<0.05	3.25
RDD293943		101.5	860	3.6	48.2	0.003	6.71	1.94	22.9	4	192.5	150.0	1.00	0.57	2.46
RDD293944		58.8	910	4.2	59.5	0.003	2.73	1.48	21.5	2	167.5	237	1.70	0.12	9.48
RDD293945		96.4	1160	3.2	163.0	0.003	3.09	2.37	30.3	2	276	157.0	1.29	0.05	2.84
RDD293946															1.360
RDD293947		63.9	770	19.5	170.0	<0.002	0.15	343	15.4	<1	3.8	151.0	1.15	<0.05	15.15
RDD293948		49.1	1350	2.9	139.0	<0.002	0.16	1.56	32.7	1	135.0	247	1.68	<0.05	4.56
RDD293949		41.1	690	1.7	120.5	<0.002	0.06	2.19	18.6	<1	5.0	65.9	1.27	0.18	10.90
RDD293950		38.5	690	2.6	60.5	<0.002	0.07	2.10	16.4	<1	9.5	66.4	1.15	0.06	8.51
RDD293951		67.0	1290	5.9	173.0	<0.002	0.04	3.34	30.0	1	45.1	146.0	1.51	0.08	9.29
RDD293952		53.2	1560	4.6	104.5	0.002	0.97	1.76	30.0	1	235	107.0	1.64	<0.05	5.63
RDD293953		53.7	1050	3.4	99.0	0.004	1.78	1.21	24.2	1	440	77.0	1.43	0.07	6.65
RDD293954		535	1050	3.4	191.0	0.002	0.19	5.29	31.0	1	58.9	46.8	1.35	0.08	2.57
RDD293955		67.0	980	7.1	237	<0.002	0.23	0.71	27.8	1	31.2	51.8	1.46	0.19	9.44
RDD293956		81.3	1060	4.1	82.1	<0.002	0.56	0.40	28.6	1	8.1	44.0	1.57	0.18	6.90
RDD293957		62.8	900	5.0	292	<0.002	0.10	0.62	31.6	<1	16.7	62.0	1.23	0.07	12.65
RDD293958		49.2	630	2.5	91.6	0.004	2.58	0.65	17.0	2	104.0	52.9	0.85	0.10	8.19
RDD293959		46.7	570	3.8	134.5	0.006	3.54	0.75	16.4	2	114.0	74.6	1.14	0.14	11.35
RDD293960		12.3	970	2.9	217	0.002	2.57	1.64	7.8	1	183.0	42.4	0.44	0.08	5.40
RDD293961		28.1	1230	6.0	248	0.005	0.99	0.85	13.4	1	12.8	59.3	0.69	<0.05	10.35
RDD293962		19.0	880	3.6	170.0	<0.002	1.92	1.31	11.5	1	60.5	57.5	0.60	0.06	8.80
RDD293963		22.1	700	8.2	388	0.003	1.12	1.06	13.2	1	30.8	50.0	0.97	<0.05	13.20
RDD293964		25.4	330	7.7	179.5	0.004	1.24	0.76	12.5	1	5.7	41.6	0.81	<0.05	12.10
RDD293965		25.0	360	3.7	193.0	0.003	1.76	0.31	11.1	1	4.9	17.1	2.04	0.05	16.40
RDD293966		25.6	430	3.7	204	0.004	1.26	0.56	12.6	1	6.5	14.5	3.27	0.08	19.70
RDD293967		2.4	10	3.2	0.8	<0.002	<0.01	0.29	0.2	<1	1.1	2.7	0.11	<0.05	0.34
RDD293968		53.4	1030	7.3	189.0	<0.002	0.37	1.74	29.9	1	3.9	34.0	1.35	0.13	3.84
RDD293969		48.5	1030	6.8	225	<0.002	0.34	1.56	29.9	1	4.6	35.3	1.39	0.12	4.03
RDD293970		31.7	330	3.2	167.0	0.002	1.34	0.68	19.6	1	7.3	10.3	0.89	0.15	8.57
RDD293971															0.590
RDD293972		141.0	2570	3.9	41.7	<0.002	0.04	0.25	21.1	1	1.8	790	2.99	<0.05	3.86
RDD293973		95.2	620	4.5	138.0	<0.002	0.40	1.32	46.8	<1	8.9	113.5	0.85	0.06	4.31
RDD293974		44.7	790	2.3	68.8	<0.002	0.31	1.36	15.6	<1	37.4	133.5	0.41	0.08	3.07
RDD293975		68.3	200	8.0	189.0	<0.002	0.02	0.55	31.9	<1	10.4	37.5	0.94	0.62	8.30
RDD293976		117.0	340	7.8	291	<0.002	0.02	0.89	22.3	<1	17.3	63.6	1.35	0.72	17.20
RDD293977		30.8	310	7.7	122.5	0.002	1.97	2.10	12.3	<1	240	53.3	0.70	0.13	12.10
RDD293978		31.4	1400	3.8	53.4	<0.002	1.08	0.45	10.2	<1	181.0	61.7	0.62	0.12	10.05
RDD293979		60.2	250	3.4	173.0	<0.002	0.17	1.03	16.2	<1	42.3	64.6	1.05	0.11	16.10
RDD293980		42.9	380	2.3	230	<0.002	1.27	1.05	11.4	<1	17.2	32.3	0.65	0.17	9.39
RDD293981		0.9	10	2.7	0.8	<0.002	<0.01	0.21	0.2	<1	0.4	2.8	<0.05	<0.05	0.27



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 5 - D

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ti	U	V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03
RDD293942		0.92	0.6	386	4.8	37.1	99	55.9	7.01	3.48	2.17	7.39	1.36	0.34	32.4	7.68
RDD293943		0.64	1.1	209	37.2	21.1	85	94.4	3.94	2.11	1.62	4.54	0.79	0.25	20.6	5.10
RDD293944		0.60	2.2	184	3.0	27.7	89	157.5	4.97	2.83	1.73	5.56	1.03	0.38	32.5	8.16
RDD293945		1.42	1.0	260	4.7	28.9	113	89.5	5.57	2.84	2.01	6.19	1.08	0.30	25.9	6.34
RDD293946																
RDD293947		0.84	2.8	110	2.3	18.2	100	141.0	3.41	1.81	1.35	4.69	0.67	0.30	36.9	9.99
RDD293948		1.15	0.9	261	3.8	32.3	102	104.5	6.18	3.17	2.17	6.96	1.20	0.34	35.5	8.79
RDD293949		1.09	1.5	141	1.7	17.4	46	116.0	3.14	1.93	1.37	4.02	0.66	0.29	25.3	6.95
RDD293950		0.52	1.3	121	1.5	16.1	40	92.0	3.10	1.70	1.32	4.13	0.61	0.23	27.3	7.15
RDD293951		1.71	2.0	211	3.5	36.4	80	153.0	6.93	3.65	2.26	7.59	1.35	0.45	40.4	9.90
RDD293952		0.93	1.1	253	4.3	29.1	174	104.5	5.77	2.98	2.29	6.51	1.13	0.35	30.0	7.18
RDD293953		1.04	1.7	201	2.8	29.5	150	125.5	5.70	2.94	3.00	6.68	1.12	0.35	36.3	9.01
RDD293954		1.86	0.4	266	19.7	24.8	191	44.5	4.86	2.36	1.65	5.61	0.92	0.24	25.9	6.19
RDD293955		2.04	1.3	177	2.7	21.1	89	109.5	4.28	2.15	1.95	5.52	0.80	0.31	35.5	9.22
RDD293956		0.98	1.1	182	1.4	11.5	79	87.4	2.74	1.54	1.14	3.63	0.54	0.24	20.6	5.43
RDD293957		1.89	1.4	186	4.2	18.3	29	103.0	3.51	2.08	1.26	4.31	0.72	0.31	27.5	7.77
RDD293958		0.56	1.7	124	5.0	23.0	39	95.8	3.96	2.27	1.17	4.29	0.82	0.31	25.6	6.83
RDD293959		0.83	2.3	118	32.1	30.9	29	122.0	5.23	3.12	1.38	5.43	1.09	0.43	33.2	9.13
RDD293960		1.60	1.1	41	32.5	18.0	56	64.9	3.02	1.71	0.84	3.38	0.61	0.24	17.6	4.62
RDD293961		1.54	3.0	80	2.8	26.6	17	124.5	4.39	2.68	1.17	5.20	0.92	0.40	31.7	8.45
RDD293962		1.15	2.0	65	3.8	22.7	39	103.0	3.89	2.34	1.08	4.36	0.81	0.35	26.6	7.44
RDD293963		2.28	2.9	85	10.2	25.9	14	145.0	4.21	2.65	1.18	4.87	0.87	0.40	35.6	9.67
RDD293964		0.85	2.9	75	2.7	25.0	13	166.5	4.08	2.56	1.07	4.71	0.83	0.39	33.6	8.86
RDD293965		0.84	3.7	66	2.1	27.6	7	189.0	4.73	2.85	1.12	5.62	0.94	0.42	41.9	11.50
RDD293966		0.96	5.4	71	2.2	26.6	16	214	5.07	2.79	1.73	6.82	0.97	0.40	54.5	15.15
RDD293967		<0.02	0.2	3	0.2	1.3	3	20.9	0.21	0.14	0.03	0.16	0.09	0.03	0.6	0.17
RDD293968		1.52	0.2	168	1.4	20.2	98	28.7	4.50	2.04	1.73	6.36	0.80	0.24	31.0	7.43
RDD293969		1.65	0.3	161	2.2	15.3	84	37.3	3.31	1.52	1.72	5.35	0.58	0.20	31.3	7.65
RDD293970		0.92	1.6	110	1.5	17.9	39	132.0	3.42	1.81	1.22	4.60	0.65	0.27	30.9	8.08
RDD293971																
RDD293972		0.14	1.4	196	0.1	21.5	113	210	4.20	2.04	1.99	5.38	0.78	0.23	29.7	7.29
RDD293973		1.53	0.5	209	1.5	23.0	60	51.5	4.38	2.57	1.26	4.46	0.91	0.32	18.5	4.71
RDD293974		0.46	1.6	55	8.9	36.9	113	54.9	4.71	2.97	0.91	4.52	1.04	0.40	17.3	3.93
RDD293975		1.12	0.2	107	2.5	12.2	48	20.7	2.76	1.26	1.03	4.29	0.49	0.15	28.4	7.25
RDD293976		1.84	1.3	165	5.4	16.8	48	99.7	3.29	1.73	1.24	4.56	0.62	0.27	35.1	9.76
RDD293977		1.05	1.2	80	50.8	26.3	145	76.5	3.85	2.33	1.56	4.03	0.80	0.30	24.9	6.83
RDD293978		0.44	1.7	59	11.4	36.4	275	66.1	4.99	2.96	1.61	5.57	1.01	0.34	29.6	7.63
RDD293979		1.23	1.2	92	3.1	18.5	56	87.9	3.22	1.88	1.29	4.00	0.65	0.28	27.1	7.53
RDD293980		1.31	1.0	85	2.5	19.4	43	53.1	3.30	1.82	0.98	4.18	0.65	0.26	24.4	6.33
RDD293981		<0.02	0.2	3	0.1	0.9	4	15.6	0.13	0.09	<0.03	0.12	0.03	0.02	0.6	0.17



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 5 – E

Total # Pages: 7 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Sm	Tb	Tm	Yb
		ppm	ppm	ppm	ppm
		0.03	0.01	0.01	0.03
RDD293942		7.08	1.19	0.45	2.58
RDD293943		4.61	0.70	0.28	1.77
RDD293944		6.20	0.86	0.40	2.55
RDD293945		5.98	0.97	0.37	2.19
RDD293946					
RDD293947		6.58	0.66	0.27	1.86
RDD293948		7.63	1.08	0.43	2.52
RDD293949		4.98	0.56	0.29	1.87
RDD293950		5.21	0.59	0.25	1.61
RDD293951		8.18	1.19	0.49	3.12
RDD293952		6.44	1.01	0.40	2.53
RDD293953		7.35	1.00	0.40	2.46
RDD293954		5.84	0.87	0.30	1.77
RDD293955		6.99	0.82	0.32	2.05
RDD293956		4.45	0.51	0.23	1.54
RDD293957		5.27	0.65	0.31	2.02
RDD293958		4.85	0.67	0.33	2.15
RDD293959		6.22	0.87	0.45	2.88
RDD293960		3.75	0.53	0.25	1.62
RDD293961		5.97	0.77	0.39	2.62
RDD293962		5.12	0.66	0.34	2.27
RDD293963		6.02	0.74	0.39	2.67
RDD293964		5.70	0.69	0.37	2.57
RDD293965		7.07	0.83	0.41	2.71
RDD293966		8.89	0.97	0.39	2.63
RDD293967		0.12	0.03	0.02	0.17
RDD293968		6.74	0.90	0.27	1.64
RDD293969		6.22	0.69	0.21	1.33
RDD293970		5.62	0.65	0.26	1.75
RDD293971					
RDD293972		5.49	0.77	0.26	1.57
RDD293973		3.93	0.73	0.34	2.20
RDD293974		3.88	0.72	0.41	2.66
RDD293975		5.30	0.57	0.17	1.02
RDD293976		5.90	0.64	0.25	1.64
RDD293977		4.27	0.61	0.32	2.09
RDD293978		5.64	0.83	0.39	2.39
RDD293979		4.65	0.60	0.27	1.82
RDD293980		4.54	0.59	0.25	1.71
RDD293981		0.11	0.02	0.02	0.12



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Page: 6 – A
Total # Pages: 7 (A – E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

Project: EDGI_99

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	Au-ICP21 Au ppm 0.001	ME-XRF15b Sn % 0.005	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1
RDD293982		2.62		0.002	0.010	0.06	1.59	9.8	70	3.05	0.87	12.80	0.08	23.9	4.3	11
RDD293983		1.97		0.001	0.006	0.05	0.68	7.6	<10	0.74	2.86	19.25	<0.02	11.70	2.5	5
RDD293984		2.71	97.1	0.013	0.209	0.17	1.19	549	<10	0.51	11.10	12.40	<0.02	15.15	8.3	8
RDD293985		2.07		0.005	0.015	0.10	0.67	237	<10	1.79	7.15	18.55	<0.02	14.75	5.1	3
RDD293986		2.11		0.009	0.304	0.11	0.48	737	10	4.80	94.0	12.85	<0.02	4.21	11.4	4
RDD293987		2.19		0.010	0.075	0.10	0.51	1330	10	6.29	119.0	18.00	<0.02	9.46	6.9	3
RDD293988		2.21		0.003	0.512	0.09	0.50	226	20	3.18	14.30	13.75	<0.02	4.72	4.3	4
RDD293989		2.01		0.003	0.039	0.13	4.57	330	190	3.11	18.75	9.16	<0.02	34.6	12.3	74
RDD293990		2.11		0.002	0.009	0.10	5.07	61.8	210	4.48	0.93	6.47	<0.02	56.8	19.8	114
RDD293991		2.62		<0.001	0.011	0.06	3.80	62.1	140	8.35	0.23	11.30	<0.02	37.0	6.2	25
RDD293992		1.10		0.003	0.009	0.21	5.65	47.8	230	3.03	1.80	3.63	<0.02	55.6	42.1	72
RDD293993		2.20		0.043	0.012	1.44	4.61	1410	190	172.5	203	4.90	<0.02	448	60.4	25
RDD293994		2.43		0.037	0.270	7.80	2.95	91.2	150	34.8	248	3.60	<0.02	55.5	19.2	19
RDD293995		2.68		0.092	0.503	0.51	1.39	55.8	40	22.9	476	0.53	<0.02	12.35	17.6	10
RDD293996		<0.02			2.51											
RDD293997		0.07		1.700		0.14	7.69	359	690	2.46	0.40	0.91	0.04	84.4	18.0	125
RDD293998		2.19		0.029	0.122	6.10	3.26	53.3	110	75.1	232	4.32	0.71	76.5	20.6	14
RDD293999		2.02		0.003	0.008	0.39	5.31	14.2	240	7.04	3.86	1.75	0.04	65.5	16.6	52
RDD294000		1.75		0.002	0.008	0.72	6.38	17.2	170	5.80	1.94	0.12	0.87	77.5	7.9	56
RDD294001		1.93		0.002	0.009	4.12	6.42	32.2	190	6.59	2.32	0.21	6.86	91.0	7.2	48
RDD294002		1.98		0.001	<0.005	0.05	5.32	7.7	200	8.86	0.56	0.38	<0.02	72.2	13.8	43
RDD294003		2.02		0.001	0.010	0.07	4.17	7.6	110	24.3	0.84	0.51	<0.02	58.7	18.9	32
RDD294004		2.73		0.002	0.042	6.41	0.94	25.3	10	4.08	25.3	6.20	32.3	13.15	2.1	7
RDD294005		0.81		0.001	<0.005	0.02	0.05	2.5	<10	<0.05	0.06	0.01	<0.02	1.48	0.3	5
RDD294006		0.85		0.002	0.040	0.76	4.56	9.3	240	10.55	8.71	11.70	0.65	80.6	7.0	21
RDD294007		1.90		0.001	0.015	0.31	6.71	48.5	350	14.80	1.66	4.64	<0.02	97.6	8.7	54
RDD294008		1.89		0.001	0.006	0.14	6.88	14.6	250	7.65	4.84	8.03	<0.02	103.0	6.3	33
RDD294009		2.06		0.002	0.023	0.06	6.55	13.4	260	5.09	4.78	6.89	<0.02	84.6	4.8	33
RDD294010		1.98		0.001	0.028	0.09	5.77	13.6	40	6.83	12.55	9.97	<0.02	89.5	6.3	26
RDD294011		1.97		0.002	0.009	1.58	8.19	96.3	280	5.23	2.60	0.18	31.5	117.0	5.9	57
RDD294012		2.35		0.002	0.009	2.72	7.14	97.4	190	9.71	25.1	0.38	22.7	93.0	8.7	52
RDD294013		2.49		0.003	0.008	0.62	6.45	310	240	4.13	1.28	0.48	16.10	82.1	9.0	41
RDD294014		1.96		0.045	0.013	0.46	5.15	4970	160	3.28	1.29	0.27	2.81	59.6	9.5	27
RDD294015		1.94		0.079	0.013	0.48	3.64	6740	110	2.60	1.06	0.37	0.83	50.6	3.9	21
RDD294016		2.15		0.060	0.005	0.39	3.04	6280	90	1.96	0.98	0.31	3.15	45.1	5.0	20
RDD294017		1.86		0.049	0.013	3.96	4.72	5530	140	2.36	9.24	0.10	12.90	67.7	8.1	32
RDD294018		2.00		0.010	0.013	0.38	6.22	841	170	4.27	1.10	0.10	8.68	83.6	6.2	44
RDD294019		1.92		0.016	0.013	0.32	4.96	1075	140	3.55	0.76	0.20	2.62	57.9	5.3	32
RDD294020		1.92		0.008	0.012	0.47	5.02	89.9	130	4.04	0.52	0.53	5.56	73.2	3.7	32
RDD294021		<0.02			1.195											



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 6 - B

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1
RDD293982		8.10	43.9	4.53	5.15	0.08	0.8	1.805	0.44	14.3	22.5	7.78	3920	2.06	0.14	3.6
RDD293983		1.10	28.8	5.52	2.39	0.06	0.3	4.04	0.03	7.7	8.4	11.05	6990	0.15	0.02	1.4
RDD293984		0.96	421	19.50	5.96	0.17	0.5	9.13	0.02	8.5	6.4	7.55	10750	0.25	0.06	2.0
RDD293985		6.96	214	8.73	2.89	0.08	0.3	3.78	0.09	8.7	6.5	9.23	6490	0.33	0.01	1.3
RDD293986		13.50	163.0	13.45	8.49	0.11	0.3	6.17	0.23	2.2	7.8	9.63	3700	1.32	0.01	2.5
RDD293987		15.70	65.2	4.73	4.43	<0.05	0.3	3.13	0.24	5.3	7.8	9.53	2440	0.84	0.01	1.0
RDD293988		13.60	108.0	12.30	9.33	0.09	0.2	6.44	0.22	2.6	7.8	9.81	3580	1.06	0.01	1.3
RDD293989		41.4	146.5	6.88	14.65	0.10	1.9	1.275	2.23	15.4	64.0	7.17	1950	3.55	0.24	13.7
RDD293990		43.5	39.4	7.22	15.35	0.14	1.9	0.702	2.36	25.8	74.3	5.24	2450	0.61	0.29	16.8
RDD293991		20.9	5.0	4.02	10.90	0.09	1.8	0.992	1.28	17.0	61.1	7.65	2960	0.81	0.14	8.2
RDD293992		36.1	150.5	10.00	17.30	0.24	3.6	0.647	2.57	25.4	80.6	5.85	1195	6.26	0.48	18.7
RDD293993		49.2	270	15.40	28.1	1.02	1.9	1.215	2.36	186.5	90.8	8.69	2470	1.94	0.13	10.4
RDD293994		31.7	351	23.0	38.8	2.31	1.6	7.10	1.43	26.0	41.5	10.85	8960	2.75	0.14	10.1
RDD293995		13.30	280	32.1	45.3	3.30	0.6	10.95	0.61	5.3	9.2	13.65	4950	2.71	0.01	2.8
RDD293996																
RDD293997		9.94	29.0	4.21	19.75	0.17	3.8	0.070	2.84	41.8	56.2	1.80	410	0.95	0.77	16.6
RDD293998		41.3	356	21.3	34.4	1.54	1.2	4.13	1.76	33.8	97.8	10.95	5380	5.59	0.03	8.4
RDD293999		56.8	129.5	6.22	14.95	0.14	3.0	0.072	2.66	30.4	88.1	2.12	1115	3.55	0.09	11.2
RDD294000		23.4	68.2	2.72	16.55	0.16	3.8	0.046	3.02	37.3	62.2	0.56	1410	2.71	0.10	14.3
RDD294001		23.7	89.0	3.38	18.10	0.15	4.4	0.046	3.06	46.1	72.4	0.73	8320	3.35	0.09	17.8
RDD294002		59.4	52.8	3.67	14.60	0.13	3.5	0.022	2.69	36.0	128.5	2.46	316	1.07	0.26	10.4
RDD294003		80.5	76.9	5.49	13.35	0.13	3.0	0.021	2.31	29.4	96.6	4.01	309	0.84	0.13	10.1
RDD294004		12.45	74.5	17.30	24.2	0.10	1.0	1.330	0.25	5.1	81.1	5.42	67900	0.11	0.01	4.6
RDD294005		0.16	2.2	0.47	0.14	<0.05	0.4	0.013	0.02	0.8	1.9	0.01	78	0.38	0.01	1.2
RDD294006		66.8	55.4	5.20	13.90	0.08	3.3	1.470	2.17	39.3	113.5	6.17	5390	0.65	0.09	41.4
RDD294007		81.3	32.1	3.85	18.25	0.16	3.7	0.448	3.75	47.4	97.5	3.28	1820	1.38	0.22	19.1
RDD294008		35.4	18.7	3.95	19.85	0.25	4.3	0.316	2.60	51.7	73.5	4.71	1475	1.72	0.38	39.4
RDD294009		19.10	8.1	4.95	17.65	0.13	3.4	0.699	1.92	41.4	43.9	3.79	1480	0.44	0.53	21.1
RDD294010		19.55	21.4	6.90	17.40	0.20	3.8	1.140	0.57	43.7	31.0	5.40	2410	0.40	0.41	27.9
RDD294011		45.0	42.1	3.83	24.1	0.20	4.6	1.550	3.63	56.7	82.7	0.82	3170	1.15	0.14	27.6
RDD294012		64.0	177.0	6.23	22.4	0.19	4.3	2.13	2.88	45.6	175.0	1.32	2010	2.58	0.16	28.2
RDD294013		19.05	80.7	3.55	19.50	0.15	3.5	3.13	3.03	40.2	79.8	0.52	6630	8.84	0.11	16.5
RDD294014		20.0	61.6	6.88	18.45	0.11	2.0	1.185	2.46	29.3	58.1	0.52	33600	8.06	0.06	9.4
RDD294015		12.65	24.1	7.26	14.40	0.07	1.4	1.020	1.70	23.3	64.6	0.48	34100	0.90	0.05	8.9
RDD294016		12.25	8.5	5.89	12.30	<0.05	1.1	1.515	1.38	21.3	69.7	0.38	24200	0.69	0.04	7.9
RDD294017		13.30	16.3	3.83	16.40	0.07	2.4	2.87	2.25	31.4	68.6	0.37	11400	0.71	0.07	8.1
RDD294018		14.00	17.4	2.89	19.95	0.09	3.2	1.205	2.76	39.3	106.5	0.49	3630	5.64	0.14	11.6
RDD294019		19.45	17.0	8.53	17.20	0.09	2.1	0.962	2.18	27.1	72.4	0.58	17900	3.68	0.10	11.0
RDD294020		25.5	19.8	10.75	19.05	0.14	2.4	2.19	2.16	34.3	129.5	0.80	41400	9.50	0.09	7.7
RDD294021																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 6 - C

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

Project: EDGI_99

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01
RDD293982		14.8	3470	2.0	76.9	<0.002	1.22	0.39	4.8	<1	51.0	55.6	0.25	0.08	3.28
RDD293983		8.9	2240	0.9	8.1	<0.002	1.48	0.20	3.1	<1	66.5	84.8	0.09	<0.05	1.32
RDD293984		16.2	970	2.5	3.8	<0.002	8.45	0.45	3.1	<1	377	58.9	0.14	<0.05	2.27
RDD293985		9.6	1090	1.7	41.1	<0.002	2.93	0.43	2.3	<1	66.1	59.4	0.09	<0.05	1.36
RDD293986		9.9	460	2.2	115.0	0.002	2.54	0.72	1.5	1	>500	12.4	0.07	0.29	1.03
RDD293987		5.4	630	6.6	115.0	0.002	0.74	0.95	1.6	<1	386	22.8	0.06	0.26	1.03
RDD293988		10.9	500	3.5	106.0	0.002	2.17	0.68	1.8	<1	>500	16.8	0.05	0.06	0.78
RDD293989		45.0	1060	2.5	435	0.002	2.06	1.32	14.8	1	222	37.1	0.85	0.12	5.60
RDD293990		81.2	650	3.9	387	<0.002	0.94	1.12	16.4	1	51.1	49.3	1.07	0.13	7.22
RDD293991		17.1	380	6.0	273	0.002	0.07	1.36	10.6	<1	79.2	71.5	0.56	<0.05	7.65
RDD293992		104.0	590	4.4	446	0.014	4.62	1.60	16.3	7	45.6	77.5	1.21	0.18	10.50
RDD293993		89.8	350	11.8	803	0.076	6.71	6.70	9.9	4	53.8	34.9	0.62	0.61	33.6
RDD293994		19.0	570	428	544	0.061	5.70	1.86	7.2	2	>500	31.7	0.52	0.54	4.74
RDD293995		11.3	420	4.5	258	0.032	7.22	1.82	2.8	2	>500	2.5	0.15	1.08	1.93
RDD293996															
RDD293997		65.4	760	20.2	173.0	<0.002	0.15	341	15.4	<1	4.3	153.5	1.17	<0.05	14.55
RDD293998		18.4	520	248	621	0.048	7.38	2.60	5.6	2	>500	15.7	0.48	0.42	5.48
RDD293999		38.6	350	30.9	523	0.012	3.36	1.72	13.2	2	19.4	27.4	0.67	0.13	9.68
RDD294000		21.1	310	100.5	368	0.004	1.16	3.09	10.8	1	20.9	17.0	0.74	<0.05	11.75
RDD294001		14.9	350	3280	415	0.005	1.18	7.17	10.8	1	20.7	17.8	1.18	<0.05	13.60
RDD294002		17.0	450	3.9	428	0.003	1.56	0.95	10.1	1	5.6	17.6	0.65	<0.05	10.80
RDD294003		19.1	430	2.2	474	0.003	2.62	0.66	7.5	1	4.0	15.2	0.67	<0.05	8.75
RDD294004		2.9	1890	2270	73.7	<0.002	1.08	10.20	2.0	1	77.6	27.4	0.24	<0.05	1.74
RDD294005		1.2	10	2.2	1.3	<0.002	<0.01	0.21	0.4	<1	0.5	2.4	<0.05	<0.05	0.25
RDD294006		17.7	830	134.5	435	<0.002	0.95	7.03	7.0	<1	204	96.4	2.41	<0.05	10.80
RDD294007		22.3	920	25.5	501	<0.002	0.63	5.57	12.8	<1	52.7	49.6	1.23	<0.05	13.45
RDD294008		14.0	630	6.9	336	0.002	0.44	1.24	11.8	<1	52.0	70.7	2.33	<0.05	13.65
RDD294009		13.8	560	3.0	213	<0.002	0.11	0.50	11.8	<1	176.5	74.7	1.19	<0.05	12.80
RDD294010		11.4	560	2.4	80.3	0.002	0.51	0.64	11.0	<1	212	70.6	1.69	0.05	12.25
RDD294011		14.8	580	574	369	0.003	1.17	3.88	15.2	1	40.6	13.1	1.68	<0.05	15.65
RDD294012		20.3	780	299	462	0.005	1.04	4.06	13.6	1	38.6	12.9	6.22	<0.05	14.20
RDD294013		21.3	570	104.5	407	<0.002	0.74	10.80	11.8	1	77.2	25.6	1.38	<0.05	11.40
RDD294014		11.4	500	50.2	367	<0.002	1.08	80.3	8.2	<1	78.8	14.2	0.57	<0.05	7.53
RDD294015		5.5	270	26.1	269	<0.002	1.90	93.1	5.7	<1	83.1	14.2	0.55	<0.05	5.18
RDD294016		6.0	230	42.7	204	<0.002	1.30	92.7	4.4	<1	60.7	12.6	0.57	<0.05	4.33
RDD294017		11.2	220	457	293	<0.002	0.74	75.6	8.7	<1	61.1	5.8	0.43	<0.05	7.72
RDD294018		11.0	280	46.5	346	0.002	0.37	15.15	11.1	<1	56.9	11.5	0.67	<0.05	9.96
RDD294019		9.1	500	52.1	341	<0.002	3.73	27.7	9.3	<1	68.3	13.7	0.62	<0.05	7.54
RDD294020		9.0	1660	94.0	395	<0.002	3.58	4.92	10.9	<1	67.4	12.5	0.62	<0.05	8.94
RDD294021															



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 6 - D

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ti	U	V	W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.02	0.1	1	0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03
RDD293982		0.44	1.6	33	7.8	29.6	44	32.5	3.57	2.25	0.90	3.83	0.77	0.30	14.4	3.42
RDD293983		0.05	1.4	23	2.9	24.6	35	13.7	2.75	1.70	0.91	2.77	0.58	0.23	9.0	2.02
RDD293984		0.04	1.4	24	5.5	12.3	55	18.4	1.69	0.94	1.58	1.95	0.33	0.13	7.9	1.99
RDD293985		0.19	1.3	15	6.2	12.9	61	12.7	1.65	0.95	0.98	1.92	0.33	0.13	8.0	1.97
RDD293986		0.42	0.8	13	29.8	8.7	99	12.5	1.03	0.68	0.23	1.05	0.22	0.15	3.1	0.65
RDD293987		0.48	2.1	16	15.8	13.6	68	10.5	1.69	1.01	0.40	1.76	0.34	0.13	6.1	1.38
RDD293988		0.44	2.0	28	15.5	11.1	83	9.7	1.34	0.85	0.28	1.30	0.29	0.12	3.5	0.76
RDD293989		2.39	2.5	165	8.4	21.9	50	75.0	3.58	1.95	1.04	4.06	0.70	0.22	18.4	4.32
RDD293990		3.04	0.8	120	18.6	21.8	64	66.4	4.10	2.12	1.27	4.81	0.78	0.26	27.5	6.98
RDD293991		1.89	1.1	65	14.6	23.3	55	68.5	3.61	2.24	0.67	3.74	0.77	0.30	19.4	4.82
RDD293992		2.60	2.9	178	4.1	21.5	47	135.0	3.70	2.24	0.98	4.07	0.76	0.32	26.0	6.93
RDD293993		3.31	61.7	79	660	134.0	67	72.2	24.0	15.90	8.35	22.3	5.06	2.75	161.0	49.9
RDD293994		2.72	5.2	65	2090	27.1	697	65.8	4.88	2.82	0.91	4.52	0.97	0.45	23.4	6.69
RDD293995		1.14	3.8	33	1010	10.3	213	27.2	1.91	1.08	0.25	1.68	0.37	0.21	5.8	1.50
RDD293996																
RDD293997		0.85	2.8	112	2.7	18.6	100	145.0	3.39	1.85	1.29	4.76	0.66	0.29	38.3	9.91
RDD293998		2.84	7.7	41	1480	45.6	244	43.8	7.56	4.47	1.50	6.95	1.49	0.62	34.3	8.84
RDD293999		3.54	2.2	93	165.5	21.2	41	118.0	3.77	2.19	0.90	4.36	0.75	0.34	29.6	7.60
RDD294000		2.05	2.7	81	15.2	12.8	307	144.5	2.23	1.41	0.81	3.39	0.45	0.28	32.7	8.88
RDD294001		2.55	3.4	70	24.6	14.9	2080	153.5	2.61	1.59	0.73	3.74	0.52	0.32	37.5	10.30
RDD294002		2.69	2.4	62	36.0	13.1	14	125.5	2.42	1.39	0.75	3.58	0.47	0.28	29.6	8.43
RDD294003		3.46	2.0	43	75.9	11.5	17	105.5	2.09	1.20	0.55	2.90	0.40	0.23	23.9	6.70
RDD294004		0.40	1.1	10	19.9	10.6	8120	44.7	1.62	1.04	0.35	1.64	0.34	0.20	7.3	1.76
RDD294005		<0.02	0.1	3	0.3	0.8	5	13.5	0.12	0.09	<0.03	0.11	0.03	0.02	0.5	0.16
RDD294006		3.11	2.1	35	6.2	27.4	377	131.0	4.51	2.60	1.17	4.83	0.92	0.37	34.1	9.46
RDD294007		3.29	2.6	63	7.8	30.6	66	138.0	5.30	3.14	1.17	6.39	1.05	0.48	43.3	11.85
RDD294008		2.39	2.6	60	18.2	30.5	77	164.5	5.14	3.01	1.09	5.69	1.04	0.46	42.3	12.15
RDD294009		1.34	1.9	56	9.1	33.4	52	130.0	5.69	3.32	1.13	5.82	1.15	0.51	37.2	10.10
RDD294010		0.59	2.2	50	30.4	32.3	67	138.0	5.31	3.25	1.09	5.34	1.10	0.50	37.7	10.55
RDD294011		2.30	2.5	82	11.7	18.2	7140	170.5	3.85	1.78	1.08	5.88	0.68	0.32	46.3	13.25
RDD294012		2.85	2.8	72	143.5	16.9	5080	136.0	3.50	1.71	0.94	5.03	0.62	0.34	38.1	10.50
RDD294013		2.39	2.4	71	27.8	13.0	3760	127.0	2.55	1.34	0.82	3.88	0.49	0.25	35.3	9.74
RDD294014		2.48	1.4	44	12.0	10.8	727	74.9	2.01	1.15	0.63	3.24	0.38	0.20	25.9	6.84
RDD294015		1.90	0.9	31	13.9	8.1	230	53.3	1.57	0.77	0.39	2.60	0.27	0.15	21.8	6.28
RDD294016		1.55	0.7	24	12.5	7.4	779	42.1	1.33	0.68	0.31	2.22	0.25	0.13	19.2	5.64
RDD294017		1.97	1.5	49	8.8	10.7	2890	85.0	2.10	1.04	0.51	3.31	0.37	0.21	29.3	7.83
RDD294018		1.94	2.1	66	23.5	13.3	2230	115.0	2.33	1.29	0.62	3.68	0.43	0.26	34.7	9.66
RDD294019		7.34	1.4	48	20.4	10.9	662	74.4	1.94	1.06	0.52	2.95	0.37	0.21	24.9	6.92
RDD294020		3.05	1.7	51	24.4	17.4	1335	86.7	3.32	1.62	0.82	4.58	0.60	0.28	31.8	8.77
RDD294021																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 6 – E

Total # Pages: 7 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Sm	Tb	Tm	Yb
		ppm	ppm	ppm	ppm
		0.03	0.01	0.01	0.03
RDD293982		3.13	0.58	0.30	1.92
RDD293983		2.17	0.44	0.24	1.52
RDD293984		1.81	0.29	0.13	0.85
RDD293985		1.79	0.29	0.13	0.86
RDD293986		0.85	0.17	0.10	0.77
RDD293987		1.55	0.28	0.14	0.88
RDD293988		0.97	0.21	0.12	0.75
RDD293989		4.14	0.65	0.26	1.60
RDD293990		5.41	0.71	0.28	1.83
RDD293991		3.88	0.59	0.31	2.09
RDD293992		4.74	0.62	0.32	2.14
RDD293993		25.0	3.80	2.68	20.9
RDD293994		4.94	0.79	0.42	2.95
RDD293995		1.48	0.31	0.17	1.32
RDD293996					
RDD293997		6.34	0.65	0.26	1.81
RDD293998		7.14	1.22	0.67	4.67
RDD293999		5.34	0.64	0.32	2.24
RDD294000		5.33	0.44	0.22	1.71
RDD294001		6.20	0.51	0.26	1.82
RDD294002		5.11	0.49	0.22	1.58
RDD294003		4.28	0.41	0.19	1.32
RDD294004		1.83	0.27	0.17	1.20
RDD294005		0.11	0.02	0.01	0.11
RDD294006		6.20	0.77	0.37	2.30
RDD294007		8.03	0.93	0.47	2.92
RDD294008		7.74	0.88	0.45	2.85
RDD294009		6.96	0.93	0.51	3.26
RDD294010		6.87	0.87	0.49	3.14
RDD294011		8.49	0.81	0.27	1.81
RDD294012		7.07	0.72	0.27	1.96
RDD294013		6.30	0.53	0.21	1.51
RDD294014		4.80	0.42	0.17	1.25
RDD294015		4.45	0.33	0.12	0.89
RDD294016		3.94	0.30	0.11	0.80
RDD294017		5.43	0.45	0.17	1.16
RDD294018		6.52	0.50	0.22	1.48
RDD294019		4.77	0.40	0.18	1.25
RDD294020		6.44	0.66	0.24	1.66
RDD294021					



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 7 - A

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	WEI-21 Recvd Wt. kg 0.02	PUL-QC Pass75um % 0.01	Au-ICP21 Au ppm 0.001	ME-XRF15b Sn % 0.005	ME-MS61r Ag ppm 0.01	ME-MS61r Al % 0.01	ME-MS61r As ppm 0.2	ME-MS61r Ba ppm 10	ME-MS61r Be ppm 0.05	ME-MS61r Bi ppm 0.01	ME-MS61r Ca % 0.01	ME-MS61r Cd ppm 0.02	ME-MS61r Ce ppm 0.01	ME-MS61r Co ppm 0.1	ME-MS61r Cr ppm 1
RDD294022		0.07		0.334		0.14	7.45	19.6	80	0.31	0.04	7.89	0.28	11.20	47.3	110
RDD294023		1.69		0.003	<0.005	0.45	6.91	44.9	50	4.08	4.58	0.68	0.76	80.3	6.4	28
RDD294024		2.51	99.0	0.006	0.018	0.55	7.54	199.0	150	6.77	0.93	0.44	12.40	113.5	6.5	44
RDD294025		1.85		0.002	0.005	0.35	5.70	31.3	150	7.86	0.85	0.33	2.42	79.5	4.6	26
RDD294026		1.97		0.025	0.007	0.70	7.14	247	100	16.95	2.05	0.83	0.38	82.1	33.4	41
RDD294027		1.98		0.006	0.017	0.89	7.34	447	140	8.15	1.16	0.67	6.70	100.0	16.2	38
RDD294028		2.14		0.002	<0.005	0.62	7.36	17.0	180	10.80	19.70	0.49	0.10	116.5	8.6	32
RDD294029		1.48		0.003	0.020	9.53	7.00	27.6	70	8.70	328	0.56	0.30	78.6	7.0	25
RDD294030		1.79		0.002	0.007	0.13	8.32	44.8	320	13.55	0.95	0.17	0.56	113.0	11.8	50
RDD294031		1.85		0.002	<0.005	0.05	6.24	31.7	240	7.69	1.25	0.21	<0.02	104.0	7.9	37
RDD294032		1.29		0.001	0.015	0.09	8.21	19.8	250	8.63	2.58	0.50	0.37	110.0	7.8	44
RDD294033		2.25		0.002	0.008	0.17	6.85	16.2	160	18.25	17.75	1.20	0.09	83.0	3.2	19
RDD294034		1.99		0.003	0.023	0.09	6.16	26.2	140	12.95	4.09	0.61	0.24	45.6	1.3	60
RDD294035		1.37		0.002	0.025	0.41	6.01	5.0	20	2.03	47.3	0.48	<0.02	56.2	3.6	5
RDD294036		2.34		0.002	0.016	0.07	7.74	10.6	190	9.77	2.56	0.52	0.07	53.5	0.7	3
RDD294037		1.80		0.002	0.006	0.03	6.42	3.9	100	12.40	1.85	0.34	0.02	58.2	0.5	3
RDD294038		1.81		0.002	0.007	0.02	6.39	1.3	50	12.25	1.17	0.53	0.06	98.5	1.1	3
RDD294039		1.25		0.002	0.008	2.19	6.60	5.0	90	9.20	1.26	0.70	0.18	102.5	1.1	5
RDD294040		2.47		0.001	0.010	0.35	6.63	0.8	120	19.15	1.81	0.55	0.56	72.2	0.6	3
RDD294041		2.04		0.001	0.020	0.57	6.71	6.6	130	37.2	2.43	0.57	0.69	85.4	0.8	3



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 7 - B

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Cs	Cu	Fe	Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%
		0.05	0.2	0.01	0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01
RDD294022		0.42	178.5	8.27	17.05	0.08	1.5	0.070	0.27	4.3	11.6	4.11	1400	0.76	1.70
RDD294023		8.33	6.6	5.47	30.6	0.12	4.6	0.156	0.85	36.4	87.3	0.75	3390	38.1	0.56
RDD294024		46.6	19.6	8.30	27.4	0.21	4.9	0.689	3.40	51.7	228	1.09	18900	1.56	0.08
RDD294025		28.7	8.6	4.11	19.30	0.10	3.8	0.154	2.05	39.1	106.5	0.89	5390	17.75	0.18
RDD294026		109.5	92.4	8.84	27.2	0.22	4.0	0.041	3.13	30.6	701	2.99	2880	1.66	0.04
RDD294027		51.6	50.3	6.89	25.2	0.18	4.5	0.365	3.27	45.8	237	1.56	12700	50.9	0.08
RDD294028		38.5	2.7	3.93	26.3	0.21	5.1	0.134	2.30	52.9	348	1.10	1485	18.90	0.38
RDD294029		11.95	9.1	5.94	38.4	0.17	2.7	0.190	0.90	34.5	160.5	0.60	1475	298	0.63
RDD294030		57.0	2.4	3.46	23.9	0.21	4.5	0.069	3.76	53.9	158.0	1.04	950	14.80	0.22
RDD294031		54.6	6.6	3.02	16.70	0.20	3.9	0.026	2.76	50.0	151.0	0.80	779	1.54	0.13
RDD294032		32.1	18.8	4.35	26.5	0.21	3.5	0.216	2.99	53.4	164.5	0.97	1280	8.46	0.32
RDD294033		36.4	14.0	3.19	27.6	0.22	4.8	0.171	4.54	35.7	135.5	0.51	1675	24.2	0.11
RDD294034		21.6	8.7	1.84	24.5	0.16	4.4	0.286	4.55	18.4	113.0	0.10	627	3.70	0.09
RDD294035		4.74	7.0	5.35	40.4	0.20	3.9	0.117	0.81	21.5	99.6	0.04	834	112.5	0.53
RDD294036		22.0	3.4	1.32	28.1	0.17	3.8	0.087	5.42	21.6	69.2	0.12	422	25.9	0.33
RDD294037		13.20	1.6	0.90	23.7	0.15	4.2	0.023	4.32	23.1	36.3	0.10	287	5.69	1.53
RDD294038		12.90	4.1	1.55	24.4	0.23	5.0	0.030	3.86	43.0	33.8	0.05	377	4.43	2.42
RDD294039		17.45	9.3	1.94	25.2	0.24	5.4	0.044	4.00	44.7	60.9	0.18	438	81.9	1.23
RDD294040		16.95	3.1	1.31	22.8	0.17	4.2	0.026	4.41	32.1	43.5	0.09	522	4.90	1.55
RDD294041		27.0	9.7	2.26	25.0	0.22	4.4	0.024	5.42	37.0	67.4	0.14	1140	23.3	0.08



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 7 - C

Total # Pages: 7 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25094030

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ni	P	Pb	Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th
		ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.2	10	0.5	0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01
RDD294022		87.3	420	8.2	7.0	0.002	0.20	0.71	48.2	1	0.9	248	0.21	<0.05	0.49
RDD294023		9.2	150	32.1	215	<0.002	0.04	2.00	9.0	<1	36.0	30.8	14.25	<0.05	13.75
RDD294024		18.8	980	185.5	806	<0.002	0.49	10.30	11.4	<1	118.0	25.3	2.26	<0.05	17.50
RDD294025		10.8	330	178.5	511	<0.002	0.15	3.26	7.3	<1	39.8	23.8	6.00	<0.05	12.55
RDD294026		47.7	560	68.3	523	0.003	2.45	11.10	12.6	1	5.7	48.0	1.94	0.07	10.05
RDD294027		20.3	340	507	881	0.004	0.99	13.95	10.4	1	102.0	28.3	3.81	<0.05	18.70
RDD294028		14.6	220	42.6	493	<0.002	0.02	1.33	12.2	<1	26.5	25.3	5.02	<0.05	15.60
RDD294029		13.4	120	380	171.0	<0.002	0.07	17.20	10.0	<1	27.4	10.4	10.45	0.06	15.45
RDD294030		23.1	360	45.2	574	<0.002	0.03	1.71	15.9	<1	17.3	14.4	1.89	<0.05	16.85
RDD294031		20.1	310	3.8	506	0.002	0.07	2.22	11.1	<1	7.8	15.7	1.29	<0.05	14.30
RDD294032		18.6	340	8.6	546	<0.002	0.05	1.86	13.8	<1	30.0	30.1	1.56	<0.05	17.80
RDD294033		6.9	110	35.8	1030	0.003	0.15	2.51	8.3	<1	30.2	37.2	11.00	<0.05	35.3
RDD294034		5.3	20	20.2	878	0.002	0.20	1.46	2.7	<1	34.3	10.6	11.95	<0.05	24.0
RDD294035		2.5	20	51.1	163.0	0.002	0.03	3.53	5.9	<1	41.5	5.7	15.80	<0.05	20.2
RDD294036		1.3	10	8.3	821	0.003	0.03	1.21	3.9	<1	24.9	14.1	11.85	<0.05	24.8
RDD294037		0.9	20	18.0	692	0.003	0.01	0.50	2.8	<1	7.2	17.0	10.75	<0.05	32.3
RDD294038		1.5	50	29.2	674	0.003	0.01	0.37	4.2	<1	8.4	17.5	14.35	<0.05	54.4
RDD294039		2.4	40	52.1	715	0.004	0.04	1.04	5.0	<1	12.1	30.0	12.85	<0.05	59.9
RDD294040		1.1	20	97.4	775	0.003	0.02	0.66	3.6	<1	17.5	14.2	10.90	<0.05	43.8
RDD294041		1.7	20	140.5	1110	0.002	0.03	1.53	4.1	<1	101.5	6.8	10.25	<0.05	49.0



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 30-APR-2025

Account: BLUMINJV

CERTIFICATE OF ANALYSIS BU25094030

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method:

REEs may not be totally soluble in this method.
ME-MS61r

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist
Au-ICP21

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 29 & 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 19 Integrity Way, Wangara, WA, Australia
Au-ICP21

Applies to Method:

Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia
ME-MS61r ME-XRF15b

Applies to Method:

Processed at ALS Burnie located at 39 River Road, Burnie, TAS, Australia.
BAG-01 BAG-21
LOG-22 LOG-24
SPL-21 WEI-21

CRU-21

PUL-23

LEV-01

PUL-QC