



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Page: 1

Total # Pages: 9 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE BU25094030

Project: EDGI_99

This report is for 220 samples of Drill Core submitted to our lab in Burnie, TAS, Australia on 3-APR-2025.

The following have access to data associated with this certificate:

ESTHER LITTLE

MITCHELL PETERSEN

DECLAN RADFORD

SAMPLE PREPARATION

| ALS CODE | DESCRIPTION |
|----------|--------------------------------|
| PUL-QC | Pulverizing QC Test |
| SPL-21 | Split sample – riffle splitter |
| WEI-21 | Received Sample Weight |
| LEV-01 | Waste Disposal Levy |
| LOG-22 | Sample login – Rcd w/o BarCode |
| LOG-24 | Pulp Login – Rcd w/o Barcode |
| CRU-21 | Crush entire sample |
| PUL-23 | Pulv Sample – Split/Retain |
| BAG-01 | Bulk Master for Storage |
| BAG-21 | Raw Sample in a new bag |

ANALYTICAL PROCEDURES

| ALS CODE | DESCRIPTION | INSTRUMENT |
|-----------|--|------------|
| Au-ICP21 | Au 30g FA ICP-AES Finish | ICP-AES |
| ME-XRF15b | Various elements in ores by fusion XRF | XRF |
| ME-MS61r | 4A multi-element ICP-MS + REE | |

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_99

Page: 2 - A
Total # Pages: 9 (A - E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | Au-ICP21 | ME-XRF15b | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
|----------------------------|-----------------------------------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Au | Sn | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Ce | Co | Cr | Cs |
| | | ppm | % | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm |
| | | 0.001 | 0.005 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 | 0.05 |
| | | 0.2 | | | | | | | | | | | | | |
| STANDARDS | | | | | | | | | | | | | | | |
| AMIS0448 | | 1.310 | | | | | | | | | | | | | |
| AMIS0448 | | 1.290 | | | | | | | | | | | | | |
| AMIS0448 | | 1.310 | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 1.230 | | | | | | | | | | | | | |
| Upper Bound | | 1.390 | | | | | | | | | | | | | |
| BEG-24 | | 2.54 | | | | | | | | | | | | | |
| BEG-24 | | 2.59 | | | | | | | | | | | | | |
| BEG-24 | | 2.51 | | | | | | | | | | | | | |
| BEG-24 | | 2.50 | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 2.37 | | | | | | | | | | | | | |
| Upper Bound | | 2.67 | | | | | | | | | | | | | |
| EMOG-17 | | | | 66.6 | 4.63 | 565 | 700 | 1.78 | 5.63 | 1.90 | 19.65 | 47.9 | 739 | 55 | 7.39 |
| EMOG-17 | | | | 66.3 | 4.64 | 582 | 160 | 1.78 | 5.71 | 1.92 | 19.35 | 46.1 | 751 | 57 | 7.53 |
| EMOG-17 | | | | 64.5 | 4.47 | 559 | 150 | 1.71 | 5.75 | 1.85 | 19.75 | 47.4 | 728 | 53 | 7.26 |
| Target Range - Lower Bound | | | | 60.9 | 4.18 | 522 | 310 | 1.60 | 5.31 | 1.72 | 18.15 | 42.9 | 686 | 49 | 6.56 |
| Upper Bound | | | | 74.5 | 5.13 | 638 | 440 | 2.06 | 6.51 | 2.12 | 22.2 | 52.5 | 838 | 62 | 8.12 |
| GBM321-8 | | | | 2.90 | 7.39 | 62.4 | 1110 | 1.48 | 1.30 | 3.89 | 1.74 | 113.0 | 29.5 | 145 | 4.03 |
| GBM321-8 | | | | 2.90 | 7.23 | 55.3 | 1070 | 1.44 | 1.20 | 3.83 | 1.78 | 104.5 | 27.2 | 144 | 3.75 |
| GBM321-8 | | | | 2.91 | 7.30 | 64.8 | 1130 | 1.44 | 1.64 | 3.93 | 1.73 | 109.5 | 29.4 | 143 | 3.88 |
| GBM321-8 | | | | 2.85 | 7.22 | 59.5 | 1120 | 1.43 | 1.39 | 3.84 | 1.80 | 103.0 | 27.6 | 146 | 3.92 |
| Target Range - Lower Bound | | | | 2.69 | 6.40 | 50.2 | 930 | 1.27 | 1.12 | 3.33 | 1.53 | 99.0 | 24.0 | 125 | 3.44 |
| Upper Bound | | | | 3.31 | 7.84 | 61.8 | 1280 | 1.66 | 1.39 | 4.10 | 1.91 | 121.0 | 29.6 | 155 | 4.32 |
| GPP-14 | | 0.926 | | | | | | | | | | | | | |
| GPP-14 | | 0.926 | | | | | | | | | | | | | |
| GPP-14 | | 0.903 | | | | | | | | | | | | | |
| GPP-14 | | 0.918 | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.853 | | | | | | | | | | | | | |
| Upper Bound | | 0.965 | | | | | | | | | | | | | |
| ISA-24 | | 0.312 | | | | | | | | | | | | | |
| ISA-24 | | 0.317 | | | | | | | | | | | | | |
| ISA-24 | | 0.316 | | | | | | | | | | | | | |
| Target Range - Lower Bound | | 0.296 | | | | | | | | | | | | | |
| Upper Bound | | 0.336 | | | | | | | | | | | | | |

Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane OLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: **BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD**

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

QC CERTIFICATE OF ANALYSIS BU25094030

Page: 2 - B

Total # Pages: 9 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

[illegible]



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_99

Page: 2 - C
Total # Pages: 9 (A - E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
|----------------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th | Ti | U |
| | | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm |
| | | 0.5 | 0.1 | 0.002 | 0.01 | 0.05 | 0.1 | 1 | 0.2 | 0.2 | 0.05 | 0.05 | 0.01 | 0.005 | 0.02 |
| STANDARDS | | | | | | | | | | | | | | | |
| AMIS0448 | | | | | | | | | | | | | | | |
| AMIS0448 | | | | | | | | | | | | | | | |
| AMIS0448 | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| BEG-24 | | | | | | | | | | | | | | | |
| BEG-24 | | | | | | | | | | | | | | | |
| BEG-24 | | | | | | | | | | | | | | | |
| BEG-24 | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| EMOG-17 | | 7210 | 112.0 | 0.303 | 3.22 | 773 | 7.7 | 6 | 2.6 | 203 | 0.90 | 1.27 | 11.40 | 0.316 | 1.94 |
| EMOG-17 | | 7350 | 114.5 | 0.301 | 3.32 | 776 | 8.3 | 7 | 2.6 | 199.5 | 0.92 | 1.25 | 10.80 | 0.326 | 2.10 |
| EMOG-17 | | 7100 | 110.0 | 0.297 | 3.19 | 758 | 8.4 | 7 | 2.6 | 193.5 | 0.89 | 1.30 | 11.70 | 0.311 | 2.07 |
| Target Range - Lower Bound | | 6570 | 98.9 | 0.286 | 2.91 | 643 | 7.2 | 4 | 2.2 | 184.5 | 0.78 | 1.10 | 10.35 | 0.285 | 1.89 |
| Upper Bound | | 8030 | 121.0 | 0.354 | 3.57 | 869 | 9.0 | 9 | 3.2 | 226 | 1.08 | 1.46 | 12.65 | 0.359 | 2.61 |
| GBM321-8 | | 2130 | 175.5 | 0.002 | 0.34 | 1.70 | 19.9 | 1 | 3.0 | 297 | 0.77 | 0.06 | 17.60 | 0.679 | 1.23 |
| GBM321-8 | | 2040 | 167.0 | 0.002 | 0.36 | 1.60 | 18.6 | 1 | 3.1 | 288 | 0.75 | 0.05 | 17.70 | 0.664 | 1.20 |
| GBM321-8 | | 2160 | 183.0 | 0.002 | 0.31 | 1.76 | 19.0 | 1 | 3.0 | 297 | 0.72 | 0.05 | 18.20 | 0.673 | 1.28 |
| GBM321-8 | | 2120 | 174.0 | 0.002 | 0.30 | 1.67 | 18.6 | 1 | 3.1 | 294 | 0.78 | 0.05 | 18.00 | 0.665 | 1.26 |
| Target Range - Lower Bound | | 1845 | 153.0 | <0.002 | 0.31 | 1.40 | 16.7 | <1 | 2.7 | 258 | 0.64 | <0.05 | 16.00 | 0.591 | 1.01 |
| Upper Bound | | 2250 | 187.0 | 0.005 | 0.41 | 2.01 | 20.7 | 2 | 3.9 | 316 | 0.92 | 0.15 | 19.55 | 0.733 | 1.41 |
| GPP-14 | | | | | | | | | | | | | | | |
| GPP-14 | | | | | | | | | | | | | | | |
| GPP-14 | | | | | | | | | | | | | | | |
| GPP-14 | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| ISA-24 | | | | | | | | | | | | | | | |
| ISA-24 | | | | | | | | | | | | | | | |
| ISA-24 | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 2 – D

Total # Pages: 9 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r V ppm 1 | ME-MS61r W ppm 0.1 | ME-MS61r Y ppm 0.1 | ME-MS61r Zn ppm 2 | ME-MS61r Zr ppm 0.5 | ME-MS61r Dy ppm 0.05 | ME-MS61r Er ppm 0.03 | ME-MS61r Eu ppm 0.03 | ME-MS61r Gd ppm 0.05 | ME-MS61r Ho ppm 0.01 | ME-MS61r Lu ppm 0.01 | ME-MS61r Nd ppm 0.1 | ME-MS61r Pr ppm 0.03 | ME-MS61r Sm ppm 0.03 | ME-MS61r Tb ppm 0.01 |
|----------------------------|-----------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|
| STANDARDS | | | | | | | | | | | | | | | | |
| AMIS0448 | | | | | | | | | | | | | | | | |
| AMIS0448 | | | | | | | | | | | | | | | | |
| AMIS0448 | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| BEG-24 | | | | | | | | | | | | | | | | |
| BEG-24 | | | | | | | | | | | | | | | | |
| BEG-24 | | | | | | | | | | | | | | | | |
| BEG-24 | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| EMOG-17 | | 71 | 3.8 | 15.8 | 7450 | 75.6 | 2.71 | 1.50 | 0.76 | 3.01 | 0.53 | 0.20 | 20.1 | 5.76 | 3.66 | 0.46 |
| EMOG-17 | | 74 | 3.6 | 15.7 | 7620 | 62.9 | 2.71 | 1.51 | 0.87 | 3.08 | 0.55 | 0.22 | 19.8 | 5.84 | 3.70 | 0.46 |
| EMOG-17 | | 71 | 4.0 | 15.7 | 7320 | 60.3 | 2.71 | 1.51 | 0.82 | 3.10 | 0.53 | 0.21 | 19.7 | 5.50 | 3.69 | 0.47 |
| Target Range – Lower Bound | | 67 | 3.3 | 14.3 | 6800 | 55.6 | 2.53 | 1.41 | 0.71 | 2.85 | 0.48 | 0.19 | 17.8 | 4.65 | 3.40 | 0.41 |
| Upper Bound | | 84 | 4.7 | 17.7 | 8320 | 76.4 | 3.53 | 1.97 | 1.03 | 3.97 | 0.68 | 0.27 | 24.3 | 6.37 | 4.66 | 0.57 |
| GBM321-8 | | 140 | 3.3 | 38.5 | 1120 | 174.5 | 6.73 | 3.80 | 1.88 | 6.92 | 1.29 | 0.53 | 45.7 | 12.55 | 8.07 | 1.08 |
| GBM321-8 | | 139 | 4.4 | 36.5 | 1055 | 140.0 | 6.18 | 3.62 | 1.74 | 6.62 | 1.27 | 0.48 | 44.4 | 12.00 | 7.96 | 1.07 |
| GBM321-8 | | 141 | 3.1 | 39.1 | 1105 | 148.0 | 6.66 | 3.80 | 1.89 | 7.55 | 1.34 | 0.50 | 46.1 | 12.40 | 7.99 | 1.15 |
| GBM321-8 | | 139 | 3.6 | 38.5 | 1070 | 138.0 | 6.71 | 3.96 | 2.00 | 7.72 | 1.37 | 0.52 | 44.5 | 11.45 | 8.19 | 1.17 |
| Target Range – Lower Bound | | 123 | 2.9 | 33.7 | 961 | 117.5 | 5.70 | 3.26 | 1.57 | 6.49 | 1.14 | 0.42 | 36.2 | 9.83 | 7.02 | 0.99 |
| Upper Bound | | 153 | 4.1 | 41.4 | 1180 | 160.5 | 7.82 | 4.48 | 2.19 | 8.89 | 1.56 | 0.60 | 49.2 | 13.35 | 9.56 | 1.37 |
| GPP-14 | | | | | | | | | | | | | | | | |
| GPP-14 | | | | | | | | | | | | | | | | |
| GPP-14 | | | | | | | | | | | | | | | | |
| GPP-14 | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| ISA-24 | | | | | | | | | | | | | | | | |
| ISA-24 | | | | | | | | | | | | | | | | |
| ISA-24 | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 2 – E

Total # Pages: 9 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | |
|----------------------------|-----------------------------------|----------|------|
| | | Tm | Yb |
| | | ppm | ppm |
| | | 0.01 | 0.03 |
| STANDARDS | | | |
| AMIS0448 | | | |
| AMIS0448 | | | |
| AMIS0448 | | | |
| Target Range – Lower Bound | | | |
| Upper Bound | | | |
| BEG-24 | | | |
| BEG-24 | | | |
| BEG-24 | | | |
| BEG-24 | | | |
| Target Range – Lower Bound | | | |
| Upper Bound | | | |
| EMOG-17 | | 0.22 | 1.41 |
| EMOG-17 | | 0.22 | 1.42 |
| EMOG-17 | | 0.21 | 1.33 |
| Target Range – Lower Bound | | 0.19 | 1.30 |
| Upper Bound | | 0.29 | 1.82 |
| GBM321-8 | | 0.56 | 3.52 |
| GBM321-8 | | 0.51 | 3.21 |
| GBM321-8 | | 0.52 | 3.29 |
| GBM321-8 | | 0.55 | 3.57 |
| Target Range – Lower Bound | | 0.46 | 2.83 |
| Upper Bound | | 0.64 | 3.91 |
| GPP-14 | | | |
| GPP-14 | | | |
| GPP-14 | | | |
| GPP-14 | | | |
| Target Range – Lower Bound | | | |
| Upper Bound | | | |
| ISA-24 | | | |
| ISA-24 | | | |
| ISA-24 | | | |
| Target Range – Lower Bound | | | |
| Upper Bound | | | |

Australian Laboratory Services Pty. Ltd.

| Sample Description | Method Analyte Units LOD | Au-ICP21 | ME-XRF15b | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | |
|----------------------------|-----------------------------------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|------|
| | | Au | Sn | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Ce | Co | Cr | Cs | Cu | |
| | | ppm | % | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | |
| | | 0.001 | 0.005 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 | 0.05 | 0.2 | |
| STANDARDS | | | | | | | | | | | | | | | | | |
| MRCA-21 | | | | 8.07 | 7.54 | 18.2 | 1220 | 2.64 | | 1.46 | 1.80 | 2.20 | 102.0 | 31.1 | 44 | 12.45 | 942 |
| MRCA-21 | | | | 8.18 | 7.39 | 18.3 | 1190 | 2.57 | | 1.45 | 1.74 | 2.21 | 94.0 | 29.9 | 42 | 11.85 | 918 |
| MRCA-21 | | | | 8.05 | 7.53 | 19.6 | 1240 | 2.60 | | 1.47 | 1.79 | 2.16 | 104.0 | 31.4 | 41 | 12.15 | 936 |
| MRCA-21 | | | | 8.37 | 7.73 | 19.4 | 1270 | 2.64 | | 1.62 | 1.83 | 2.22 | 100.5 | 31.8 | 44 | 12.45 | 959 |
| Target Range – Lower Bound | | | | 7.57 | 6.83 | 17.2 | 1050 | 2.35 | | 1.39 | 1.58 | 1.99 | 92.7 | 28.0 | 38 | 10.75 | 877 |
| Upper Bound | | | | 9.27 | 8.37 | 21.4 | 1440 | 2.99 | | 1.73 | 1.96 | 2.47 | 113.5 | 34.4 | 49 | 13.25 | 1010 |
| NCSDC35011 | | | 0.737 | | | | | | | | | | | | | | |
| NCSDC35011 | | | 0.737 | | | | | | | | | | | | | | |
| NCSDC35011 | | | 0.729 | | | | | | | | | | | | | | |
| NCSDC35011 | | | 0.733 | | | | | | | | | | | | | | |
| NCSDC35011 | | | 0.727 | | | | | | | | | | | | | | |
| NCSDC35011 | | | 0.737 | | | | | | | | | | | | | | |
| NCSDC35011 | | | 0.721 | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | 0.695 | | | | | | | | | | | | | | |
| Upper Bound | | | 0.779 | | | | | | | | | | | | | | |
| NCSDC35012 | | | 3.98 | | | | | | | | | | | | | | |
| NCSDC35012 | | | 3.92 | | | | | | | | | | | | | | |
| NCSDC35012 | | | 4.03 | | | | | | | | | | | | | | |
| NCSDC35012 | | | 3.98 | | | | | | | | | | | | | | |
| NCSDC35012 | | | 3.98 | | | | | | | | | | | | | | |
| NCSDC35012 | | | 3.98 | | | | | | | | | | | | | | |
| NCSDC35012 | | | 3.99 | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | 3.78 | | | | | | | | | | | | | | |
| Upper Bound | | | 4.18 | | | | | | | | | | | | | | |
| OREAS 243 | | | | 2.93 | 6.37 | 87.5 | 250 | 0.48 | 0.06 | 5.56 | 0.77 | 15.80 | 38.7 | 82 | 1.26 | 176.5 | |
| OREAS 243 | | | | 2.90 | 6.30 | 89.0 | 250 | 0.48 | 0.08 | 5.55 | 0.73 | 14.05 | 39.2 | 79 | 1.23 | 173.0 | |
| OREAS 243 | | | | 2.92 | 6.14 | 86.8 | 250 | 0.47 | 0.10 | 5.39 | 0.78 | 15.05 | 38.8 | 81 | 1.25 | 169.0 | |
| Target Range – Lower Bound | | | | 2.73 | 5.73 | 76.3 | 200 | 0.36 | 0.05 | 5.02 | 0.69 | 13.40 | 35.3 | 76 | 1.09 | 160.5 | |
| Upper Bound | | | | 3.35 | 7.03 | 93.7 | 300 | 0.60 | 0.10 | 6.16 | 0.89 | 16.40 | 43.3 | 95 | 1.45 | 185.5 | |

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_99

Page: 3 - C
Total # Pages: 9 (A - E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
|----------------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th | Ti | U |
| | | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm |
| | | 0.5 | 0.1 | 0.002 | 0.01 | 0.05 | 0.1 | 1 | 0.2 | 0.2 | 0.05 | 0.05 | 0.01 | 0.005 | 0.1 |
| STANDARDS | | | | | | | | | | | | | | | |
| MRCA-21 | | 918 | 163.5 | 0.013 | 0.44 | 27.0 | 9.2 | 1 | 4.8 | 171.5 | 1.14 | 0.15 | 15.10 | 0.370 | 4.3 |
| MRCA-21 | | 893 | 160.5 | 0.012 | 0.43 | 26.6 | 8.8 | 1 | 4.8 | 168.5 | 1.12 | 0.13 | 14.20 | 0.363 | 4.1 |
| MRCA-21 | | 916 | 185.0 | 0.013 | 0.44 | 27.8 | 9.4 | 1 | 5.1 | 174.5 | 1.09 | 0.13 | 14.80 | 0.362 | 4.1 |
| MRCA-21 | | 938 | 181.0 | 0.013 | 0.45 | 28.2 | 9.7 | 1 | 5.0 | 178.0 | 1.17 | 0.15 | 16.10 | 0.371 | 4.4 |
| Target Range - Lower Bound | | 816 | 154.5 | 0.008 | 0.38 | 22.8 | 8.0 | <1 | 4.3 | 156.5 | 0.98 | <0.05 | 13.95 | 0.328 | 3.7 |
| Upper Bound | | 998 | 189.5 | 0.018 | 0.49 | 31.0 | 10.0 | 3 | 5.7 | 191.5 | 1.30 | 0.23 | 17.05 | 0.412 | 4.8 |
| NCSDC35011 | | | | | | | | | | | | | | | |
| NCSDC35011 | | | | | | | | | | | | | | | |
| NCSDC35011 | | | | | | | | | | | | | | | |
| NCSDC35011 | | | | | | | | | | | | | | | |
| NCSDC35011 | | | | | | | | | | | | | | | |
| NCSDC35011 | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| NCSDC35012 | | | | | | | | | | | | | | | |
| NCSDC35012 | | | | | | | | | | | | | | | |
| NCSDC35012 | | | | | | | | | | | | | | | |
| NCSDC35012 | | | | | | | | | | | | | | | |
| NCSDC35012 | | | | | | | | | | | | | | | |
| NCSDC35012 | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| OREAS 243 | | 38.1 | 19.0 | 0.002 | 0.55 | 2.22 | 34.6 | 1 | 1.3 | 101.0 | 0.25 | 0.15 | 1.32 | 0.594 | 0.4 |
| OREAS 243 | | 37.0 | 18.6 | 0.004 | 0.53 | 2.23 | 37.4 | 1 | 1.1 | 99.3 | 0.25 | 0.14 | 1.29 | 0.594 | 0.4 |
| OREAS 243 | | 37.7 | 18.1 | 0.004 | 0.52 | 2.23 | 37.6 | 1 | 1.2 | 96.9 | 0.25 | 0.13 | 1.29 | 0.578 | 0.4 |
| Target Range - Lower Bound | | 34.0 | 16.0 | <0.002 | 0.46 | 1.85 | 32.2 | <1 | 0.8 | 88.0 | 0.15 | <0.05 | 1.19 | 0.535 | 0.2 |
| Upper Bound | | 42.6 | 19.8 | 0.007 | 0.59 | 2.63 | 39.6 | 2 | 1.7 | 108.0 | 0.37 | 0.24 | 1.48 | 0.665 | 0.6 |



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_99

Page: 3 - D
Total # Pages: 9 (A - E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
|----------------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | V | W | Y | Zn | Zr | Dy | Er | Eu | Gd | Ho | Lu | Nd | Pr | Sm | Tb |
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 1 | 0.1 | 0.1 | 2 | 0.5 | 0.05 | 0.03 | 0.03 | 0.05 | 0.01 | 0.01 | 0.1 | 0.03 | 0.03 | 0.01 |
| STANDARDS | | | | | | | | | | | | | | | | |
| MRCA-21 | | 64 | 11.4 | 16.9 | 833 | 60.0 | 3.84 | 1.50 | 1.50 | 5.39 | 0.60 | 0.18 | 42.3 | 11.25 | 7.43 | 0.76 |
| MRCA-21 | | 62 | 10.6 | 16.8 | 806 | 60.8 | 3.52 | 1.40 | 1.45 | 5.36 | 0.58 | 0.18 | 39.6 | 10.85 | 7.25 | 0.76 |
| MRCA-21 | | 63 | 10.8 | 18.1 | 820 | 61.6 | 3.66 | 1.44 | 1.51 | 5.89 | 0.61 | 0.18 | 43.8 | 12.00 | 7.68 | 0.78 |
| MRCA-21 | | 66 | 11.0 | 19.1 | 829 | 60.5 | 3.87 | 1.54 | 1.68 | 6.32 | 0.65 | 0.19 | 43.3 | 11.65 | 7.85 | 0.87 |
| Target Range – Lower Bound | | 57 | 9.3 | 15.6 | 740 | 50.5 | 3.43 | 1.28 | 1.33 | 5.30 | 0.53 | 0.14 | 35.4 | 9.83 | 6.97 | 0.69 |
| Upper Bound | | 71 | 12.9 | 19.2 | 908 | 69.5 | 4.75 | 1.81 | 1.87 | 7.28 | 0.74 | 0.21 | 48.2 | 13.35 | 9.49 | 0.96 |
| NCSDC35011 | | | | | | | | | | | | | | | | |
| NCSDC35011 | | | | | | | | | | | | | | | | |
| NCSDC35011 | | | | | | | | | | | | | | | | |
| NCSDC35011 | | | | | | | | | | | | | | | | |
| NCSDC35011 | | | | | | | | | | | | | | | | |
| NCSDC35011 | | | | | | | | | | | | | | | | |
| NCSDC35011 | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| NCSDC35012 | | | | | | | | | | | | | | | | |
| NCSDC35012 | | | | | | | | | | | | | | | | |
| NCSDC35012 | | | | | | | | | | | | | | | | |
| NCSDC35012 | | | | | | | | | | | | | | | | |
| NCSDC35012 | | | | | | | | | | | | | | | | |
| NCSDC35012 | | | | | | | | | | | | | | | | |
| NCSDC35012 | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| OREAS 243 | | 253 | 39.3 | 20.1 | 172 | 59.5 | 3.35 | 2.08 | 0.82 | 2.98 | 0.72 | 0.29 | 9.6 | 2.11 | 2.55 | 0.50 |
| OREAS 243 | | 257 | 36.2 | 20.1 | 167 | 57.2 | 3.46 | 2.17 | 0.92 | 3.15 | 0.75 | 0.31 | 8.9 | 1.97 | 2.50 | 0.54 |
| OREAS 243 | | 242 | 37.9 | 20.5 | 163 | 57.3 | 3.40 | 2.06 | 0.84 | 3.05 | 0.70 | 0.30 | 9.1 | 2.03 | 2.58 | 0.52 |
| Target Range – Lower Bound | | 231 | 31.9 | 18.2 | 142 | 51.4 | 3.17 | 1.93 | 0.76 | 2.78 | 0.67 | 0.27 | 7.7 | 1.72 | 2.16 | 0.45 |
| Upper Bound | | 285 | 43.5 | 22.4 | 178 | 70.7 | 4.41 | 2.68 | 1.10 | 3.88 | 0.93 | 0.39 | 10.7 | 2.40 | 3.00 | 0.63 |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 3 – E

Total # Pages: 9 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | |
|----------------------------|-----------------------------------|----------|------|
| | | Tm | Yb |
| | | ppm | ppm |
| | | 0.01 | 0.03 |
| STANDARDS | | | |
| MRCA-21 | | 0.19 | 1.19 |
| MRCA-21 | | 0.18 | 1.14 |
| MRCA-21 | | 0.18 | 1.14 |
| MRCA-21 | | 0.19 | 1.24 |
| Target Range – Lower Bound | | 0.15 | 1.02 |
| Upper Bound | | 0.23 | 1.45 |
| NCSDC35011 | | | |
| NCSDC35011 | | | |
| NCSDC35011 | | | |
| NCSDC35011 | | | |
| NCSDC35011 | | | |
| NCSDC35011 | | | |
| NCSDC35011 | | | |
| Target Range – Lower Bound | | | |
| Upper Bound | | | |
| NCSDC35012 | | | |
| NCSDC35012 | | | |
| NCSDC35012 | | | |
| NCSDC35012 | | | |
| NCSDC35012 | | | |
| NCSDC35012 | | | |
| NCSDC35012 | | | |
| Target Range – Lower Bound | | | |
| Upper Bound | | | |
| OREAS 243 | | 0.30 | 2.03 |
| OREAS 243 | | 0.31 | 2.05 |
| OREAS 243 | | 0.30 | 1.90 |
| Target Range – Lower Bound | | 0.28 | 1.84 |
| Upper Bound | | 0.40 | 2.56 |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 4 - A

Total # Pages: 9 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | Au-ICP21 | ME-XRF15b | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
|----------------------------|-----------------------------------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Au | Sn | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Ce | Co | Cr | Cs | Cu |
| | | ppm | % | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.001 | 0.005 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 | 0.05 | 0.2 |
| BLANKS | | | | | | | | | | | | | | | | |
| BLANK | | 0.001 | | | | | | | | | | | | | | |
| BLANK | | 0.002 | | | | | | | | | | | | | | |
| BLANK | | 0.002 | | | | | | | | | | | | | | |
| BLANK | | 0.001 | | | | | | | | | | | | | | |
| BLANK | | 0.001 | | | | | | | | | | | | | | |
| BLANK | | 0.001 | | | | | | | | | | | | | | |
| BLANK | | 0.001 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.001 | | | | | | | | | | | | | | |
| Upper Bound | | 0.002 | | | | | | | | | | | | | | |
| BLANK | | | | <0.01 | <0.01 | <0.2 | <10 | <0.05 | <0.01 | <0.01 | <0.02 | <0.01 | <0.1 | <1 | <0.05 | <0.2 |
| BLANK | | | | <0.01 | <0.01 | <0.2 | <10 | <0.05 | <0.01 | <0.01 | <0.02 | <0.01 | <0.1 | <1 | <0.05 | <0.2 |
| BLANK | | | | <0.01 | <0.01 | <0.2 | <10 | <0.05 | <0.01 | <0.01 | <0.02 | <0.01 | <0.1 | <1 | <0.05 | <0.2 |
| BLANK | | | | <0.01 | <0.01 | 0.3 | <10 | <0.05 | <0.01 | <0.01 | <0.02 | <0.01 | <0.1 | <1 | <0.05 | <0.2 |
| BLANK | | | | <0.01 | <0.01 | <0.2 | <10 | <0.05 | <0.01 | <0.01 | <0.02 | <0.01 | <0.1 | <1 | <0.05 | 0.4 |
| BLANK | | | | <0.01 | <0.01 | <0.2 | <10 | <0.05 | <0.01 | <0.01 | <0.02 | <0.01 | <0.1 | <1 | <0.05 | <0.2 |
| BLANK | | | | <0.01 | <0.01 | <0.2 | <10 | <0.05 | <0.01 | <0.01 | <0.02 | <0.01 | <0.1 | <1 | <0.05 | <0.2 |
| Target Range - Lower Bound | | <0.01 | <0.01 | <0.2 | <10 | <0.05 | <0.01 | <0.01 | <0.01 | <0.01 | <0.02 | <0.01 | <0.1 | <1 | <0.05 | <0.2 |
| Upper Bound | | 0.02 | 0.02 | 0.4 | 20 | 0.10 | 0.02 | 0.02 | 0.02 | 0.02 | 0.04 | 0.02 | 0.2 | 2 | 0.10 | 0.4 |
| BLANK | | <0.005 | | | | | | | | | | | | | | |
| BLANK | | <0.005 | | | | | | | | | | | | | | |
| BLANK | | <0.005 | | | | | | | | | | | | | | |
| BLANK | | <0.005 | | | | | | | | | | | | | | |
| BLANK | | <0.005 | | | | | | | | | | | | | | |
| BLANK | | <0.005 | | | | | | | | | | | | | | |
| BLANK | | <0.005 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.005 | | | | | | | | | | | | | | |
| Upper Bound | | 0.010 | | | | | | | | | | | | | | |
| DUPLICATES | | | | | | | | | | | | | | | | |
| RDD293831 | | <0.005 | 0.11 | 7.34 | 11.2 | 130 | 1.71 | 0.12 | 3.66 | 0.03 | 85.5 | 44.1 | 114 | 5.97 | 157.5 | |
| DUP | | <0.005 | 0.15 | 7.18 | 10.0 | 120 | 1.68 | 0.11 | 3.59 | 0.04 | 83.1 | 40.2 | 113 | 5.78 | 153.0 | |
| Target Range - Lower Bound | | <0.005 | 0.11 | 6.89 | 9.9 | 110 | 1.56 | 0.10 | 3.43 | <0.02 | 80.1 | 39.9 | 107 | 5.53 | 149.5 | |
| Upper Bound | | 0.010 | 0.15 | 7.63 | 11.3 | 140 | 1.83 | 0.13 | 3.82 | 0.04 | 88.5 | 44.4 | 120 | 6.22 | 161.0 | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 4 - B

Total # Pages: 9 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
|----------------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Fe | Ga | Ge | Hf | In | K | La | Li | Mg | Mn | Mo | Na | Nb | Ni |
| | | % | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.01 | 0.05 | 0.05 | 0.1 | 0.005 | 0.01 | 0.5 | 0.2 | 0.01 | 5 | 0.05 | 0.01 | 0.1 | 0.2 |
| | | 10 | | | | | | | | | | | | | |
| BLANKS | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| BLANK | | <0.01 | <0.05 | <0.05 | <0.1 | <0.005 | <0.01 | <0.5 | <0.2 | <0.01 | <5 | <0.05 | <0.01 | <0.1 | <0.2 |
| BLANK | | <0.01 | <0.05 | <0.05 | <0.1 | <0.005 | <0.01 | <0.5 | <0.2 | <0.01 | <5 | <0.05 | <0.01 | <0.1 | <0.2 |
| BLANK | | <0.01 | <0.05 | <0.05 | <0.1 | <0.005 | <0.01 | <0.5 | 0.4 | <0.01 | <5 | <0.05 | <0.01 | <0.1 | <0.2 |
| BLANK | | <0.01 | <0.05 | <0.05 | <0.1 | <0.005 | <0.01 | <0.5 | <0.2 | <0.01 | <5 | <0.05 | <0.01 | <0.1 | 1.1 |
| BLANK | | <0.01 | <0.05 | <0.05 | <0.1 | <0.005 | <0.01 | <0.5 | <0.2 | <0.01 | <5 | <0.05 | <0.01 | <0.1 | 0.4 |
| BLANK | | <0.01 | <0.05 | <0.05 | <0.1 | <0.005 | <0.01 | <0.5 | <0.2 | <0.01 | <5 | <0.05 | <0.01 | <0.1 | <0.2 |
| BLANK | | <0.01 | <0.05 | <0.05 | <0.1 | <0.005 | <0.01 | <0.5 | <0.2 | <0.01 | <5 | <0.05 | <0.01 | <0.1 | 0.2 |
| Target Range - Lower Bound | | <0.01 | <0.05 | <0.05 | <0.1 | <0.005 | <0.01 | <0.5 | <0.2 | <0.01 | <5 | <0.05 | <0.01 | <0.1 | <0.2 |
| Upper Bound | | 0.02 | 0.10 | 0.10 | 0.2 | 0.010 | 0.02 | 1.0 | 0.4 | 0.02 | 10 | 0.10 | 0.02 | 0.2 | 0.4 |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| DUPLICATES | | | | | | | | | | | | | | | |
| RDD293831 | | 9.90 | 25.0 | 0.24 | 5.4 | 0.272 | 0.91 | 38.4 | 79.6 | 2.91 | 882 | 0.67 | 2.16 | 25.5 | 88.1 |
| DUP | | 9.61 | 23.0 | 0.19 | 4.9 | 0.259 | 0.88 | 37.8 | 77.1 | 2.81 | 855 | 0.65 | 2.10 | 24.1 | 81.4 |
| Target Range - Lower Bound | | 9.26 | 22.8 | 0.15 | 4.8 | 0.247 | 0.84 | 35.7 | 74.2 | 2.71 | 820 | 0.58 | 2.01 | 23.5 | 80.3 |
| Upper Bound | | 10.25 | 25.3 | 0.28 | 5.5 | 0.284 | 0.95 | 40.5 | 82.5 | 3.01 | 917 | 0.74 | 2.25 | 26.1 | 89.2 |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 4 - C

Total # Pages: 9 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r Pb ppm 0.5 | ME-MS61r Rb ppm 0.1 | ME-MS61r Re ppm 0.002 | ME-MS61r S % 0.01 | ME-MS61r Sb ppm 0.05 | ME-MS61r Sc ppm 0.1 | ME-MS61r Se ppm 1 | ME-MS61r Sn ppm 0.2 | ME-MS61r Sr ppm 0.2 | ME-MS61r Ta ppm 0.05 | ME-MS61r Te ppm 0.05 | ME-MS61r Th ppm 0.01 | ME-MS61r Ti % 0.005 | ME-MS61r Tl ppm 0.02 | ME-MS61r U ppm 0.1 |
|----------------------------|-----------------------------------|------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|-------------------------------|-----------------------------|
| BLANKS | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| BLANK | | <0.5 | <0.1 | <0.002 | <0.01 | <0.05 | <0.1 | <1 | <0.2 | <0.2 | <0.05 | <0.05 | <0.01 | <0.005 | <0.02 | <0.1 |
| BLANK | | <0.5 | <0.1 | <0.002 | <0.01 | <0.05 | <0.1 | <1 | <0.2 | <0.2 | <0.05 | <0.05 | <0.01 | <0.005 | <0.02 | <0.1 |
| BLANK | | <0.5 | <0.1 | <0.002 | <0.01 | <0.05 | <0.1 | <1 | <0.2 | <0.2 | <0.05 | <0.05 | <0.01 | <0.005 | <0.02 | <0.1 |
| BLANK | | <0.5 | <0.1 | <0.002 | <0.01 | <0.05 | <0.1 | <1 | <0.2 | <0.2 | <0.05 | <0.05 | <0.01 | <0.005 | <0.02 | <0.1 |
| BLANK | | <0.5 | <0.1 | <0.002 | <0.01 | <0.05 | <0.1 | <1 | <0.2 | <0.2 | <0.05 | <0.05 | <0.01 | <0.005 | <0.02 | <0.1 |
| BLANK | | <0.5 | <0.1 | <0.002 | <0.01 | <0.05 | 0.1 | <1 | <0.2 | <0.2 | <0.05 | <0.05 | <0.01 | <0.005 | <0.02 | <0.1 |
| BLANK | | <0.5 | 0.1 | <0.002 | <0.01 | <0.05 | <0.1 | <1 | <0.2 | <0.2 | <0.05 | <0.05 | <0.01 | <0.005 | <0.02 | <0.1 |
| Target Range - Lower Bound | | <0.5 | <0.1 | <0.002 | <0.01 | <0.05 | <0.1 | <1 | <0.2 | <0.2 | <0.05 | <0.05 | <0.01 | <0.005 | <0.02 | <0.1 |
| Upper Bound | | 1.0 | 0.2 | 0.004 | 0.02 | 0.10 | 0.2 | 5 | 0.4 | 0.4 | 0.10 | 0.10 | 0.02 | 0.010 | 0.04 | 0.2 |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| DUPLICATES | | | | | | | | | | | | | | | | |
| RDD293831 | | 13.6 | 77.2 | <0.002 | 0.27 | 1.60 | 34.1 | 1 | 9.2 | 44.6 | 1.66 | <0.05 | 5.61 | 1.335 | 0.73 | 1.5 |
| DUP | | 11.6 | 76.8 | 0.002 | 0.26 | 1.52 | 31.6 | <1 | 9.1 | 42.8 | 1.56 | <0.05 | 5.71 | 1.290 | 0.69 | 1.5 |
| Target Range - Lower Bound | | 11.5 | 73.1 | <0.002 | 0.24 | 1.39 | 31.1 | <1 | 8.5 | 41.3 | 1.48 | <0.05 | 5.37 | 1.240 | 0.64 | 1.3 |
| Upper Bound | | 13.7 | 81.0 | 0.004 | 0.29 | 1.73 | 34.6 | 2 | 9.8 | 46.1 | 1.74 | 0.10 | 5.95 | 1.385 | 0.78 | 1.7 |



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_99

Page: 4 – D
Total # Pages: 9 (A – E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r V ppm 1 | ME-MS61r W ppm 0.1 | ME-MS61r Y ppm 0.1 | ME-MS61r Zn ppm 2 | ME-MS61r Zr ppm 0.5 | ME-MS61r Dy ppm 0.05 | ME-MS61r Er ppm 0.03 | ME-MS61r Eu ppm 0.03 | ME-MS61r Gd ppm 0.05 | ME-MS61r Ho ppm 0.01 | ME-MS61r Lu ppm 0.01 | ME-MS61r Nd ppm 0.1 | ME-MS61r Pr ppm 0.03 | ME-MS61r Sm ppm 0.03 | ME-MS61r Tb ppm 0.01 |
|----------------------------|-----------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| BLANK | | <1 | <0.1 | <0.1 | <2 | <0.5 | <0.05 | <0.03 | <0.03 | <0.05 | <0.01 | 0.01 | <0.1 | <0.03 | <0.03 | <0.01 |
| BLANK | | <1 | <0.1 | <0.1 | <2 | <0.5 | <0.05 | <0.03 | <0.03 | <0.05 | <0.01 | 0.01 | <0.1 | <0.03 | <0.03 | <0.01 |
| BLANK | | <1 | <0.1 | <0.1 | <2 | <0.5 | <0.05 | <0.03 | <0.03 | <0.05 | 0.01 | <0.01 | <0.1 | <0.03 | <0.03 | <0.01 |
| BLANK | | <1 | <0.1 | <0.1 | <2 | <0.5 | <0.05 | <0.03 | <0.03 | <0.05 | <0.01 | <0.01 | <0.1 | <0.03 | <0.03 | <0.01 |
| BLANK | | <1 | <0.1 | <0.1 | <2 | <0.5 | <0.05 | <0.03 | <0.03 | <0.05 | <0.01 | <0.01 | <0.1 | <0.03 | <0.03 | <0.01 |
| BLANK | | <1 | <0.1 | <0.1 | 2 | <0.5 | <0.05 | <0.03 | <0.03 | <0.05 | <0.01 | <0.01 | <0.1 | <0.03 | <0.03 | <0.01 |
| BLANK | | <1 | <0.1 | <0.1 | <2 | <0.5 | <0.05 | <0.03 | <0.03 | <0.05 | <0.01 | <0.01 | <0.1 | <0.03 | <0.03 | <0.01 |
| Target Range – Lower Bound | | <1 | <0.1 | <0.1 | <2 | <0.5 | <0.05 | <0.03 | <0.03 | <0.05 | <0.01 | <0.01 | <0.1 | <0.03 | <0.03 | <0.01 |
| Upper Bound | | 2 | 0.2 | 0.2 | 4 | 1.0 | 0.10 | 0.06 | 0.06 | 0.10 | 0.02 | 0.02 | 0.2 | 0.06 | 0.06 | 0.02 |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| BLANK | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| DUPLICATES | | | | | | | | | | | | | | | | |
| RDD293831 | | 229 | 3.1 | 43.4 | 119 | 205 | 8.00 | 4.22 | 2.57 | 8.22 | 1.50 | 0.55 | 44.1 | 10.90 | 9.12 | 1.31 |
| DUP | | 219 | 3.0 | 40.4 | 114 | 194.0 | 7.63 | 4.01 | 2.48 | 8.03 | 1.42 | 0.51 | 44.4 | 10.60 | 9.00 | 1.27 |
| Target Range – Lower Bound | | 212 | 2.7 | 39.7 | 109 | 189.0 | 7.18 | 3.78 | 2.31 | 7.47 | 1.34 | 0.48 | 40.8 | 9.91 | 8.35 | 1.18 |
| Upper Bound | | 236 | 3.4 | 44.1 | 124 | 210 | 8.45 | 4.45 | 2.74 | 8.78 | 1.58 | 0.58 | 47.7 | 11.60 | 9.77 | 1.40 |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 4 – E

Total # Pages: 9 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r |
|----------------------------|-----------------------------------|----------|----------|
| | | Tm | Yb |
| | | ppm | ppm |
| | | 0.01 | 0.03 |
| BLANKS | | | |
| BLANK | | | |
| BLANK | | | |
| BLANK | | | |
| BLANK | | | |
| BLANK | | | |
| BLANK | | | |
| BLANK | | | |
| Target Range – Lower Bound | | | |
| Upper Bound | | | |
| BLANK | | <0.01 | <0.03 |
| BLANK | | <0.01 | <0.03 |
| BLANK | | <0.01 | <0.03 |
| BLANK | | <0.01 | <0.03 |
| BLANK | | <0.01 | <0.03 |
| BLANK | | <0.01 | <0.03 |
| BLANK | | <0.01 | <0.03 |
| Target Range – Lower Bound | | <0.01 | <0.03 |
| Upper Bound | | 0.02 | 0.06 |
| BLANK | | | |
| BLANK | | | |
| BLANK | | | |
| BLANK | | | |
| BLANK | | | |
| BLANK | | | |
| BLANK | | | |
| Target Range – Lower Bound | | | |
| Upper Bound | | | |
| DUPLICATES | | | |
| RDD293831 | | 0.60 | 3.64 |
| DUP | | 0.58 | 3.54 |
| Target Range – Lower Bound | | 0.54 | 3.29 |
| Upper Bound | | 0.64 | 3.89 |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 5 - A

Total # Pages: 9 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | Au-ICP21 | ME-XRF15b | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
|----------------------------|-----------------------------------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Au | Sn | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Ce | Co | Cr | Cs | Cu |
| | | ppm | % | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.001 | 0.005 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 | 0.05 | 0.2 |
| RDD293838 | | 0.001 | | | | | | | | | | | | | | |
| DUP | | 0.003 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.001 | | | | | | | | | | | | | | |
| Upper Bound | | 0.003 | | | | | | | | | | | | | | |
| RDD293844 | | | 0.009 | | | | | | | | | | | | | |
| DUP | | | 0.008 | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | <0.005 | | | | | | | | | | | | | |
| Upper Bound | | | 0.010 | | | | | | | | | | | | | |
| RDD293852 | | | 0.005 | | | | | | | | | | | | | |
| DUP | | | 0.009 | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | <0.005 | | | | | | | | | | | | | |
| Upper Bound | | | 0.010 | | | | | | | | | | | | | |
| RDD293868 | | | | 0.35 | 6.94 | 50.2 | 40 | 0.93 | 1.54 | 14.20 | 1.74 | 49.3 | 33.2 | 97 | 7.40 | 105.0 |
| DUP | | | | 0.37 | 7.12 | 42.4 | 50 | 0.95 | 1.58 | 14.45 | 1.78 | 51.6 | 30.0 | 99 | 7.34 | 104.0 |
| Target Range - Lower Bound | | | | 0.33 | 6.67 | 43.8 | 30 | 0.84 | 1.47 | 13.60 | 1.65 | 47.9 | 29.9 | 92 | 6.95 | 100.5 |
| Upper Bound | | | | 0.39 | 7.39 | 48.8 | 60 | 1.04 | 1.65 | 15.05 | 1.87 | 53.0 | 33.3 | 104 | 7.79 | 108.5 |
| RDD293876 | | | <0.005 | | | | | | | | | | | | | |
| DUP | | | 0.005 | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | <0.005 | | | | | | | | | | | | | |
| Upper Bound | | | 0.010 | | | | | | | | | | | | | |
| RDD293888 | | 0.002 | | | | | | | | | | | | | | |
| DUP | | 0.001 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.001 | | | | | | | | | | | | | | |
| Upper Bound | | 0.002 | | | | | | | | | | | | | | |
| RDD293896 | | | 1.170 | | | | | | | | | | | | | |
| DUP | | | 1.180 | | | | | | | | | | | | | |
| Target Range - Lower Bound | | | 1.140 | | | | | | | | | | | | | |
| Upper Bound | | | 1.210 | | | | | | | | | | | | | |
| RDD293899 | | 0.001 | | | | | | | | | | | | | | |
| DUP | | 0.001 | | | | | | | | | | | | | | |
| Target Range - Lower Bound | | <0.001 | | | | | | | | | | | | | | |
| Upper Bound | | 0.002 | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_99

Page: 5 - B
Total # Pages: 9 (A - E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
|---|-----------------------------------|------------------------------|------------------------------|------------------------------|--------------------------|----------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|-------------------------------|
| | | Fe | Ga | Ge | Hf | In | K | La | Li | Mg | Mn | Mo | Na | Nb | Ni |
| | | % | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.01 | 0.05 | 0.05 | 0.1 | 0.005 | 0.01 | 0.5 | 0.2 | 0.01 | 5 | 0.05 | 0.01 | 0.1 | 0.2 |
| | | 10 | | | | | | | | | | | | | |
| RDD293838 DUP Target Range - Lower Bound Upper Bound | | DUPLICATES | | | | | | | | | | | | | |
| RDD293844 DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | |
| RDD293852 DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | |
| RDD293868 DUP Target Range - Lower Bound Upper Bound | | 8.77 9.01 8.44 9.34 | 22.6 23.3 21.8 24.1 | 0.15 0.12 0.07 0.20 | 4.0 4.3 3.8 4.5 | 0.915 0.964 0.888 0.991 | 0.52 0.53 0.49 0.56 | 21.0 22.0 19.9 23.1 | 49.9 51.4 47.9 53.4 | 2.48 2.51 2.36 2.63 | 3550 3560 3370 3740 | 0.21 0.24 0.16 0.29 | 0.28 0.28 0.26 0.30 | 24.1 24.3 22.9 25.5 | 98.9 96.9 92.8 103.0 |
| | | 1190 1200 1130 1260 | | | | | | | | | | | | | |
| RDD293876 DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | |
| RDD293888 DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | |
| RDD293896 DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | |
| RDD293899 DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 5 - C

Total # Pages: 9 (A - E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
|---|-----------------------------------|------------------------------|-------------------------------|-------------------------------------|------------------------------|------------------------------|------------------------------|-------------------|------------------------------|--------------------------|------------------------------|---------------------------------|------------------------------|----------------------------------|------------------------------|--------------------------|
| | | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th | Ti | Tl | U |
| | | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm | ppm |
| | | 0.5 | 0.1 | 0.002 | 0.01 | 0.05 | 0.1 | 1 | 0.2 | 0.2 | 0.05 | 0.05 | 0.01 | 0.005 | 0.02 | 0.1 |
| RDD293838 DUP Target Range – Lower Bound Upper Bound | | DUPLICATES | | | | | | | | | | | | | | |
| RDD293844 DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| RDD293852 DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| RDD293868 DUP Target Range – Lower Bound Upper Bound | | 87.4 90.6 84.1 94.0 | 96.9 97.5 92.2 102.0 | <0.002 <0.002 <0.002 0.004 | 0.82 0.86 0.79 0.89 | 52.0 53.4 48.7 56.7 | 32.4 32.1 30.5 34.0 | 1 1 <1 2 | 48.8 49.6 46.5 51.9 | 276 284 266 294 | 1.41 1.46 1.31 1.56 | <0.05 <0.05 <0.05 0.10 | 2.41 2.53 2.34 2.60 | 1.545 1.570 1.475 1.640 | 0.93 0.97 0.86 1.04 | 1.4 1.5 1.3 1.6 |
| RDD293876 DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| RDD293888 DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| RDD293896 DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| RDD293899 DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 5 – D

Total # Pages: 9 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
|---|-----------------------------------|--------------------------|--------------------------|------------------------------|--------------------------|----------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|------------------------------|
| | | V | W | Y | Zn | Zr | Dy | Er | Eu | Gd | Ho | Lu | Nd | Pr | Sm | Tb |
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 1 | 0.1 | 0.1 | 2 | 0.5 | 0.05 | 0.03 | 0.03 | 0.05 | 0.01 | 0.01 | 0.1 | 0.03 | 0.03 | 0.01 |
| RDD293838 DUP Target Range – Lower Bound Upper Bound | | DUPLICATES | | | | | | | | | | | | | | |
| RDD293844 DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| RDD293852 DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| RDD293868 DUP Target Range – Lower Bound Upper Bound | | 295 295 279 311 | 2.5 2.6 2.3 2.8 | 31.7 32.6 30.4 33.9 | 587 593 559 622 | 117.5 120.5 112.5 125.5 | 5.63 6.00 5.33 6.30 | 2.98 3.05 2.76 3.27 | 2.40 2.52 2.25 2.67 | 5.95 6.31 5.62 6.64 | 1.12 1.16 1.04 1.24 | 0.34 0.34 0.30 0.38 | 29.3 30.1 27.4 32.0 | 7.00 7.22 6.55 7.67 | 6.57 6.87 6.19 7.25 | 0.92 0.98 0.87 1.03 |
| RDD293876 DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| RDD293888 DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| RDD293896 DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| RDD293899 DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 5 – E

Total # Pages: 9 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r |
|---|-----------------------------------|------------------------------|------------------------------|
| | | Tm | Yb |
| | | ppm | ppm |
| | | 0.01 | 0.03 |
| RDD293838 DUP Target Range – Lower Bound Upper Bound | | DUPLICATES | |
| RDD293844 DUP Target Range – Lower Bound Upper Bound | | | |
| RDD293852 DUP Target Range – Lower Bound Upper Bound | | | |
| RDD293868 DUP Target Range – Lower Bound Upper Bound | | 0.40 0.42 0.37 0.45 | 2.40 2.48 2.23 2.65 |
| RDD293876 DUP Target Range – Lower Bound Upper Bound | | | |
| RDD293888 DUP Target Range – Lower Bound Upper Bound | | | |
| RDD293896 DUP Target Range – Lower Bound Upper Bound | | | |
| RDD293899 DUP Target Range – Lower Bound Upper Bound | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 6 – A

Total # Pages: 9 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | Au-ICP21 ppm 0.001 | ME-XRF15b Sn % 0.005 | ME-MS61r Ag ppm 0.01 | ME-MS61r Al % 0.01 | ME-MS61r As ppm 0.2 | ME-MS61r Ba ppm 10 | ME-MS61r Be ppm 0.05 | ME-MS61r Bi ppm 0.01 | ME-MS61r Ca % 0.01 | ME-MS61r Cd ppm 0.02 | ME-MS61r Ce ppm 0.01 | ME-MS61r Co ppm 0.1 | ME-MS61r Cr ppm 1 | ME-MS61r Cs ppm 0.05 | ME-MS61r Cu ppm 0.2 |
|----------------------------|-----------------------------------|--------------------------|-------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|------------------------------|
| DUPLICATES | | | | | | | | | | | | | | | | |
| RDD293906 | | | | 0.13 | 6.46 | 51.9 | 60 | 1.03 | 0.24 | 9.66 | <0.02 | 63.8 | 26.5 | 100 | 13.45 | 73.8 |
| DUP | | | | 0.16 | 6.39 | 49.7 | 60 | 1.03 | 0.24 | 9.61 | <0.02 | 59.3 | 25.6 | 98 | 13.00 | 73.4 |
| Target Range – Lower Bound | | | | 0.13 | 6.09 | 48.1 | 50 | 0.93 | 0.22 | 9.14 | <0.02 | 58.5 | 24.6 | 93 | 12.50 | 70.8 |
| Upper Bound | | | | 0.16 | 6.76 | 53.5 | 70 | 1.13 | 0.26 | 10.15 | 0.04 | 64.6 | 27.5 | 105 | 13.95 | 76.4 |
| RDD293920 | | | 0.016 | | | | | | | | | | | | | |
| DUP | | | 0.017 | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | 0.011 | | | | | | | | | | | | | |
| Upper Bound | | | 0.022 | | | | | | | | | | | | | |
| RDD293935 | | | | 0.10 | 4.50 | 22.7 | 140 | 0.80 | 0.28 | 4.72 | 0.03 | 41.1 | 50.5 | 239 | 13.45 | 119.0 |
| DUP | | | | 0.13 | 4.38 | 20.5 | 140 | 0.79 | 0.29 | 4.63 | 0.03 | 38.5 | 47.2 | 234 | 13.20 | 113.0 |
| Target Range – Lower Bound | | | | 0.10 | 4.21 | 20.3 | 120 | 0.71 | 0.26 | 4.43 | <0.02 | 37.8 | 46.3 | 224 | 12.60 | 111.5 |
| Upper Bound | | | | 0.13 | 4.67 | 22.9 | 160 | 0.88 | 0.31 | 4.92 | 0.04 | 41.8 | 51.4 | 249 | 14.05 | 120.5 |
| RDD293941 | | | <0.005 | | | | | | | | | | | | | |
| DUP | | | <0.005 | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | <0.005 | | | | | | | | | | | | | |
| Upper Bound | | | 0.010 | | | | | | | | | | | | | |
| RDD293965 | | | <0.005 | | | | | | | | | | | | | |
| DUP | | | 0.006 | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | <0.005 | | | | | | | | | | | | | |
| Upper Bound | | | 0.010 | | | | | | | | | | | | | |
| RDD293969 | | 0.002 | | | | | | | | | | | | | | |
| DUP | | 0.003 | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | <0.001 | | | | | | | | | | | | | | |
| Upper Bound | | 0.004 | | | | | | | | | | | | | | |
| RDD293973 | | | | 0.05 | 8.18 | 48.3 | 580 | 1.32 | 0.18 | 2.62 | <0.02 | 35.7 | 52.0 | 231 | 20.8 | 22.7 |
| DUP | | | | 0.07 | 7.83 | 46.8 | 570 | 1.29 | 0.25 | 2.55 | <0.02 | 33.4 | 51.8 | 242 | 20.4 | 22.2 |
| Target Range – Lower Bound | | | | 0.05 | 7.59 | 45.0 | 520 | 1.19 | 0.19 | 2.45 | <0.02 | 32.8 | 49.2 | 224 | 19.50 | 21.5 |
| Upper Bound | | | | 0.07 | 8.42 | 50.1 | 630 | 1.42 | 0.24 | 2.72 | 0.04 | 36.3 | 54.6 | 249 | 21.7 | 23.4 |
| RDD293980 | | 0.002 | | | | | | | | | | | | | | |
| DUP | | 0.004 | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | 0.002 | | | | | | | | | | | | | | |
| Upper Bound | | 0.004 | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 6 – B

Total # Pages: 9 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | |
|----------------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|--|
| | | Fe | Ga | Ge | Hf | In | K | La | Li | Mg | Mn | Mo | Na | Nb | Ni | P | |
| | | % | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm | ppm | ppm | |
| | | 0.01 | 0.05 | 0.05 | 0.1 | 0.005 | 0.01 | 0.5 | 0.2 | 0.01 | 5 | 0.05 | 0.01 | 0.1 | 0.2 | 10 | |
| DUPLICATES | | | | | | | | | | | | | | | | | |
| RDD293906 | | 8.79 | 21.5 | 0.13 | 3.9 | 0.450 | 0.46 | 25.5 | 49.5 | 3.94 | 2070 | 0.69 | 1.19 | 23.6 | 61.8 | 1030 | |
| DUP | | 8.68 | 20.6 | 0.13 | 4.3 | 0.440 | 0.46 | 24.6 | 48.9 | 3.90 | 2040 | 0.60 | 1.18 | 22.9 | 60.7 | 1020 | |
| Target Range – Lower Bound | | 8.29 | 19.95 | 0.07 | 3.8 | 0.418 | 0.43 | 23.3 | 46.5 | 3.71 | 1945 | 0.56 | 1.12 | 22.0 | 58.0 | 960 | |
| Upper Bound | | 9.18 | 22.2 | 0.19 | 4.4 | 0.472 | 0.49 | 26.8 | 51.9 | 4.13 | 2160 | 0.73 | 1.25 | 24.5 | 64.5 | 1090 | |
| RDD293920 | | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | | |
| RDD293935 | | 9.74 | 14.80 | 0.15 | 1.6 | 0.456 | 0.61 | 17.8 | 31.6 | 5.53 | 2140 | 1.38 | 0.37 | 16.6 | 193.5 | 960 | |
| DUP | | 9.58 | 14.25 | 0.15 | 1.6 | 0.448 | 0.60 | 17.2 | 31.4 | 5.42 | 2100 | 1.37 | 0.36 | 16.0 | 187.5 | 940 | |
| Target Range – Lower Bound | | 9.17 | 13.75 | 0.09 | 1.4 | 0.424 | 0.56 | 16.1 | 29.7 | 5.19 | 2010 | 1.26 | 0.34 | 15.4 | 181.0 | 890 | |
| Upper Bound | | 10.15 | 15.30 | 0.21 | 1.8 | 0.480 | 0.65 | 18.9 | 33.3 | 5.76 | 2230 | 1.49 | 0.39 | 17.2 | 200 | 1010 | |
| RDD293941 | | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | | |
| RDD293965 | | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | | |
| RDD293969 | | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | | |
| RDD293973 | | 8.08 | 20.0 | 0.32 | 1.3 | 0.444 | 2.02 | 16.5 | 41.2 | 4.16 | 2070 | 0.43 | 2.35 | 15.3 | 95.2 | 620 | |
| DUP | | 7.88 | 19.40 | 0.28 | 1.3 | 0.462 | 1.95 | 15.4 | 39.8 | 4.02 | 2020 | 0.44 | 2.31 | 14.7 | 93.7 | 600 | |
| Target Range – Lower Bound | | 7.57 | 18.65 | 0.23 | 1.1 | 0.425 | 1.88 | 14.7 | 38.3 | 3.88 | 1940 | 0.36 | 2.20 | 14.2 | 89.5 | 570 | |
| Upper Bound | | 8.39 | 20.7 | 0.37 | 1.5 | 0.481 | 2.09 | 17.2 | 42.7 | 4.30 | 2150 | 0.51 | 2.46 | 15.9 | 99.4 | 650 | |
| RDD293980 | | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 6 – C

Total # Pages: 9 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
|----------------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th | Ti | U |
| | | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm |
| | | 0.5 | 0.1 | 0.002 | 0.01 | 0.05 | 0.1 | 1 | 0.2 | 0.2 | 0.05 | 0.05 | 0.01 | 0.005 | 0.1 |
| DUPLICATES | | | | | | | | | | | | | | | |
| RDD293906 | | 8.3 | 70.3 | <0.002 | 0.83 | 2.98 | 27.3 | 1 | 35.7 | 206 | 1.43 | 0.06 | 4.95 | 1.320 | 1.5 |
| DUP | | 8.1 | 69.0 | <0.002 | 0.81 | 2.86 | 25.6 | 1 | 33.4 | 202 | 1.38 | 0.06 | 4.67 | 1.310 | 1.4 |
| Target Range – Lower Bound | | 7.3 | 66.1 | <0.002 | 0.77 | 2.65 | 25.0 | <1 | 32.6 | 193.5 | 1.28 | <0.05 | 4.56 | 1.245 | 1.3 |
| Upper Bound | | 9.1 | 73.2 | 0.004 | 0.87 | 3.19 | 27.9 | 2 | 36.5 | 214 | 1.53 | 0.10 | 5.06 | 1.385 | 1.6 |
| RDD293920 | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| RDD293935 | | 7.0 | 153.5 | 0.002 | 0.69 | 1.81 | 22.8 | 1 | 13.9 | 52.3 | 0.98 | <0.05 | 1.88 | 0.898 | 0.4 |
| DUP | | 7.2 | 152.5 | 0.002 | 0.68 | 1.66 | 21.6 | 1 | 13.8 | 50.8 | 0.98 | <0.05 | 1.84 | 0.886 | 0.5 |
| Target Range – Lower Bound | | 6.2 | 145.5 | <0.002 | 0.64 | 1.55 | 21.0 | <1 | 13.0 | 48.8 | 0.88 | <0.05 | 1.76 | 0.842 | 0.3 |
| Upper Bound | | 8.0 | 161.0 | 0.004 | 0.73 | 1.92 | 23.4 | 2 | 14.7 | 54.3 | 1.08 | 0.10 | 1.96 | 0.942 | 0.6 |
| RDD293941 | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| RDD293965 | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| RDD293969 | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |
| RDD293973 | | 4.5 | 138.0 | <0.002 | 0.40 | 1.32 | 46.8 | <1 | 8.9 | 113.5 | 0.85 | 0.06 | 4.31 | 0.740 | 0.5 |
| DUP | | 4.4 | 113.5 | <0.002 | 0.39 | 1.44 | 44.7 | <1 | 9.3 | 110.0 | 0.82 | 0.08 | 3.57 | 0.718 | 0.4 |
| Target Range – Lower Bound | | 3.7 | 119.5 | <0.002 | 0.37 | 1.23 | 43.4 | <1 | 8.4 | 106.0 | 0.74 | <0.05 | 3.73 | 0.688 | 0.3 |
| Upper Bound | | 5.2 | 132.0 | 0.004 | 0.42 | 1.53 | 48.1 | 2 | 9.8 | 117.5 | 0.93 | 0.10 | 4.15 | 0.770 | 0.6 |
| RDD293980 | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_99

Page: 6 – D
Total # Pages: 9 (A – E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
|----------------------------|-----------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | V | W | Y | Zn | Zr | Dy | Er | Eu | Gd | Ho | Lu | Nd | Pr | Sm | Tb |
| | | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 1 | 0.1 | 0.1 | 2 | 0.5 | 0.05 | 0.03 | 0.03 | 0.05 | 0.01 | 0.01 | 0.1 | 0.03 | 0.03 | 0.01 |
| DUPLICATES | | | | | | | | | | | | | | | | |
| RDD293906 | | 229 | 2.8 | 30.1 | 152 | 153.5 | 5.32 | 2.94 | 1.78 | 5.63 | 1.08 | 0.35 | 30.6 | 7.58 | 6.53 | 0.91 |
| DUP | | 229 | 2.8 | 29.2 | 148 | 145.0 | 5.19 | 2.83 | 1.74 | 5.55 | 1.04 | 0.33 | 28.8 | 6.97 | 6.28 | 0.87 |
| Target Range – Lower Bound | | 217 | 2.5 | 28.1 | 141 | 141.5 | 4.81 | 2.64 | 1.60 | 5.12 | 0.97 | 0.30 | 27.4 | 6.70 | 5.89 | 0.81 |
| Upper Bound | | 241 | 3.1 | 31.2 | 160 | 157.0 | 5.70 | 3.13 | 1.92 | 6.06 | 1.15 | 0.38 | 32.0 | 7.85 | 6.92 | 0.97 |
| RDD293920 | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| RDD293935 | | 184 | 1.7 | 25.8 | 134 | 60.1 | 5.04 | 2.28 | 2.09 | 5.62 | 0.94 | 0.24 | 22.2 | 5.60 | 5.48 | 0.88 |
| DUP | | 181 | 1.7 | 25.0 | 131 | 57.7 | 5.00 | 2.32 | 2.08 | 5.69 | 0.93 | 0.24 | 21.6 | 5.28 | 5.28 | 0.91 |
| Target Range – Lower Bound | | 172 | 1.5 | 24.0 | 124 | 55.5 | 4.59 | 2.10 | 1.90 | 5.18 | 0.85 | 0.21 | 20.2 | 5.00 | 4.95 | 0.82 |
| Upper Bound | | 193 | 1.9 | 26.8 | 141 | 62.3 | 5.45 | 2.50 | 2.27 | 6.13 | 1.02 | 0.27 | 23.6 | 5.88 | 5.81 | 0.97 |
| RDD293941 | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| RDD293965 | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| RDD293969 | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |
| RDD293973 | | 209 | 1.5 | 23.0 | 60 | 51.5 | 4.38 | 2.57 | 1.26 | 4.46 | 0.91 | 0.32 | 18.5 | 4.71 | 3.93 | 0.73 |
| DUP | | 205 | 1.6 | 22.1 | 59 | 52.8 | 3.98 | 2.31 | 1.09 | 3.98 | 0.81 | 0.31 | 17.8 | 4.33 | 3.79 | 0.62 |
| Target Range – Lower Bound | | 196 | 1.3 | 21.3 | 55 | 49.0 | 3.82 | 2.23 | 1.06 | 3.85 | 0.79 | 0.28 | 16.7 | 4.15 | 3.54 | 0.61 |
| Upper Bound | | 218 | 1.8 | 23.8 | 64 | 55.3 | 4.54 | 2.65 | 1.29 | 4.59 | 0.93 | 0.35 | 19.6 | 4.89 | 4.18 | 0.74 |
| RDD293980 | | | | | | | | | | | | | | | | |
| DUP | | | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | | | | | | | | | | | | | | |
| Upper Bound | | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 6 – E

Total # Pages: 9 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r |
|----------------------------|-----------------------------------|----------|----------|
| | | Tm | Yb |
| | | ppm | ppm |
| | | 0.01 | 0.03 |
| DUPLICATES | | | |
| RDD293906 | | 0.39 | 2.31 |
| DUP | | 0.37 | 2.32 |
| Target Range – Lower Bound | | 0.34 | 2.11 |
| Upper Bound | | 0.42 | 2.52 |
| RDD293920 | | | |
| DUP | | | |
| Target Range – Lower Bound | | | |
| Upper Bound | | | |
| RDD293935 | | 0.30 | 1.70 |
| DUP | | 0.30 | 1.77 |
| Target Range – Lower Bound | | 0.27 | 1.57 |
| Upper Bound | | 0.33 | 1.90 |
| RDD293941 | | | |
| DUP | | | |
| Target Range – Lower Bound | | | |
| Upper Bound | | | |
| RDD293965 | | | |
| DUP | | | |
| Target Range – Lower Bound | | | |
| Upper Bound | | | |
| RDD293969 | | | |
| DUP | | | |
| Target Range – Lower Bound | | | |
| Upper Bound | | | |
| RDD293973 | | 0.34 | 2.20 |
| DUP | | 0.32 | 2.05 |
| Target Range – Lower Bound | | 0.30 | 1.94 |
| Upper Bound | | 0.36 | 2.31 |
| RDD293980 | | | |
| DUP | | | |
| Target Range – Lower Bound | | | |
| Upper Bound | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_99

Page: 7 – A
Total # Pages: 9 (A – E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | Au-ICP21 ppm 0.001 | ME-XRF15b Sn % 0.005 | ME-MS61r Ag ppm 0.01 | ME-MS61r Al % 0.01 | ME-MS61r As ppm 0.2 | ME-MS61r Ba ppm 10 | ME-MS61r Be ppm 0.05 | ME-MS61r Bi ppm 0.01 | ME-MS61r Ca % 0.01 | ME-MS61r Cd ppm 0.02 | ME-MS61r Ce ppm 0.01 | ME-MS61r Co ppm 0.1 | ME-MS61r Cr ppm 1 | ME-MS61r Cs ppm 0.05 | ME-MS61r Cu ppm 0.2 |
|----------------------------|-----------------------------------|--------------------------|-------------------------------|-------------------------------|-----------------------------|------------------------------|-----------------------------|-------------------------------|-------------------------------|-----------------------------|-------------------------------|-------------------------------|------------------------------|----------------------------|-------------------------------|------------------------------|
| DUPLICATES | | | | | | | | | | | | | | | | |
| RDD293982 | | | 0.010 | | | | | | | | | | | | | |
| DUP | | | 0.016 | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | 0.008 | | | | | | | | | | | | | |
| Upper Bound | | | 0.018 | | | | | | | | | | | | | |
| RDD293986 | | | 0.304 | | | | | | | | | | | | | |
| DUP | | | 0.308 | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | 0.293 | | | | | | | | | | | | | |
| Upper Bound | | | 0.319 | | | | | | | | | | | | | |
| RDD294001 | | 0.002 | | | | | | | | | | | | | | |
| DUP | | 0.001 | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | <0.001 | | | | | | | | | | | | | | |
| Upper Bound | | 0.002 | | | | | | | | | | | | | | |
| RDD294010 | | | 0.028 | 0.09 | 5.77 | 13.6 | 40 | 6.83 | 12.55 | 9.97 | <0.02 | 89.5 | 6.3 | 26 | 19.55 | 21.4 |
| DUP | | | 0.023 | 0.10 | 5.69 | 13.2 | 40 | 6.69 | 12.95 | 9.79 | <0.02 | 85.9 | 6.1 | 27 | 18.85 | 21.4 |
| Target Range – Lower Bound | | | 0.020 | 0.08 | 5.43 | 12.5 | 30 | 6.37 | 12.10 | 9.38 | <0.02 | 83.3 | 5.8 | 24 | 18.20 | 20.5 |
| Upper Bound | | | 0.031 | 0.11 | 6.03 | 14.3 | 50 | 7.15 | 13.40 | 10.40 | 0.04 | 92.1 | 6.6 | 29 | 20.2 | 22.3 |
| RDD294031 | | | <0.005 | | | | | | | | | | | | | |
| DUP | | | <0.005 | | | | | | | | | | | | | |
| Target Range – Lower Bound | | | <0.005 | | | | | | | | | | | | | |
| Upper Bound | | | 0.010 | | | | | | | | | | | | | |
| RX00195 | | | | 0.01 | 0.02 | 1.5 | <10 | <0.05 | 0.04 | 0.01 | <0.02 | 1.27 | 0.4 | 3 | 0.08 | 3.5 |
| DUP | | | | 0.01 | 0.02 | 1.0 | <10 | <0.05 | 0.03 | 0.01 | <0.02 | 1.31 | 0.4 | 3 | 0.08 | 3.4 |
| Target Range – Lower Bound | | | | <0.01 | <0.01 | 1.0 | <10 | <0.05 | 0.02 | <0.01 | <0.02 | 1.22 | 0.3 | 2 | <0.05 | 3.1 |
| Upper Bound | | | | 0.02 | 0.03 | 1.5 | 20 | 0.10 | 0.05 | 0.02 | 0.04 | 1.36 | 0.5 | 4 | 0.10 | 3.8 |
| ORIGINAL | | 0.004 | | | | | | | | | | | | | | |
| DUP | | 0.005 | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | 0.003 | | | | | | | | | | | | | | |
| Upper Bound | | 0.006 | | | | | | | | | | | | | | |
| ORIGINAL | | 0.010 | | | | | | | | | | | | | | |
| DUP | | 0.005 | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | 0.006 | | | | | | | | | | | | | | |
| Upper Bound | | 0.009 | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 7 – B

Total # Pages: 9 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
|---|-----------------------------------|------------------------------|----------------------------------|---------------------------------|--------------------------|-------------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|------------------------------|------------------------------|-------------------------------|------------------------------|------------------------------|
| | | Fe | Ga | Ge | Hf | In | K | La | Li | Mg | Mn | Mo | Na | Nb | Ni |
| | | % | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.01 | 0.05 | 0.05 | 0.1 | 0.005 | 0.01 | 0.5 | 0.2 | 0.01 | 5 | 0.05 | 0.01 | 0.1 | 0.2 |
| | | 10 | | | | | | | | | | | | | |
| RDD293982 DUP Target Range – Lower Bound Upper Bound | | DUPLICATES | | | | | | | | | | | | | |
| RDD293986 DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | |
| RDD294001 DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | |
| RDD294010 DUP Target Range – Lower Bound Upper Bound | | 6.90 6.83 6.51 7.22 | 17.40 17.05 16.30 18.15 | 0.20 0.30 0.18 0.32 | 3.8 3.6 3.4 4.0 | 1.140 1.065 1.040 1.165 | 0.57 0.57 0.53 0.61 | 43.7 42.0 40.2 45.5 | 31.0 30.4 29.0 32.4 | 5.40 5.33 5.09 5.64 | 2410 2380 2270 2520 | 0.40 0.48 0.37 0.51 | 0.41 0.40 0.37 0.44 | 27.9 27.4 26.2 29.1 | 11.4 11.4 10.6 12.2 |
| | | 560 540 510 590 | | | | | | | | | | | | | |
| RDD294031 DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | |
| RX00195 DUP Target Range – Lower Bound Upper Bound | | 0.48 0.49 0.45 0.52 | 0.12 0.11 0.06 0.17 | <0.05 <0.05 <0.05 0.10 | 0.3 0.3 0.2 0.4 | <0.005 <0.005 <0.005 0.010 | 0.01 0.01 <0.01 0.02 | 0.7 0.7 <0.5 1.0 | 0.9 0.9 0.7 1.1 | 0.01 0.01 <0.01 0.02 | 51 52 44 59 | 0.44 0.40 0.35 0.49 | 0.01 0.01 <0.01 0.02 | 1.0 1.0 0.9 1.2 | 1.1 1.0 0.8 1.3 |
| | | 10 10 <10 20 | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_99

Page: 7 - C
Total # Pages: 9 (A - E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r Pb ppm 0.5 | ME-MS61r Rb ppm 0.1 | ME-MS61r Re ppm 0.002 | ME-MS61r S % 0.01 | ME-MS61r Sb ppm 0.05 | ME-MS61r Sc ppm 0.1 | ME-MS61r Se ppm 1 | ME-MS61r Sn ppm 0.2 | ME-MS61r Sr ppm 0.2 | ME-MS61r Ta ppm 0.05 | ME-MS61r Te ppm 0.05 | ME-MS61r Th ppm 0.01 | ME-MS61r Ti % 0.005 | ME-MS61r Tl ppm 0.02 | ME-MS61r U ppm 0.1 |
|---|-----------------------------------|------------------------------|------------------------------|-------------------------------------|---------------------------------|-------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|---------------------------------|---------------------------------|----------------------------------|----------------------------------|---------------------------------|-----------------------------|
| RDD293982 DUP Target Range - Lower Bound Upper Bound | | DUPLICATES | | | | | | | | | | | | | | |
| RDD293986 DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| RDD294001 DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| RDD294010 DUP Target Range - Lower Bound Upper Bound | | 2.4 2.4 1.8 3.0 | 80.3 83.1 77.5 85.9 | 0.002 <0.002 <0.002 0.004 | 0.51 0.51 0.47 0.55 | 0.64 0.64 0.54 0.74 | 11.0 10.8 10.3 11.5 | <1 <1 <1 2 | 212 208 199.5 221 | 70.6 68.9 66.1 73.4 | 1.69 1.62 1.52 1.79 | 0.05 0.05 <0.05 0.10 | 12.25 12.40 11.70 12.95 | 0.288 0.282 0.266 0.304 | 0.59 0.59 0.53 0.65 | 2.2 2.1 1.9 2.4 |
| RDD294031 DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| RX00195 DUP Target Range - Lower Bound Upper Bound | | 0.8 0.9 <0.5 1.0 | 0.4 0.4 0.3 0.5 | <0.002 <0.002 <0.002 0.004 | <0.01 <0.01 <0.01 0.02 | 0.23 0.25 0.17 0.31 | 0.2 0.2 <0.1 0.3 | <1 <1 <1 2 | 0.3 0.3 <0.2 0.4 | 2.8 2.8 2.5 3.1 | <0.05 <0.05 <0.05 0.10 | <0.05 <0.05 <0.05 0.10 | 0.22 0.24 0.21 0.25 | 0.036 0.037 0.030 0.043 | <0.02 <0.02 <0.02 0.04 | 0.1 0.2 <0.1 0.2 |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_99

Page: 7 - D
Total # Pages: 9 (A - E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r V ppm 1 | ME-MS61r W ppm 0.1 | ME-MS61r Y ppm 0.1 | ME-MS61r Zn ppm 2 | ME-MS61r Zr ppm 0.5 | ME-MS61r Dy ppm 0.05 | ME-MS61r Er ppm 0.03 | ME-MS61r Eu ppm 0.03 | ME-MS61r Gd ppm 0.05 | ME-MS61r Ho ppm 0.01 | ME-MS61r Lu ppm 0.01 | ME-MS61r Nd ppm 0.1 | ME-MS61r Pr ppm 0.03 | ME-MS61r Sm ppm 0.03 | ME-MS61r Tb ppm 0.01 |
|---|-----------------------------------|---------------------------|------------------------------|------------------------------|----------------------------|----------------------------------|-------------------------------|-------------------------------|---------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|--------------------------------|-------------------------------|-------------------------------|
| RDD293982 DUP Target Range - Lower Bound Upper Bound | | DUPLICATES | | | | | | | | | | | | | | |
| RDD293986 DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| RDD294001 DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| RDD294010 DUP Target Range - Lower Bound Upper Bound | | 50 49 46 53 | 30.4 30.1 27.9 32.6 | 32.3 32.5 30.7 34.1 | 67 64 60 71 | 138.0 132.0 128.0 142.5 | 5.31 5.54 4.97 5.88 | 3.25 3.29 2.99 3.55 | 1.09 1.14 1.00 1.23 | 5.34 5.58 5.00 5.92 | 1.10 1.12 1.02 1.20 | 0.50 0.50 0.45 0.55 | 37.7 36.1 34.0 39.8 | 10.55 9.91 9.43 11.05 | 6.87 6.63 6.21 7.29 | 0.87 0.91 0.81 0.97 |
| RDD294031 DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| RX00195 DUP Target Range - Lower Bound Upper Bound | | 2 2 <1 3 | 0.2 0.2 <0.1 0.3 | 0.8 0.7 0.6 0.9 | <2 <2 <2 4 | 12.6 12.4 11.4 13.6 | 0.12 0.12 0.06 0.18 | 0.08 0.09 0.05 0.12 | <0.03 <0.03 <0.03 0.06 | 0.10 0.10 <0.05 0.16 | 0.03 0.03 0.02 0.04 | 0.02 0.02 <0.01 0.03 | 0.5 0.5 0.4 0.6 | 0.13 0.13 0.09 0.17 | 0.09 0.09 0.05 0.13 | 0.02 0.02 <0.01 0.03 |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range - Lower Bound Upper Bound | | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 7 – E

Total # Pages: 9 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r |
|---|-----------------------------------|-------------------------------|------------------------------|
| | | Tm ppm 0.01 | Yb ppm 0.03 |
| RDD293982 DUP Target Range – Lower Bound Upper Bound | | DUPLICATES | |
| RDD293986 DUP Target Range – Lower Bound Upper Bound | | | |
| RDD294001 DUP Target Range – Lower Bound Upper Bound | | | |
| RDD294010 DUP Target Range – Lower Bound Upper Bound | | 0.49 0.50 0.45 0.54 | 3.14 3.16 2.88 3.42 |
| RDD294031 DUP Target Range – Lower Bound Upper Bound | | | |
| RX00195 DUP Target Range – Lower Bound Upper Bound | | 0.01 0.02 <0.01 0.02 | 0.11 0.11 0.07 0.15 |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 8 – A

Total # Pages: 9 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | Au-ICP21 | ME-XRF15b | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
|----------------------------|-----------------------------------|----------|-----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Au | Sn | Ag | Al | As | Ba | Be | Bi | Ca | Cd | Ce | Co | Cr | Cs | Cu |
| | | ppm | % | ppm | % | ppm | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm |
| | | 0.001 | 0.005 | 0.01 | 0.01 | 0.2 | 10 | 0.05 | 0.01 | 0.01 | 0.02 | 0.01 | 0.1 | 1 | 0.05 | 0.2 |
| DUPLICATES | | | | | | | | | | | | | | | | |
| ORIGINAL | | 0.236 | | | | | | | | | | | | | | |
| DUP | | 0.316 | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | 0.261 | | | | | | | | | | | | | | |
| Upper Bound | | 0.291 | | | | | | | | | | | | | | |
| ORIGINAL | | 0.148 | | | | | | | | | | | | | | |
| DUP | | 0.138 | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | 0.135 | | | | | | | | | | | | | | |
| Upper Bound | | 0.151 | | | | | | | | | | | | | | |
| ORIGINAL | | 0.015 | | | | | | | | | | | | | | |
| DUP | | 0.015 | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | 0.013 | | | | | | | | | | | | | | |
| Upper Bound | | 0.017 | | | | | | | | | | | | | | |
| ORIGINAL | | 0.057 | | | | | | | | | | | | | | |
| DUP | | 0.061 | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | 0.055 | | | | | | | | | | | | | | |
| Upper Bound | | 0.063 | | | | | | | | | | | | | | |
| ORIGINAL | | 0.203 | | | | | | | | | | | | | | |
| DUP | | 0.209 | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | 0.195 | | | | | | | | | | | | | | |
| Upper Bound | | 0.217 | | | | | | | | | | | | | | |
| ORIGINAL | | 0.004 | | | | | | | | | | | | | | |
| DUP | | 0.004 | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | 0.003 | | | | | | | | | | | | | | |
| Upper Bound | | 0.005 | | | | | | | | | | | | | | |
| ORIGINAL | | 0.039 | | | | | | | | | | | | | | |
| DUP | | 0.035 | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | 0.034 | | | | | | | | | | | | | | |
| Upper Bound | | 0.040 | | | | | | | | | | | | | | |
| ORIGINAL | | 0.097 | | | | | | | | | | | | | | |
| DUP | | 0.091 | | | | | | | | | | | | | | |
| Target Range – Lower Bound | | 0.088 | | | | | | | | | | | | | | |
| Upper Bound | | 0.100 | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_99

Page: 8 – B
Total # Pages: 9 (A – E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
|--|-----------------------------------|------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Fe | Ga | Ge | Hf | In | K | La | Li | Mg | Mn | Mo | Na | Nb | Ni | P |
| | | % | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm | ppm | ppm |
| | | 0.01 | 0.05 | 0.05 | 0.1 | 0.005 | 0.01 | 0.5 | 0.2 | 0.01 | 5 | 0.05 | 0.01 | 0.1 | 0.2 | 10 |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | DUPLICATES | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_99

Page: 8 – C
Total # Pages: 9 (A – E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r Pb ppm 0.5 | ME-MS61r Rb ppm 0.1 | ME-MS61r Re ppm 0.002 | ME-MS61r S % 0.01 | ME-MS61r Sb ppm 0.05 | ME-MS61r Sc ppm 0.1 | ME-MS61r Se ppm 1 | ME-MS61r Sn ppm 0.2 | ME-MS61r Sr ppm 0.2 | ME-MS61r Ta ppm 0.05 | ME-MS61r Te ppm 0.05 | ME-MS61r Th ppm 0.01 | ME-MS61r Ti % 0.005 | ME-MS61r Tl ppm 0.02 | ME-MS61r U ppm 0.1 |
|--|-----------------------------------|------------------------------|------------------------------|--------------------------------|----------------------------|-------------------------------|------------------------------|----------------------------|------------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|-------------------------------|-----------------------------|
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | DUPLICATES | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 8 – D

Total # Pages: 9 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r V ppm 1 | ME-MS61r W ppm 0.1 | ME-MS61r Y ppm 0.1 | ME-MS61r Zn ppm 2 | ME-MS61r Zr ppm 0.5 | ME-MS61r Dy ppm 0.05 | ME-MS61r Er ppm 0.03 | ME-MS61r Eu ppm 0.03 | ME-MS61r Gd ppm 0.05 | ME-MS61r Ho ppm 0.01 | ME-MS61r Lu ppm 0.01 | ME-MS61r Nd ppm 0.1 | ME-MS61r Pr ppm 0.03 | ME-MS61r Sm ppm 0.03 | ME-MS61r Tb ppm 0.01 |
|--|-----------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | DUPLICATES | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 8 – E

Total # Pages: 9 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r Tm ppm 0.01 | ME-MS61r Yb ppm 0.03 |
|--|-----------------------------------|-------------------------------|-------------------------------|
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | DUPLICATES | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | | |

***** See Appendix Page for comments regarding this certificate *****



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_99

Page: 9 – B
Total # Pages: 9 (A – E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
|--|-----------------------------------|------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Fe | Ga | Ge | Hf | In | K | La | Li | Mg | Mn | Mo | Na | Nb | Ni |
| | | % | ppm | ppm | ppm | ppm | % | ppm | ppm | % | ppm | ppm | % | ppm | ppm |
| | | 0.01 | 0.05 | 0.05 | 0.1 | 0.005 | 0.01 | 0.5 | 0.2 | 0.01 | 5 | 0.05 | 0.01 | 0.1 | 0.2 |
| | | 10 | | | | | | | | | | | | | |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | DUPLICATES | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_99

Page: 9 – C
Total # Pages: 9 (A – E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r | ME-MS61r |
|--|-----------------------------------|------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| | | Pb | Rb | Re | S | Sb | Sc | Se | Sn | Sr | Ta | Te | Th | Ti | Tl |
| | | ppm | ppm | ppm | % | ppm | ppm | ppm | ppm | ppm | ppm | ppm | ppm | % | ppm |
| | | 0.5 | 0.1 | 0.002 | 0.01 | 0.05 | 0.1 | 1 | 0.2 | 0.2 | 0.05 | 0.05 | 0.01 | 0.005 | 0.02 |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | DUPLICATES | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD
PO BOX 20
ZEEHAN TAS 7469

Project: EDGI_99

Page: 9 – D
Total # Pages: 9 (A – E)
Plus Appendix Pages
Finalized Date: 30-APR-2025
Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r V ppm 1 | ME-MS61r W ppm 0.1 | ME-MS61r Y ppm 0.1 | ME-MS61r Zn ppm 2 | ME-MS61r Zr ppm 0.5 | ME-MS61r Dy ppm 0.05 | ME-MS61r Er ppm 0.03 | ME-MS61r Eu ppm 0.03 | ME-MS61r Gd ppm 0.05 | ME-MS61r Ho ppm 0.01 | ME-MS61r Lu ppm 0.01 | ME-MS61r Nd ppm 0.1 | ME-MS61r Pr ppm 0.03 | ME-MS61r Sm ppm 0.03 | ME-MS61r Tb ppm 0.01 |
|--|-----------------------------------|---------------------------|-----------------------------|-----------------------------|----------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|------------------------------|-------------------------------|-------------------------------|-------------------------------|
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | DUPLICATES | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: 9 – E

Total # Pages: 9 (A – E)

Plus Appendix Pages

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

| Sample Description | Method Analyte Units LOD | ME-MS61r | ME-MS61r |
|--|-----------------------------------|-------------------|-------------------|
| | | Tm ppm 0.01 | Yb ppm 0.03 |
| ORIGINAL DUP Target Range – Lower Bound Upper Bound | | DUPLICATES | |
| | | | |



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: BLUESTONE MINES TASMANIA JOINT VENTURE PTY LTD

PO BOX 20

ZEEHAN TAS 7469

Project: EDGI_99

Page: Appendix 1

Total # Appendix Pages: 1

Finalized Date: 30-APR-2025

Account: BLUMINJV

QC CERTIFICATE OF ANALYSIS BU25094030

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method:

REEs may not be totally soluble in this method.
ME-MS61r

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Perth Sample Preparation. Corporate Accreditation No: 825, Corporate Site No: 23001. The Technical Signatory is Wendy Wong, Senior QC Chemist
Au-ICP21

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Perth located at 29 & 31 Denninup Way, Malaga, Australia. Processed at ALS Perth Sample Preparation at 19 Integrity Way, Wangara, WA, Australia
Au-ICP21

Applies to Method:

Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia
ME-MS61r ME-XRF15b

Applies to Method:

Processed at ALS Burnie located at 39 River Road, Burnie, TAS, Australia.
BAG-01 BAG-21
LOG-22 LOG-24
SPL-21 WEI-21

CRU-21

PUL-23

LEV-01

PUL-QC