



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD

LEVEL 4

96-100 ALBERT ROAD

SOUTH MELBOURNE VIC 3205

Page: 1

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 3-OCT-2024

Account: GEORGRES

QC CERTIFICATE BU24263855

Project: EL8

P.O. No.: GR20240920

This report is for 84 samples of Drill Core submitted to our lab in Burnie, TAS, Australia on 23-SEP-2024.

The following have access to data associated with this certificate:

JONATHAN DAVIS

STEVE SWATTON

SEAN WESTBROOK

SAMPLE PREPARATION

ALS CODE	DESCRIPTION
WEI-21	Received Sample Weight
BAG-21	Raw Sample in a new bag
CRU-QC	Crushing QC Test
PUL-QC	Pulverizing QC Test
LEV-01	Waste Disposal Levy
LOG-22	Sample login - Rcd w/o BarCode
LOG-24	Pulp Login - Rcd w/o Barcode
CRU-36f	Fine crushing - 85% <3.15mm
SPL-22Y	Split Sample - Boyd Rotary Splitter
PUL-23j	Pulv 0.75kg Sample - Rotary Split/Retain
BAG-01	Bulk Master for Storage

ANALYTICAL PROCEDURES

ALS CODE	DESCRIPTION	INSTRUMENT
Au-AA25	Ore Grade Au 30g FA AA finish	AAS
ME-MS61r	4A multi-element ICP-MS + REE	
ME-OG62	Ore Grade Elements - Four Acid	ICP-AES
Cu-OG62	Ore Grade Cu - Four Acid	

This is the Final Report and supersedes any preliminary report with this certificate number. Results apply to samples as submitted. All pages of this report have been checked and approved for release.

***** See Appendix Page for comments regarding this certificate *****

Signature:

Shaun Kenny, Brisbane Laboratory Manager



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD
LEVEL 4
96-100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 2 - A
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 3-OCT-2024
Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	Au-AA25	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
STANDARDS															
CT-22		2.61													
Target Range - Lower Bound		2.42													
Upper Bound		2.74													
EMOG-17															
EMOG-17															
Target Range - Lower Bound															
Upper Bound															
EMOG-17			66.3	4.53	556	600	1.77	5.34	1.84	19.50	46.9	728	55	7.17	8100
EMOG-17			65.1	4.45	550	650	1.72	5.59	1.83	18.60	47.0	720	53	7.33	8080
Target Range - Lower Bound			60.9	4.18	522	310	1.60	5.31	1.72	18.15	42.9	686	49	6.56	7750
Upper Bound			74.5	5.13	638	440	2.06	6.51	2.12	22.2	52.5	838	62	8.12	8910
G319-10		49.5													
Target Range - Lower Bound		47.3													
Upper Bound		53.3													
GBM321-8			3.10	7.45	60.4	1150	1.51	1.18	4.02	1.70	109.5	28.3	141	3.91	3760
Target Range - Lower Bound			2.69	6.40	50.2	930	1.27	1.12	3.33	1.53	99.0	24.0	125	3.44	3380
Upper Bound			3.31	7.84	61.8	1280	1.66	1.39	4.10	1.91	121.0	29.6	155	4.32	3890
GBM398-1															
GBM398-1															
Target Range - Lower Bound															
Upper Bound															
MRCA-21			8.74	7.64	18.3	1260	2.70	2.10	1.83	2.10	107.0	30.8	44	12.60	940
Target Range - Lower Bound			7.57	6.83	17.2	1050	2.35	1.39	1.58	1.99	92.7	28.0	38	10.75	877
Upper Bound			9.27	8.37	21.4	1440	2.99	1.73	1.96	2.47	113.5	34.4	49	13.25	1010
OREAS 139															
OREAS 139															
Target Range - Lower Bound															
Upper Bound															
OREAS 507			1.33	7.77	51.1	1120	2.55	1.79	1.77	0.70	74.3	8.3	46	11.05	6330
OREAS 507			1.34	7.41	51.2	1070	2.43	2.06	1.72	0.68	73.2	7.6	43	11.15	6140
Target Range - Lower Bound			1.20	6.68	41.8	930	2.25	1.59	1.53	0.60	63.0	7.0	38	9.76	5780
Upper Bound			1.48	8.18	51.6	1280	2.86	1.97	1.89	0.78	77.0	8.8	49	12.05	6660
OREAS L11		0.32													
OREAS L11		0.31													
Target Range - Lower Bound		0.28													
Upper Bound		0.33													
SL136		6.03													



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: **GEORGINA RESOURCES PTY LTD**
LEVEL 4
96-100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 2 - B
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 3-OCT-2024
Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
STANDARDS															
CT-22															
Target Range - Lower Bound															
Upper Bound															
EMOG-17															
EMOG-17															
Target Range - Lower Bound															
Upper Bound															
EMOG-17		11.60	0.16	1.8	0.897	1.58	23.7	26.1	0.90	715	1055	1.07	14.3	7340	780
EMOG-17		11.35	<0.05	2.2	0.907	1.59	23.7	26.1	0.89	717	1040	1.05	14.0	7410	770
Target Range - Lower Bound		10.75	<0.05	1.6	0.823	1.49	20.7	23.9	0.86	670	997	0.99	12.7	6820	700
Upper Bound		13.25	0.25	2.2	1.015	1.85	26.4	29.7	1.08	830	1220	1.23	15.7	8330	880
G319-10															
Target Range - Lower Bound															
Upper Bound															
GBM321-8		22.3	0.21	3.6	0.074	2.20	57.5	12.0	1.90	838	62.3	2.25	11.2	2360	1050
Target Range - Lower Bound		18.65	<0.05	3.3	0.064	1.87	49.0	9.8	1.61	715	57.9	1.93	9.5	2020	880
Upper Bound		22.9	0.24	4.3	0.092	2.31	61.0	12.4	1.99	885	70.9	2.38	11.9	2480	1100
GBM398-1															
GBM398-1															
Target Range - Lower Bound															
Upper Bound															
MRCA-21		21.6	0.20	1.8	0.122	2.88	58.3	61.5	0.73	8300	25.9	2.01	15.2	949	900
Target Range - Lower Bound		18.75	<0.05	1.5	0.103	2.58	49.0	54.7	0.65	7330	22.5	1.79	12.9	849	770
Upper Bound		23.0	0.23	2.1	0.137	3.18	61.0	67.3	0.82	8970	27.7	2.21	15.9	1040	970
OREAS 139															
OREAS 139															
Target Range - Lower Bound															
Upper Bound															
OREAS 507		20.4	0.14	2.0	0.150	3.16	36.1	51.0	0.70	359	112.0	2.12	12.8	15.6	880
OREAS 507		19.70	0.08	1.9	0.152	3.06	35.0	49.3	0.68	359	111.5	2.05	12.6	15.2	850
Target Range - Lower Bound		18.20	0.07	1.7	0.130	2.75	30.0	44.8	0.63	310	102.5	1.88	11.2	14.3	770
Upper Bound		22.4	0.31	2.3	0.170	3.39	37.8	55.2	0.79	390	125.5	2.32	14.0	17.9	970
OREAS L11															
OREAS L11															
Target Range - Lower Bound															
Upper Bound															
SL136															



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD
LEVEL 4
96-100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 2 - C
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 3-OCT-2024
Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
STANDARDS															
CT-22															
Target Range - Lower Bound															
Upper Bound															
EMOG-17															
EMOG-17															
Target Range - Lower Bound															
Upper Bound															
EMOG-17		107.5	0.307	3.15	757	8.1	6	2.4	197.5	0.91	1.22	10.70	0.311	2.07	3.0
EMOG-17		109.5	0.311	3.08	761	7.9	6	2.5	197.0	0.91	1.25	11.00	0.308	2.04	2.9
Target Range - Lower Bound		98.9	0.286	2.91	643	7.2	4	2.2	184.5	0.78	1.10	10.35	0.285	1.89	2.8
Upper Bound		121.0	0.354	3.57	869	9.0	9	3.2	226	1.08	1.46	12.65	0.359	2.61	3.7
G319-10															
Target Range - Lower Bound															
Upper Bound															
GBM321-8		177.5	<0.002	0.35	1.58	19.1	1	3.2	307	0.79	0.08	18.15	0.699	1.28	2.3
Target Range - Lower Bound		153.0	<0.002	0.31	1.40	16.7	<1	2.7	258	0.64	<0.05	16.00	0.591	1.01	2.0
Upper Bound		187.0	0.005	0.41	2.01	20.7	2	3.9	316	0.92	0.15	19.55	0.733	1.41	2.6
GBM398-1															
GBM398-1															
Target Range - Lower Bound															
Upper Bound															
MRCA-21		175.5	0.012	0.45	27.6	9.4	1	4.9	177.5	1.06	0.16	15.90	0.376	1.20	3.8
Target Range - Lower Bound		154.5	0.008	0.38	22.8	8.0	<1	4.3	156.5	0.98	<0.05	13.95	0.328	0.97	3.7
Upper Bound		189.5	0.018	0.49	31.0	10.0	3	5.7	191.5	1.30	0.23	17.05	0.412	1.37	4.8
OREAS 139															
OREAS 139															
Target Range - Lower Bound															
Upper Bound															
OREAS 507		162.0	0.084	0.76	4.87	8.7	4	4.6	224	1.06	0.68	14.35	0.357	0.89	3.8
OREAS 507		163.5	0.084	0.73	5.14	8.1	4	4.8	214	1.04	0.65	14.65	0.345	0.89	4.1
Target Range - Lower Bound		146.5	0.075	0.66	4.47	7.5	2	4.3	195.0	0.97	0.54	12.50	0.310	0.77	3.6
Upper Bound		179.5	0.096	0.82	6.17	9.3	6	5.7	239	1.29	0.80	15.30	0.390	1.09	4.6
OREAS L11															
OREAS L11															
Target Range - Lower Bound															
Upper Bound															
SL136															



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: **GEORGINA RESOURCES PTY LTD**
LEVEL 4
96-100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 2 - D
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 3-OCT-2024
Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr	Sm	Tb	Tm
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03	0.03	0.01	0.01
STANDARDS																
CT-22																
Target Range – Lower Bound																
Upper Bound																
EMOG-17																
EMOG-17																
Target Range – Lower Bound																
Upper Bound																
EMOG-17		3.5	15.1	7280	62.3	2.66	1.46	0.82	2.98	0.54	0.20	18.7	5.52	3.44	0.44	0.22
EMOG-17		3.6	15.9	7190	65.7	2.78	1.44	0.86	3.04	0.54	0.22	19.2	5.61	3.57	0.46	0.22
Target Range – Lower Bound		3.3	14.3	6800	55.6	2.53	1.41	0.71	2.85	0.48	0.19	17.8	4.65	3.40	0.41	0.19
Upper Bound		4.7	17.7	8320	76.4	3.53	1.97	1.03	3.97	0.68	0.27	24.3	6.37	4.66	0.57	0.29
G319-10																
Target Range – Lower Bound																
Upper Bound																
GBM321-8		3.1	38.0	1125	149.5	6.80	3.78	1.82	7.29	1.36	0.49	46.6	12.60	8.05	1.14	0.52
Target Range – Lower Bound		2.9	33.7	961	117.5	5.70	3.26	1.57	6.49	1.14	0.42	36.2	9.83	7.02	0.99	0.46
Upper Bound		4.1	41.4	1180	160.5	7.82	4.48	2.19	8.89	1.56	0.60	49.2	13.35	9.56	1.37	0.64
GBM398-1																
GBM398-1																
Target Range – Lower Bound																
Upper Bound																
MRCA-21		10.9	17.6	833	62.3	3.96	1.47	1.60	6.03	0.63	0.17	43.8	12.05	7.74	0.81	0.19
Target Range – Lower Bound		9.3	15.6	740	50.5	3.63	1.32	1.33	5.70	0.54	0.14	35.4	9.83	6.97	0.70	0.16
Upper Bound		12.9	19.2	908	69.5	5.03	1.86	1.87	7.84	0.76	0.21	48.2	13.35	9.49	0.97	0.24
OREAS 139																
OREAS 139																
Target Range – Lower Bound																
Upper Bound																
OREAS 507		9.8	15.6	165	82.6	3.41	1.28	1.22	5.15	0.55	0.16	33.9	8.97	6.32	0.67	0.17
OREAS 507		10.4	15.8	161	64.9	3.44	1.30	1.30	5.01	0.56	0.16	34.4	9.18	6.49	0.70	0.18
Target Range – Lower Bound		7.8	13.9	143	53.9	3.15	1.19	1.10	5.03	0.52	0.14	28.7	7.36	5.87	0.66	0.15
Upper Bound		10.8	17.2	179	74.1	4.39	1.67	1.56	6.93	0.72	0.22	39.1	10.00	8.01	0.92	0.23
OREAS L11																
OREAS L11																
Target Range – Lower Bound																
Upper Bound																
SL136																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD

LEVEL 4

96-100 ALBERT ROAD

SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 2 - E

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 3-OCT-2024

Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	STANDARDS	
		ME-MS61r	Cu-OG62
		Yb	Cu
		ppm	%
		0.03	0.001
STANDARDS			
CT-22			
Target Range - Lower Bound			
Upper Bound			
EMOG-17			0.827
EMOG-17			0.821
Target Range - Lower Bound			0.803
Upper Bound			0.863
EMOG-17		1.45	
EMOG-17		1.42	
Target Range - Lower Bound		1.30	
Upper Bound		1.82	
G319-10			
Target Range - Lower Bound			
Upper Bound			
GBM321-8		3.28	
Target Range - Lower Bound		2.83	
Upper Bound		3.91	
GBM398-1			1.480
GBM398-1			1.450
Target Range - Lower Bound			1.430
Upper Bound			1.535
MRCA-21		1.16	
Target Range - Lower Bound		1.12	
Upper Bound		1.58	
OREAS 139			0.033
OREAS 139			0.028
Target Range - Lower Bound			0.025
Upper Bound			0.029
OREAS 507		1.14	
OREAS 507		1.20	
Target Range - Lower Bound		1.00	
Upper Bound		1.42	
OREAS L11			
OREAS L11			
Target Range - Lower Bound			
Upper Bound			
SL136			



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD
LEVEL 4
96-100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 3 - A
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 3-OCT-2024
Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	Au-AA25	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm
		0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2
STANDARDS															
SL136		6.21													
Target Range - Lower Bound		5.52													
Upper Bound		6.25													
BLANKS															
BLANK		<0.01													
BLANK		<0.01													
BLANK		0.01													
Target Range - Lower Bound		<0.01													
Upper Bound		0.02													
BLANK															
BLANK															
Target Range - Lower Bound															
Upper Bound															
BLANK			<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	0.4
BLANK			<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2
BLANK			<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	0.3
Target Range - Lower Bound			<0.01	<0.01	<0.2	<10	<0.05	<0.01	<0.01	<0.02	<0.01	<0.1	<1	<0.05	<0.2
Upper Bound			0.02	0.02	0.4	20	0.10	0.02	0.02	0.04	0.02	0.2	2	0.10	0.4
DUPLICATES															
87509		0.12													
DUP		0.09													
Target Range - Lower Bound		0.09													
Upper Bound		0.12													
87529		0.07													
DUP		0.06													
Target Range - Lower Bound		0.05													
Upper Bound		0.08													



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD
LEVEL 4
96-100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 3 - B
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 3-OCT-2024
Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
STANDARDS															
BLANKS															
SL136															
Target Range - Lower Bound															
Upper Bound															
BLANK															
BLANK															
BLANK															
Target Range - Lower Bound															
Upper Bound															
BLANK															
BLANK															
Target Range - Lower Bound															
Upper Bound															
BLANK		<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	0.2	<0.01	<5	<0.05	0.01	<0.1	0.4	<10
BLANK		<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	0.01	<0.1	<0.2	<10
BLANK		<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10
Target Range - Lower Bound		<0.05	<0.05	<0.1	<0.005	<0.01	<0.5	<0.2	<0.01	<5	<0.05	<0.01	<0.1	<0.2	<10
Upper Bound		0.10	0.10	0.2	0.010	0.02	1.0	0.4	0.02	10	0.10	0.02	0.2	0.4	20
DUPLICATES															
87509															
DUP															
Target Range - Lower Bound															
Upper Bound															
87529															
DUP															
Target Range - Lower Bound															
Upper Bound															



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD
LEVEL 4
96-100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 3 - C
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 3-OCT-2024
Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U	V	
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1	1	
STANDARDS																	
SL136																	
Target Range – Lower Bound																	
Upper Bound																	
BLANKS																	
BLANK																	
BLANK																	
BLANK																	
Target Range – Lower Bound																	
Upper Bound																	
BLANK																	
BLANK																	
Target Range – Lower Bound																	
Upper Bound																	
BLANK		<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1	
BLANK		<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1	
BLANK		<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1	
Target Range – Lower Bound		<0.1	<0.002	<0.01	<0.05	<0.1	<1	<0.2	<0.2	<0.05	<0.05	<0.01	<0.005	<0.02	<0.1	<1	
Upper Bound		0.2	0.004	0.02	0.10	0.2	5	0.4	0.4	0.10	0.10	0.02	0.010	0.04	0.2	2	
DUPLICATES																	
87509																	
DUP																	
Target Range – Lower Bound																	
Upper Bound																	
87529																	
DUP																	
Target Range – Lower Bound																	
Upper Bound																	



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD
LEVEL 4
96-100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 3 - D
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 3-OCT-2024
Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr	Sm	Tb
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03	0.03	0.01
STANDARDS															
BLANKS															
SL136															
Target Range - Lower Bound															
Upper Bound															
BLANK															
BLANK															
BLANK															
Target Range - Lower Bound															
Upper Bound															
BLANK															
BLANK															
Target Range - Lower Bound															
Upper Bound															
BLANK		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01
BLANK		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01
BLANK		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01
Target Range - Lower Bound		<0.1	<0.1	<2	<0.5	<0.05	<0.03	<0.03	<0.05	<0.01	<0.01	<0.1	<0.03	<0.03	<0.01
Upper Bound		0.2	0.2	4	1.0	0.10	0.06	0.06	0.10	0.02	0.02	0.2	0.06	0.06	0.02
DUPLICATES															
87509															
DUP															
Target Range - Lower Bound															
Upper Bound															
87529															
DUP															
Target Range - Lower Bound															
Upper Bound															



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD

LEVEL 4

96-100 ALBERT ROAD

SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 3 - E

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 3-OCT-2024

Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
SL136 Target Range - Lower Bound Upper Bound			
BLANK BLANK BLANK Target Range - Lower Bound Upper Bound			
BLANK BLANK Target Range - Lower Bound Upper Bound		<0.001 <0.001 <0.001 0.002	
BLANK BLANK BLANK Target Range - Lower Bound Upper Bound		<0.03 <0.03 <0.03 <0.03 0.06	
87509 DUP Target Range - Lower Bound Upper Bound			
87529 DUP Target Range - Lower Bound Upper Bound			



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD
LEVEL 4
96-100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 4 - A
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 3-OCT-2024
Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	Au-AA25	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
		DUPLICATES														
87546		1.20	6.11	2.3	2400	1.27	1.15	0.12	0.11	22.5	3.5	3	1.05	1905	5.65	
DUP		1.17	5.97	2.6	2360	1.24	1.10	0.11	0.12	23.8	3.7	2	1.08	1825	5.52	
Target Range – Lower Bound		1.12	5.73	2.1	2190	1.14	1.06	0.10	0.09	22.0	3.3	<1	0.96	1800	5.30	
Upper Bound		1.25	6.35	2.8	2570	1.37	1.19	0.13	0.14	24.3	3.9	4	1.17	1930	5.87	
87549		0.16														
DUP		0.12														
Target Range – Lower Bound		0.12														
Upper Bound		0.16														
87582		0.28	6.58	2.8	2700	1.28	0.24	0.13	<0.02	71.8	13.6	7	2.09	339	6.96	
DUP		0.28	6.61	2.8	2710	1.29	0.27	0.13	0.02	70.9	13.5	8	2.08	332	7.00	
Target Range – Lower Bound		0.26	6.26	2.5	2490	1.17	0.23	0.11	<0.02	67.8	12.8	6	1.93	324	6.62	
Upper Bound		0.30	6.93	3.1	2920	1.40	0.28	0.15	0.04	74.9	14.3	9	2.24	347	7.34	
ORIGINAL		0.03														
DUP		0.02														
Target Range – Lower Bound		<0.01														
Upper Bound		0.04														
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL		0.01														
DUP		<0.01														
Target Range – Lower Bound		<0.01														
Upper Bound		0.02														
ORIGINAL		0.11														
DUP		0.13														
Target Range – Lower Bound		0.10														
Upper Bound		0.14														



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD
LEVEL 4
96-100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 4 - B
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 3-OCT-2024
Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P	Pb
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10	0.5
DUPLICATES																
87546		14.15	0.09	3.5	0.217	5.41	9.8	10.5	0.40	1080	0.85	0.13	21.6	3.7	30	25.2
DUP		14.00	0.10	3.4	0.214	5.33	10.2	10.2	0.39	1055	0.88	0.13	22.1	3.6	30	24.5
Target Range – Lower Bound		13.30	<0.05	3.2	0.200	5.09	9.0	9.6	0.37	1010	0.77	0.11	20.7	3.3	20	23.1
Upper Bound		14.85	0.10	3.7	0.231	5.65	11.0	11.1	0.42	1125	0.96	0.15	23.0	4.0	40	26.6
87549																
DUP																
Target Range – Lower Bound																
Upper Bound																
87582		14.50	0.17	3.5	0.229	4.44	33.7	10.9	0.45	1075	0.62	0.07	10.7	2.7	290	42.8
DUP		14.80	0.17	3.5	0.230	4.94	33.7	10.9	0.45	1070	0.84	0.11	10.9	2.7	280	44.2
Target Range – Lower Bound		13.85	0.11	3.2	0.213	4.45	31.5	10.2	0.42	1015	0.64	0.08	10.2	2.4	260	40.8
Upper Bound		15.45	0.23	3.8	0.246	4.93	35.9	11.6	0.48	1130	0.82	0.10	11.4	3.0	310	46.2
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD
LEVEL 4
96-100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 4 - D
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 3-OCT-2024
Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr	Sm	Tb	Tm
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03	0.03	0.01	0.01
DUPLICATES																
87546		10.2	27.8	171	72.6	5.75	4.08	0.61	3.43	1.24	0.71	9.8	2.59	2.53	0.67	0.64
DUP		11.8	29.6	165	75.2	5.25	3.99	0.61	3.37	1.26	0.82	10.0	2.68	2.63	0.66	0.66
Target Range – Lower Bound		10.1	27.2	158	69.7	5.04	3.70	0.53	3.10	1.15	0.70	9.1	2.41	2.36	0.61	0.59
Upper Bound		11.9	30.2	178	78.1	5.96	4.37	0.69	3.71	1.35	0.83	10.7	2.86	2.80	0.72	0.71
87549																
DUP																
Target Range – Lower Bound																
Upper Bound																
87582		27.1	24.4	172	135.0	3.89	2.58	1.36	4.29	0.85	0.46	31.9	8.94	5.74	0.63	0.40
DUP		28.4	24.9	171	136.0	3.95	2.62	1.40	4.48	0.85	0.47	31.2	8.86	5.60	0.71	0.42
Target Range – Lower Bound		25.6	23.3	161	128.0	3.58	2.38	1.25	4.01	0.78	0.42	29.1	8.20	5.21	0.61	0.37
Upper Bound		29.9	26.0	182	143.0	4.26	2.83	1.51	4.76	0.92	0.51	34.0	9.60	6.13	0.73	0.45
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																
ORIGINAL																
DUP																
Target Range – Lower Bound																
Upper Bound																



Australian Laboratory Services Pty. Ltd.

32 Shand Street

Stafford

Brisbane QLD 4053

Phone: +61 7 3243 7222 Fax: +61 7 3243 7218

www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation

No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD

LEVEL 4

96-100 ALBERT ROAD

SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 4 - E

Total # Pages: 5 (A - E)

Plus Appendix Pages

Finalized Date: 3-OCT-2024

Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
		DUPLICATES	
87546 DUP Target Range - Lower Bound Upper Bound		5.01 4.82 4.52 5.31	
87549 DUP Target Range - Lower Bound Upper Bound			
87582 DUP Target Range - Lower Bound Upper Bound		2.88 2.87 2.63 3.12	
ORIGINAL DUP Target Range - Lower Bound Upper Bound			
ORIGINAL DUP Target Range - Lower Bound Upper Bound		2.58 2.55 2.50 2.63	
ORIGINAL DUP Target Range - Lower Bound Upper Bound		1.255 1.260 1.225 1.290	
ORIGINAL DUP Target Range - Lower Bound Upper Bound			
ORIGINAL DUP Target Range - Lower Bound Upper Bound			



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD
LEVEL 4
96-100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 5 – A
Total # Pages: 5 (A – E)
Plus Appendix Pages
Finalized Date: 3-OCT-2024
Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	Au-AA25	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Au	Ag	Al	As	Ba	Be	Bi	Ca	Cd	Ce	Co	Cr	Cs	Cu	Fe
		ppm	ppm	%	ppm	ppm	ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	%
		0.01	0.01	0.01	0.2	10	0.05	0.01	0.01	0.02	0.01	0.1	1	0.05	0.2	0.01
ORIGINAL	DUPLICATES															
DUP																
Target Range – Lower Bound																
Upper Bound																
		PREP DUPLICATES														
87556	<0.01	0.37	6.95	2.8	4700	1.54	0.56	0.22	0.14	86.8	20.9	6	1.42	537	6.98	
87556 PREP DUP	0.02	0.44	6.95	3.0	4620	1.53	0.69	0.23	0.13	87.5	24.0	6	1.51	584	7.30	



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD
LEVEL 4
96-100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 5 - B
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 3-OCT-2024
Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Ga	Ge	Hf	In	K	La	Li	Mg	Mn	Mo	Na	Nb	Ni	P
		ppm	ppm	ppm	ppm	%	ppm	ppm	%	ppm	ppm	%	ppm	ppm	ppm
		0.05	0.05	0.1	0.005	0.01	0.5	0.2	0.01	5	0.05	0.01	0.1	0.2	10
ORIGINAL DUP Target Range - Lower Bound Upper Bound		DUPLICATES													
		PREP DUPLICATES													
87556		18.60	0.17	4.0	0.247	5.73	40.1	11.2	0.50	1595	0.44	0.08	14.7	4.2	360
87556 PREP DUP		19.45	0.20	3.9	0.252	4.38	40.7	11.8	0.52	1655	0.57	0.08	15.2	4.0	370



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD
LEVEL 4
96-100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 5 - C
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 3-OCT-2024
Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		Rb	Re	S	Sb	Sc	Se	Sn	Sr	Ta	Te	Th	Ti	Tl	U
		ppm	ppm	%	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	%	ppm	ppm
		0.1	0.002	0.01	0.05	0.1	1	0.2	0.2	0.05	0.05	0.01	0.005	0.02	0.1
ORIGINAL DUP Target Range - Lower Bound Upper Bound	DUPLICATES														
	PREP DUPLICATES														
	87556	146.0	<0.002	0.15	1.93	10.4	<1	5.6	81.2	0.94	0.12	16.65	0.237	0.67	6.5
	87556 PREP DUP	102.5	<0.002	0.16	2.03	10.5	<1	6.2	84.7	0.89	0.16	17.55	0.244	0.71	6.5



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD
LEVEL 4
96-100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 5 – D
Total # Pages: 5 (A – E)
Plus Appendix Pages
Finalized Date: 3-OCT-2024
Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r	ME-MS61r
		W	Y	Zn	Zr	Dy	Er	Eu	Gd	Ho	Lu	Nd	Pr	Sm	Tb	Tm
		ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm	ppm
		0.1	0.1	2	0.5	0.05	0.03	0.03	0.05	0.01	0.01	0.1	0.03	0.03	0.01	0.01
ORIGINAL DUP Target Range – Lower Bound Upper Bound		DUPLICATES														
		PREP DUPLICATES														
87556		35.5	22.8	249	134.5	3.41	2.67	1.09	4.30	0.77	0.58	36.3	10.25	6.05	0.58	0.47
87556 PREP DUP		36.3	23.2	257	141.5	3.62	2.75	1.21	4.40	0.82	0.60	37.9	10.85	6.30	0.61	0.47



Australian Laboratory Services Pty. Ltd.
32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD
LEVEL 4
96-100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: EL8

Page: 5 - E
Total # Pages: 5 (A - E)
Plus Appendix Pages
Finalized Date: 3-OCT-2024
Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

Sample Description	Method Analyte Units LOD	ME-MS61r Yb ppm 0.03	Cu-OG62 Cu % 0.001
ORIGINAL DUP Target Range - Lower Bound Upper Bound		DUPLICATES	
87556 87556 PREP DUP		PREP DUPLICATES	
		3.74 3.43	



Australian Laboratory Services Pty. Ltd.

32 Shand Street
Stafford
Brisbane QLD 4053
Phone: +61 7 3243 7222 Fax: +61 7 3243 7218
www.alsglobal.com/geochemistry

ALS Brisbane is a NATA Accredited Testing Laboratory. Corporate Accreditation
No: 825, Corporate Site No: 818.

To: GEORGINA RESOURCES PTY LTD
LEVEL 4
96-100 ALBERT ROAD
SOUTH MELBOURNE VIC 3205

Project: EL8

Page: Appendix 1
Total # Appendix Pages: 1
Finalized Date: 3-OCT-2024
Account: GEORGRES

QC CERTIFICATE OF ANALYSIS BU24263855

CERTIFICATE COMMENTS

ANALYTICAL COMMENTS

Applies to Method:

REEs may not be totally soluble in this method.
ME-MS61r

ACCREDITATION COMMENTS

Applies to Method:

NATA Accreditation covers the performance of this service but does not cover the performance of ALS Brisbane Sample Preparation. Corporate Accreditation No:825, Corporate Site No:818. Technical Signatory: Christopher Snowdon, ICPAES Reporting Chemist
Cu-OG62 ME-OG62

LABORATORY ADDRESSES

Applies to Method:

Processed at ALS Townsville located at 14-15 Desma Court, Bohle, Townsville, QLD, Australia.
Au-AA25

Applies to Method:

Processed at ALS Brisbane located at 32 Shand Street, Stafford, Brisbane, QLD, Australia. Processed at ALS Brisbane Sample Preparation at 23 Pineapple Street, Zillmere, QLD, 4034, Australia
Cu-OG62 ME-MS61r ME-OG62

Applies to Method:

Processed at ALS Burnie located at 39 River Road, Burnie, TAS, Australia.
BAG-01 BAG-21 CRU-36f CRU-QC
LEV-01 LOG-22 LOG-24 PUL-23j
PUL-QC SPL-22Y WEI-21