

Exploration Drilling Grant Initiative - Round 10

EDGI - Round 10 - Application Form

Application No. EDGI-10-011 From Allegiance Mining Pty Ltd.

Form Submitted 29 Aug 2024, 10:51AM AEST

Part 1 - Eligibility

*** indicates a required field**

Welcome to the Exploration Drilling Grant Initiative Application Form

If you have any queries about this process please contact Steve Richardson on (03) 6165 4800 or email info@mrt.tas.gov.au

Guidelines

Refer to the program [guidelines](#) for the full conditions to this grant.

Eligibility check

Before proceeding with the application for the Exploration Drilling Grant Initiative, please ensure that you meet the eligibility criteria outlined below.

In order for an application to be deemed eligible supporting documentation to demonstrate eligibility must be provided where requested.

Eligibility checklist *

- ☒ Must hold an Exploration Licence, Special Exploration licence, Retention Licence or Mining Lease covering the proposed project's location. However, consideration will be given to those proposals with an Exploration Licence Application, where a recommendation to grant has been made to the Minister, but only if the licence will be granted in a reasonable time frame.
- ☒ The program is open to all types of entities which hold the tenement and license or lease. Joint applicants must lodge a written instrument with MRT. If the applicant is a natural person, then that natural person must be aged over eighteen years.
- ☒ Must be registered for tax purposes in Australia with an active Australian Business Number (ABN).

All must be selected.

Part 2 - Applicant details

*** indicates a required field**

Contact person

Please provide the details of your main contact person who will be managing this grant application process on behalf of the organisation.

Name *

Rebecca Lockley

Position in the organisation *

Senior Geologist – Care and Maintenance

Exploration Drilling Grant Initiative - Round 10
EDGI - Round 10 - Application Form
Application No. EDGI-10-011 From Allegiance Mining Pty Ltd.
Form Submitted 29 Aug 2024, 10:51AM AEST

Is the contact person the/a Tenement Holder? *

☐ Yes ☒ No

If you are not the Tenement Holder please describe your relationship to the Tenement Holder.

Direct employee of company holding tenement, Allegiance Mining Pty Ltd.

Email *

bec.lockley@aveburymetals.com.au

Mobile number *

0419 802 323

Organisation contact details

If applying as an organisation, enter the organisation's contact details.

Organisation's name *

Allegiance Mining Pty Ltd.

Organisation's street address *

Trial Harbour Rd
Trial Harbour TAS 7469 Australia
This must be a street address for contractual purposes.

Postal address *

Trial Harbour Rd
Trial Harbour TAS 7469 Australia

Email *

bec.lockley@aveburymetals.com.au

Primary phone number *

0419 802 323

Website

<https://www.aveburymine.com.au/>

Australian Business Number (ABN)

Please provide your organisation's Australian Business Number (ABN) *

38 059 676 783

Information from the Australian Business Register	
ABN	38 059 676 783
Entity name	ALLEGIANCE MINING PTY LTD
ABN status	Active
Entity type	Australian Private Company
Goods & Services Tax (GST)	Yes

Exploration Drilling Grant Initiative - Round 10

EDGI - Round 10 - Application Form

Application No. EDGI-10-011 From Allegiance Mining Pty Ltd.

Form Submitted 29 Aug 2024, 10:51AM AEST

DGR Endorsed	No
ATO Charity Type	Not endorsed More information
ACNC Registration	No
Tax Concessions	No tax concessions
Main business location	6005 WA

Information retrieved at 10:18am today

Must be an ABN. You can use the [ABN Lookup website](#) to search for your ABN and related information.

Part 3 - Location and Timing of Proposed Program

*** indicates a required field**

3.1 Location and Timing for Proposed Drilling Program

Project name *

East Trial Magnetic Anomaly and VTEM plate targeting
Please give a working title for this project.

Target commodities *

Co, Cu, Ni, Pb, Zn

Mineral tenement number(s) *

EL28/1988

Mineral Tenement Holder 1

Allegiance Mining Pty Ltd

% share for Mineral Tenement Holder 1

100.00

Please indicate the % share.

Mineral Tenement Holder 2

% share for Mineral Tenement Holder 2

Please indicate the % share.

Mineral Tenement Operator *

Allegiance Mining Pty Ltd

Proposed start date *

01/03/2025

Estimated program duration *

5 weeks

Part 4 - Proposed Drilling Program Summary

*** indicates a required field**

4.1 Summary Drilling Program

Please attach a table of drill hole locations including:

- Hole ID
- Easting & Northing
- Elevation (m)
- Hole bearing and dip
- Total Hole Depth (m)
- Geodetic Datum and Projection (include MGA94 coordinates if project area uses a local grid).

Filename: Planned drillhole.csv

File size: 231 B

Number of holes *

1

Must be a number.

Estimated metres to be drilled *

600

Must be a number.

Drilling method(s) *

HQ/NQ diamond drilling

Estimated mobilisation, access and drill pad costs *

\$10,400.00

Must be a dollar amount.

Please enter as zero if not relevant.

Estimated direct drilling costs direct drilling costs (metres, standby, consumables, etc) *

\$136,625.00

Must be a dollar amount.

Please enter as zero if not relevant.

Estimated assay budget (including geochemistry, petrology, water sampling) *

\$2,500.00

Must be a dollar amount.

Please enter as zero if not relevant.

Estimated spectral survey budget (hylogging, ASD, PIMA etc) *

\$0.00

Must be a dollar amount.

Please enter as zero if not relevant.

Exploration Drilling Grant Initiative - Round 10

EDGI - Round 10 - Application Form

Application No. EDGI-10-011 From Allegiance Mining Pty Ltd.

Form Submitted 29 Aug 2024, 10:51AM AEST

Estimated downhole geophysical budget (EM, IP, wireline logs, temperature measurements) *

\$65,000.00

Must be a dollar amount.

Please enter as zero if not relevant.

Total estimated drilling program cost

\$214,525.00

This number/amount is calculated.

What is the total budgeted cost (dollars) of your project?

Estimated helicopter support cost (if required)

\$0.00

Must be a dollar amount.

Please enter as zero if not relevant.

Total government funding sought *

\$68,312.50

Must be a dollar amount.

What is the total financial support you are requesting in this application?

Part 5 - Project Rationale

*** indicates a required field**

5.1 Summary project description

Please provide a summary of the project's aim, targets and the data or results expected to be delivered from the project. *

One 600m drill hole (PDH_001) is proposed for the East Trial anomaly area, situated approximately 3km west of the Avebury Nickel Mine. Drilling has been designed to test the combined geophysical targets of a VTEM survey (completed 2011), remodelled and reinterpreted in 2021 by Mitre Geophysics, and a strong magnetic high situated in what is mapped (Newnham 2006), as a ridge of the Trial Harbour Ultramafic body. This Ultramafic body is known from previous drilling at the Denali, Burbank and Nickel Reward prospects for hosting Avebury style skarn altered serpentinite style nickel and cobalt mineralisation.

In a combined exploration project consisting of an IP survey, DHEM survey of TH007, and data review of the Denali area in 2021-2022, it was determined the VTEM survey completed by MMG in 2011 had been assessed superficially only. Of the initial 30 anomalies proposed, only 5 had been drill tested. Results are highly variable, from pyrite-magnetite-low nickel, to pyrrhotite associated with actinolite altered Crimson Creek Formation, pyrrhotitic black shale, and massive gabbro followed by massive magnetite with pyrrhotite-pyrite-serpentine and minor chalcopyrite (Denholm 2022).

Due to the inconsistent and potential near-miss results, the data was remodelled and reinterpreted by Mitre Geophysics where all conductors were modelled as 3D plates, resulting in 46 anomalies, 18 of which were ranked as well to moderately well constrained targets. The VTEM_A_32 - VTEM_A_34 group modelling area covers Connors Section, Burbank and Avebury-Trial Harbour nickel field mineralisation. The primary trend of the plates is very steep, to near-vertical dipping, with an east-west strike length over 850m. VTEM_A_32 and VTEM_A_33, untested by drilling, are shallow strong conductors with an

Exploration Drilling Grant Initiative - Round 10

EDGI - Round 10 - Application Form

Application No. EDGI-10-011 From Allegiance Mining Pty Ltd.

Form Submitted 29 Aug 2024, 10:51AM AEST

extensive strike >400m and depth extents of 50-100m. VTEM_A_34 consists of three plate models of shallow, clear, large conductors with a strike >400m, and depth extents 100-400m. All plates in these sets have been considered to be constrained well enough for drilling. A secondary parallel set of conductors occurs in the north of the VTEM_A_32 group but are considered poorly constrained. There is a possibility that drill hole A165 drilled in 2006 clipped the top of these plates, and that in reality they are more steeply dipping than currently modelled.

Please limit your response to 500 words.

5.2 Exploration Model and Geological Context

Provide a review of the regional and local geological context and the exploration model being applied to the area.

Where appropriate attach additional diagrams that would provide further information including:

- Regional geological setting and exploration model
- Predictive plans, cross sections, long projection
- geophysical and geochemical coverage and models
- 3D modelling

*

EL28/1988 is located to the west and southwest of the Avebury Nickel Mine. The Avebury Nickel deposits are hosted in Cambrian serpentinitised ultramafic rocks and diopside-tremolite-magnetite skarns, within a package of volcanoclastic sediments correlated with the Crimson Creek Formation or the Luina Group. Most of the mineralisation is located around the edges of the ultramafic body, however some internal mineralisation does occur. The deposits are generally low sulphur and may have formed due to metasomatism associated with the intrusion of the Devonian Heemskirk granite directly to the north, indicated by the presence of granophile elements particularly associated with nickel skarn type mineralisation. The northern section of EL28/1988 is essentially along strike from Avebury and has a very similar geological setting with similar rocks, geophysical and geochemical characteristics, making it highly prospective for Avebury style nickel mineralisation.

The proposed drillhole has been designed to target the East Trial Magnetic Anomaly (aeromagnetic) with refined targeting focused on the VTEM_A_33 and VTEM_A_34 plates.

The potential for these conductors to be significant sulphides associated with Avebury style nickel mineralisation is supported by host stratigraphy intersected in drillholes A165, A167, A168 and A221.

Please limit your response to 500 words.

Please provide appropriate plans, diagrams and sections.

Filename: Drill hole PDH_001 overlain Geology (Newnham 2006).JPG
File size: 67.0 kB

Filename: Drill hole PDH_001 with VTEM plates over Total Magnetic Intensity.JPG
File size: 98.3 kB

Filename: Regional Geology MRT 25K.JPG
File size: 85.3 kB

5.3 Previous Work

Exploration Drilling Grant Initiative - Round 10

EDGI - Round 10 - Application Form

Application No. EDGI-10-011 From Allegiance Mining Pty Ltd.

Form Submitted 29 Aug 2024, 10:51AM AEST

Provide a review of the results of any previous work (e.g. historic and recent geophysics, geochemistry or drilling) in the project area, with particular reference to the results used to define the drill target.

Where appropriate, attach additional diagrams that would help to provide further information including:

- Historic and recent drilling
- Historic and recent geophysical or geochemical surveys and modelling.

*

The focus area extends eastward from the Denali-Burbank prospects and historically has only been tested by very sparse, very wide spaced drilling in the region. In 2006 three drill holes A165, A167 and A168 were targeted on the East Trial Anomaly, a prominent geophysical anomaly underlying an interpreted thin thrust of Precambrian basement. Completed with an average spacing of 500m between, all the drill holes successfully intersected Cambrian ultramafic rocks identical to those hosting the Avebury deposit (Newnham 2007).

DDH A165 was collared in what was interpreted to be a thin thrust sheet of Precambrian siliciclastics. The hole passed into typical phlogopite altered feldspar-lithic basaltic volcanoclastic greywacke of the Crimson Creek Group. A thin, strongly sheared and tectonised ultramafic was intersected between 211.0m and 216.9m with assays of 6.3m @ 58ppm As, 395ppm Co, 942ppm Cr, 0.2% Ni, 0.03% Cu, 0.6% Zn. The ultramafic was comprised of 50% massive magnetite with black serpentinite gangue and minor tremolite altered skarn veins. The hole successfully identified the attenuated eastern margin of the Trial Harbour ultramafic (Callaghan 2007).

DDH A167 was collared 500m west of A165. The hole was collared in a possible thrust faulted slice of Oonah Formation siliciclastics. The hole then intersected a prominent fault separating the siliciclastics from Crimson Creek formation feldspar-lithic greywacke. The hole intersected intensely metasomatised ultramafic skarn (254.6 – 313.6m) composed of crystalline tremolite-diopside with 5-15% vein and disseminated magnetite. A significant intercept from 275 to 285m returned 10m @ 43ppm As, 112 ppm Co, 766ppm Cr, 0.06% Cu, and 0.2% Ni. The ultramafic was strongly dolomite altered between 267.5 and 284.1m. The rock was comprised of pale grey pervasive dolomite with 10-15% magnetite and trace pyrrhotite and sphalerite disseminations (Newnham 2007).

DDH A168 was collared a further 500m west of A167. This hole intersected intensely metasomatised ultramafic skarn between 333.2m and 389.1m before passing into black serpentinite to the end of hole. Minor sulphides were present, but nickel sulphides were not present in economic quantities (Newnham 2007). Intercepts occurred at 334.2m to 335.2m of 1m @ 50ppm As, 300ppm Co, 650ppm Cr, 0.01%Cu, 0.28% Ni, and from 370m to 389.5m of 6m @ 38ppm As, 187ppm Cr, 0.01% Cu, 0.1% Ni.

Situated 300m west of proposed PDH_001, DDH A221 was targeted on the eastern extension of the Trial Harbour ultramafic dismissed historically as having no significant nickel sulphides, hosts the most significant Co, Ni intercepts of the local drilling. The hole collared in what was interpreted to be Dundas Group volcanoclastic conglomerate, sandstones and siltstones. The volcanoclastics were variably phlogopite altered or actinolite e-diopside altered. A thin dyke of metasomatised ultramafic was intersected between 29.1 and 30.3m which hosted 50ppm As, 140ppm Co, and 0.33%Ni. The hole intersected a large body of quartz-feldspar-phyric rhyolite from 279 to 430m down hole. The hole successfully identified the eastern margin of the Trial Harbour ultramafic intrusion (Callaghan 2008). The lower portion of the hole hosts a significant intercept from 468m to 472m of 4m @ 63ppm As, 125ppm Co, and 0.4% Ni. The hole was terminated in the host ultramafic rocks, however there is possibility of repeated skarn alteration following the serpentinite which should be

Exploration Drilling Grant Initiative - Round 10

EDGI - Round 10 - Application Form

Application No. EDGI-10-011 From Allegiance Mining Pty Ltd.

Form Submitted 29 Aug 2024, 10:51AM AEST

considered in follow up drilling.

Further east, DDH A154 was targeted at a combined IP-magnetic anomaly coincident with an ultramafic unit mapped on surface along strike of the Viking resource. Shallow workings were recorded in the area. The drill hole intersected strongly greisenised granite at 495 m and it is possible that this granite truncated the steep south dipping host rock formation above the hole. The granite may be a small cupola or dike on the flanks of the Heemskirk Granite (Newnham 2006).

The proposed drilling has been designed to test the combined geophysical targets of VTEM survey (completed 2011), remodelled and reinterpreted in 2021 by Mitre Geophysics, and a strong magnetic high situated in what is mapped (Newnham 2006), as a ridge of the Trial Harbour Ultramafic body, identified in the above discussed historic drilling and drilling at the Denali, Burbank and Nickel Reward prospects for hosting Avebury style skarn altered serpentinite style nickel and cobalt mineralisation.

Please provide appropriate diagrams.

No files have been uploaded

5.4 Proposed Drilling Program

Discuss the specific location, targeting rationale and proposed drilling program details, including expected drilling depths and predicted geology.

Where appropriate, attach additional diagrams that would help to provide further information including:

- Collar locations (include MGA94 coordinates and orientations if project area uses a local grid)
- Predictive geological plan, cross-sections and long projection
- Exploration targets and models.

*

The drill program consists of one drill hole PDH_001 (planned drill hole), collared south and east of historic drilling with shallow dip, drilling to the north.

Hole ID Easting Northing Elevation (m) Azimuth Dip Total Hole Depth Geodetic Datum & Projection

PDH_001 350800 5356380 147 180 -50 600 GDA94/MGA zone 55

Drilling is designed to test a large magnetic high determined from aeromagnetic survey, and several VTEM plates which are proposed to be associated with Avebury style skarn mineralisation (East Trial Anomaly). The Trial Harbour Ultramafic is proposed to continue east from the Denali and Burbank prospects as a very steeply northeast dipping body that may roll over or orientate southwest. A greater understanding of the extents, depth, thickness and orientation of the ultramafic body and potential associated skarn mineralisation are proposed as possible outcomes from this drilling. As is the distribution of skarn alteration and Silurian-Devonian sediments and volcanics in the area.

The priority region to be targeted is west of A167 to intersect the two largest conductor plates of VTEM_A_34. Based on logging from A165 and A167, the drill hole is expected to be collared into a possible thrust faulted slice of Oonah Formation siliciclastics for 25-100m thick. The hole is then expected to intersect a prominent fault separating the siliciclastics from Crimson Creek formation feldspar-lithic greywacke. Following which it is expected to pass through metasomatised ultramafic magnetite rich skarn hosting cobalt-nickel (as seen in A221, A167, A168 and A165), before intersecting black serpentinite. The hole may or

Exploration Drilling Grant Initiative - Round 10

EDGI - Round 10 - Application Form

Application No. EDGI-10-011 From Allegiance Mining Pty Ltd.

Form Submitted 29 Aug 2024, 10:51AM AEST

may not intersect quartz-feldspar-phyrlic rhyolite as seen in A221. It is proposed a repeat of ultramafic skarn may occur following the serpentinite as seen at Avebury.

Please provide appropriate diagrams, plans and sections.

Filename: Satellite image overlain Tas map showing location of PDH_001.JPG
File size: 82.3 kB

Filename: XS Drill hole PDH_001 looking east.JPG
File size: 33.9 kB

5.5 Program Objectives and Results

Discuss the specific geoscientific objectives to be tested, impact of the program and the data / results to be presented as part of the final report. Include information on any proposed sampling and geochemical analyses, petrological work, water sampling and down-hole logging.

Note: All outputs will be required in accordance with the reporting requirements detailed in the **Mineral Resources Development Act 1995** and conform to the standard format for Mineral Tenement reports described in the **MRT Reporting Guidelines** (including the requirements for submission of digital data).

*

The key program objective is to test the East Trial Anomaly primarily by targeting well constrained, south dipping VTEM plates suggested to be associated with nickel-cobalt skarn mineralisation.

All drill core will be scanned utilizing the inhouse Minalyzer core Scanner at Avebury Mine. Following scanning, any mineralisation, including any skarn alteration, will be selected for external multi-element assaying.

During drilling, core is to be orientated to enable detailed structural measurements which is considered essential for developing local understanding of what regionally is known to be highly structurally complex.

The drill hole will be PVC cased to enable later stage DHEM to refine targeting and constraints of several other VTEM conductors modelled in the area to advance them to drill ready targets.

Any significant assays intersected will further increase the prospectivity of the area and provide encouragement for increased exploration in the west Avebury/Trail Harbor zone.

Part 6 - Project Management

* indicates a required field

6.1 Environmental Impact Information

Summarise the drill program features likely to affect the environment and precautions taken to limit the impact (noise, erosion, waste disposal, water pollution, fire etc.) and the proposed site rehabilitation and timing.

(Note that prior to drilling commencing a standard work program application will need to be completed and approved by MRT)

*
The program is designed to utilise existing tracks so that minimal environmental disturbance occurs. However, some rehabilitation of the existing tracks may be required, and sumps will need to be constructed, all of which will be rehabilitated shortly after the drilling program is completed.

The proposed drill site is located 2km from Remine, so noise is not expected to be any issue. All waste will be disposed of from the sites and precautions will be made (matting, bunding and absorbent sump booms) so that no spills occur and if they do, can be remedied immediately using spill kits.

Several creeks in the area are possible water sources for drilling, the closest >100m away from the drill site minimising the risk of contamination. Pumps used will have adequate bunding and matting.

There is one raptor nest (List ID: 1771) recorded to occur 2.4km east of the planned drill site south of Little Henty River. Drilling will be timed to occur outside of breeding season (July - February incl.)

6.2 Project Risk Management

List any potential risks (e.g. safety, drilling logistics, difficult drilling conditions, rig availability, site access, tenement approvals, timing, personnel, environmental incidents) and note the potential consequences and proposed risk management.

Potential Risk	Potential Consequence and Management
Rig availability	Rig availability may cause an issue which can be mitigated by planning well in advance.
Site access	Due to shallowness of target, drilling can only be completed from the south - drilling north with previous pads unsuitable. There is one existing track that takes off from Trial Harbour Road to the south and the collar has been designed from this with the intention of the least rehab possible. The terrain is also steep so may cause pumping issues.
Water Availability	Depends on nearby creeks. An alternate water source may be required if creeks are dry.

Data Confidentiality

Exploration Drilling Grant Initiative - Round 10
EDGI - Round 10 - Application Form
Application No. EDGI-10-011 From Allegiance Mining Pty Ltd.
Form Submitted 29 Aug 2024, 10:51AM AEST

Will a period of confidentiality be required for drilling results and proposal contents?

☒ Yes ☐ No

If yes, what length will this period be?

Six Months

A maximum allowance of six months is available commencing after final report submission.

Part 7 - Stakeholder Engagement

7.1 Current Status

Detail progress of access requirements if drilling is located on private land.
Please list the stakeholder, the current status and the planned program and management.

Stakeholder	Current Status	Planned Project and Management

Part 8 - Declaration

*** indicates a required field**

Refer to the program [guidelines](#) for the full conditions to this grant.

Right to information

Information you provide to the Department of State Growth and details of assistance may be subject to requests for public disclosure under the [Right to Information Act 2009 \(Tasmania\)](#).

Personal Information Protection

You are providing personal information to the Department of State Growth, which will manage that information in accordance with the [Personal Information Protection Act 2004](#).

Exploration Drilling Grant Initiative - Round 10
EDGI - Round 10 - Application Form
Application No. EDGI-10-011 From Allegiance Mining Pty Ltd.
Form Submitted 29 Aug 2024, 10:51AM AEST

The personal information collected here will be used by the Department for the purpose of assessing your application and related activities. Failure to provide this information may result in your application not being assessed or records not being properly maintained. The Department may also use the information for related purposes or disclose it to third parties in circumstances allowed for by law. You have the right to access your personal information by request to the Department and you may be charged a fee for this service.

The term 'Application' means this on-line form and all attached documents.

For and on behalf of the applicant detailed in this application, I, the undersigned, acknowledge and warrant (as the case may be) that:

1. I have authority to provide the information contained in this application and to execute (by completion of details below) this application for and on behalf of the applicant.
2. the department can rely upon the information and representations contained in this application (including these acknowledgements).
3. I have read, understood and I am able to comply with all criteria, terms and conditions contained in the guidelines and application form.
4. I have read and understood the eligibility requirements and assessment criteria for this program and declare to the best of my information, knowledge and belief, the applicant is eligible under those criteria and the information provided is true and correct.
5. the department may undertake all necessary credit checks, organisational searches and any other checks and enquiries on the applicant as the department determines and is hereby authorised to do so.
6. the application is made at the applicant's own cost and risk, the selection of the applicant for program funds is at the absolute discretion of the department and this application remains the property of the department.
7. the applicant will be responsible for notifying the department in writing of any changes relating to information provided in this application. Until receipt of such notification, the department shall process the application in accordance with the information provided.
8. grant payments will be made via Electronic Funds Transfer (EFT) to a nominated bank account and the department is hereby authorised to make such payments.
9. the department is under no obligation to verify the authority of the undersigned on the bank account details.
- 10 the department will not be held responsible for delays of payment, or errors due to factors outside their reasonable control. The department reserves the right to terminate or suspend an EFT and to pay by cheque or any other manner which the department may determine.
- 11 the applicant agrees to indemnify the Crown in Right of Tasmania, against all present and future legal liability, claims or proceedings for financial loss arising from, or attributable to the provision and use of the information contained in this application and/or receipt and use of grants.
- 12 if a grant is awarded, the applicant must enter into a legal agreement with the department in order to receive the grant. This agreement will be on such terms and conditions as the department determines and, together with this application form and any applicable program guidelines, will form the whole agreement.
- 13 I am providing personal information to the Department of State Growth, which will manage that information in accordance with the *Personal Information Protection Act 2004*. The personal information collected here will be used by the department for the purpose of the grant approvals process and administering grants. Failure to provide this information may result in my grant application being unsuccessful or records not being properly maintained. The department may also use the information for related purposes or disclose it to third parties in circumstances allowed for by law. I have the right to

Exploration Drilling Grant Initiative - Round 10
EDGI - Round 10 - Application Form
Application No. EDGI-10-011 From Allegiance Mining Pty Ltd.
Form Submitted 29 Aug 2024, 10:51AM AEST

access my personal information by request to the department and may be charged a fee for this service.

14 Information you provide to the Department of State Growth and details of assistance may be subject to requests for public disclosure under the *Right to Information Act 2009*.

I agree *

☒ Yes