


Geochemistry (P.P.M.)



V.L.F. - E.M.
Tx = Japan




V.L.F. - E.M.
Tx = N.W. Cape



Gradient Array I.P.



Topography & Geology
HEIGHT ABOVE SEA LEVEL - (Metres)



650468

GOLD FIELDS EXPLORATION PTY. LIMITED	
E.L.42/71 – CARBINE HILL GRID	
LINE 1000N.	
LOOKING N.	
SCALE 1:2000 METRES	

DRAWN	P.K.
TRACED	S.F.
DATE	Mar.84
SCALE	1:2000
FIG. NO.	48

047

I.P. DATA

MAGNETICS

Base Station at: approx. 2800 E 3350 S

Designated:

6 cm

GEOCHEMISTRY

Sn
Cu
Pb
Zn
As
Wo3

GEOLOGY

ROCK TYPE

- Shale
- Siltstone
- Sandstone
- Grits
- Conglomerate
- Rhyolitic tuffs
- Basic Tuffs

IGNEOUS – CAMBRIAN

- €ms Melba Spilites (basic Lavas)
- €um Ultra-mafics
- €g Gabbro

DEVONIAN

- Dg Granite
- Dqp Quartz porphyry

FORMATION

- €d Dundas Group (unasigned)
- €rl Red Lead Conglomerate
- €b Brewery Junction
- €ro Razorback
- €h Hodge Slate
- €fe Fernfield
- €co Comet
- €f Fernflow


50 / 30 Bedding

50 / 30 Cleavage


* All Bearings Magnetic

047


Geochemistry (P.P.M.)




V.L.F. - E.M.
Tx = Japan



V.L.F. - E.M.
Tx = N.W. Cape




Gradient Array I.P.



Total Magnetic Field (γ)

Topography & Geology
HEIGHT ABOVE SEA LEVEL - (Metres)



650409

GOLD FIELDS EXPLORATION PTY. LIMITED	
E.L.42/71 - CARBINE HILL GRID	
LINE 1200 N.	
LOOKING N. 18.42863	
SCALE 1:2000 METRES	

DRAWN	P.K.
TRACED	S.F.
DATE	Mar.84
SCALE	1:2000
FIG. NO.	49

048

I.P. DATA

MAGNETICS

Base Station at : approx. 2800 E 3350 S

Designated :

5 cm

GEOCHEMISTRY

Sn
Cu
Pb
Zn
As
Wo3

GEOLOGY

ROCK TYPE

Shale
Siltstone
Sandstone
Grits
Conglomerate
Rhyolitic tuffs
Basic Tuffs

IGNEOUS - CAMBRIAN

Melba Spilites (basic Lavas)
Ultra - mafics
Gabbro

DEVONIAN

Granite
Quartz porphyry

FORMATION

Cd Dundas Group (unasigned)
Red Lead Conglomerate
Cb Brewery Junction
Razorback
Hodge Slate
Fernfield
Cco Comet
Cf Fernflow

60 / 30 Bedding
50 / 50 Cleavage

* All Bearings Magnetic

048

Geochemistry (P.P.M.)

V.L.F. - E.M.
Tx = Japan
DIP ANGLE (----)
SMOOTHED DERIVATIVE (——)

V.L.F. - E.M.
Tx = N.W. Cape
DIP ANGLE (----)
SMOOTHED DERIVATIVE (——)

Gradient Array I.P.
CHARGEABILITY IN MILLIVOLTS/VOLT (——)
RESISTIVITY IN OHM METRES (----)

Total Magnetic Field (Ø)

Topography & Geology
HEIGHT ABOVE SEA LEVEL - (Metres)

650470

GOLD FIELDS EXPLORATION PTY. LIMITED	
E.L.42/71 – CARBINE HILL GRID	
LINE 1400 N.	
LOOKING N. SE-2183, Vol 4, 5A	
SCALE 1: 2000 METRES	

DRAWN	P.K.
TRACED	S.F.
DATE	Mar. 84
SCALE	1:2000
FIG. NO.	50

049

I.P. DATA

MAGNETICS
Base Station at : approx. 2800 E 3350 S
Designated :

5 cm

GEOCHEMISTRY
Sn
Cu
Pb
Zn
As
Wo3

GEOLOGY

ROCK TYPE
- Shale
- Siltstone
- Sandstone
- Grits
- Conglomerate
- Rhyolitic tuffs
- Basic Tuffs

IGNEOUS - CAMBRIAN
- Melbo Spilites (basic Lavas)
- Ultra-mafics
- Gabbro

DEVONIAN
- Granite
- Quartz porphyry


FORMATION
- Cd Dundas Group (unasigned)
- Crl Red Lead Conglomerate
- Cb Brewery Junction
- Cro Razorback
- Ch Hodge Slate
- Cfe Fernfield
- Cco Comet
- Cf Fernflow

Bedding
Cleavage

* All Bearings Magnetic


049

Geochemistry (P.P.M.)




V.L.F. - E.M.

Tx = Japan




V.L.F. - E.M.

Tx = N.W. Cape




Gradient Array I.P.



Total Magnetic Field (γ)

Topography & Geology

HEIGHT ABOVE SEA LEVEL - (Metres)



650471

GOLD FIELDS EXPLORATION PTY. LIMITED

E.L.42/71 - CARBINE HILL GRID

LINE 1600 N.

LOOKING N. 53-2153 VOL 4 FY

SCALE 1:2000 METRES

DRAWN	P.K.
TRACED	S.F.
DATE	Mar.84
SCALE	1:2000
FIG. NO.	51

050

I.P. DATA

MAGNETICS

Base Station at approx. 2800E 3350S

Designated :

5 cm

GEOCHEMISTRY

Sn
Cu
Pb
Zn
As
Wo3

GEOLOGY

ROCK TYPE

- Shale
- Siltstone
- Sandstone
- Grits
- Conglomerate
- Rhyolitic tuffs
- Basic Tuffs

IGNEOUS - CAMBRIAN

- Cmt — Melba Spilites (basic Lavas)
- Cum — Ultra-mafics
- Cg — Gabbro

DEVONIAN

- Dg — Granite
- Dqp — Quartz porphyry

FORMATION

- Cd — Dundas Group (unassigned)
- Cr1 — Red Lead Conglomerate
- Cb — Brewery Junction
- Cra — Razorback
- Ch — Hodge Slate
- Cfe — Fernfield
- Cco — Comet
- Cf — Fernflow


30/60 Bedding

50/60 Cleavage


* All Bearings Magnetic

050


Geochemistry (P.P.M.)




V.L.F. - E.M.
Tx = Jopon




V.L.F. - E.M.
Tx = N.W. Cape




Gradient Array I.P.



Total Magnetic Field (δ)



Topography & Geology
HEIGHT ABOVE SEA LEVEL - (Metres)



650472

GOLD FIELDS EXPLORATION PTY. LIMITED	
E.L.42/71 - CARBINE HILL GRID	
LINE 1800 N.	
LOOKING N. 324-283 VOL 4/5	
SCALE 1:2000 METRES	

DRAWN	P.K.
TRACED	S.F.
DATE	Mar.,84
SCALE	1:2000
FIG. NO.	52

051

I.P. DATA

MAGNETICS

Base Station at : approx. 2800 E 3350 S

Designated :

5 cm

GEOCHEMISTRY

Sn
Cu
Pb
Zn
As
Wo3

GEOLOGY

ROCK TYPE

- Shale
- Siltstone
- Sandstone
- Grits
- Conglomerate
- Rhyolitic tuffs
- Basic Tuffs

IGNEOUS - CAMBRIAN

- Cms — Melbo Spilites (basic Lavas)
- Cum — Ultra-mafics
- Cg — Gabbro

DEVONIAN

- Dg — Granite
- Dqp — Quartz porphyry

FORMATION

- Cd — Dundas Group (unasigned)
- Crl — Red Lead Conglomerate
- Cb — Brewery Junction
- Cra — Razorback
- Ch — Hodge Slate
- Cf — Fernfield
- Cco — Comet
- Cr — Fernflow


60/30 Bedding

80/50 Cleavage


* All Bearings Magnetic

051


Geochemistry (P.P.M.)




V.L.F. - E.M.
Tx = Japan




V.L.F. - E.M.
Tx = N.W. Cape



Gradient Array I.P.



Topography & Geology
HEIGHT ABOVE SEA LEVEL - (Metres)



650473

GOLD FIELDS EXPLORATION PTY. LIMITED

E.L.42/71 - CARBINE HILL GRID
LINE 2000 N.
LOOKING N. SG-2183 Vol 4 (5)
SCALE 1: 2000 METRES

DRAWN	P.K.
TRACED	S.F.
DATE	Mar.84
SCALE	1:2000
FIG. NO.	53

052

I.P. DATA

MAGNETICS
Base Station at: approx. 2800 E 3350 S
Designated:
5 cm

GEOCHEMISTRY
Sn
Cu
Pb
Zn
As
Wo3

GEOLOGY

ROCK TYPE
- Shale
- Siltstone
- Sandstone
- Grits
- Conglomerate
- Rhyolitic tuffs
- Basic Tuffs


IGNEOUS - CAMBRIAN
- Melba Spilites (basic Lavas)
- Ultra-mafics
- Gabbro

DEVONIAN
- Granite
- Quartz porphyry


FORMATION
- Cd Dundas Group (unasigned)
- Crl Red Lead Conglomerate
- Cb Brewery Junction
- Cco Comet
- Cr Fernflow
- Hodge Slate
- Fernfield
- Cleavage
- Bedding
- *All Bearings Magnetic

052


Geochemistry (P.P.M.)




V.L.F. – E.M.
Tx = Jopon




V.L.F. – E.M.
Tx = N.W. Cape




Gradient Array I.P.



Total Magnetic Field (Ø)



Topography & Geology
HEIGHT ABOVE SEA LEVEL – (Metres)



650474

GOLD FIELDS EXPLORATION PTY. LIMITED	DRAWN	P.K.
	TRACED	S.F.
E.L.42/71 – CARBINE HILL GRID	DATE	Mar.84
LINE 2200 N	SCALE	1:2000
LOOKING N.W.	FIG. NO.	54
SCALE 1: 2000 METRES		

I.P. DATA

MAGNETICS
Base Station at : approx. 2800 E 3350 S
Designated :

5 cm

GEOCHEMISTRY.
Sn
Cu
Pb
Zn
As
Wo3

GEOLOGY

ROCK TYPE
- Shale
- Siltstone
- Sandstone
- Grits
- Conglomerate
- Rhyolitic tuffs
- Basic Tuffs

IGNEOUS – CAMBRIAN
- Melba Spilites (basic Lavas)
- Ultra – mafics
- Gabbro

DEVONIAN
- Granite
- Quartz porphyry


FORMATION
- Cd Dundas Group (unasigned)
- Red Lead Conglomerate
- Cb Brewery Junction
- Razorback
- Hodge Slate
- Fernfield
- Cco Comet
- Cf Fernflow

30/60 Bedding
50/50 Cleavage


*All Bearings Magnetic

053


Geochemistry (P.P.M.)




V.L.F. - E.M.
Tx = Japan



V.L.F. - E.M.
Tx = N.W. Cape



Gradient Array I.P.



Total Magnetic Field (δ)

Topography & Geology
HEIGHT ABOVE SEA LEVEL - (Metres)

650475

GOLD FIELDS EXPLORATION PTY. LIMITED	DRAWN P.K.
	TRACED S.F.
E.L.42/71 - CARBINE HILL GRID	DATE Mar.84
LINE 2400 N.	SCALE 1:2000
LOOKING N. 84-2183 vol 4 f5	FIG. NO. 054
SCALE 1:2000 METRES	55

I.P. DATA

MAGNETICS
Base Station at : approx. 2800 E 3350 S
Designated :

5 cm

GEOCHEMISTRY
Sn
Cu
Pb
Zn
As
Wo3

GEOLOGY

ROCK TYPE
- Shale
- Siltstone
- Sandstone
- Grits
- Conglomerate
- Rhyolitic tuffs
- Basic Tuffs

IGNEOUS - CAMBRIAN
- Cms — Melba Spilites (basic Lavas)
- Cum — Ultra-mafics
- Cg — Gabbro

DEVONIAN
- Dg — Granite
- Dqp — Quartz porphyry


FORMATION
- Cd — Dundas Group (unasigned)
- Cfl — Red Lead Conglomerate
- Cb — Brewery Junction
- Cra — Razorback
- Hodge Slate
- Fernfield
- Cco — Comet
- Cf — Fernflow

30/60 Bedding
50/60 Cleavage


* All Bearings Magnetic

054


Geochemistry (P.P.M.)



V.L.F. - E.M.
Tx = Japan



V.L.F. - E.M.
Tx = N.W. Cape




Gradient Array I.P.

CHARGEABILITY IN MILLIVOLTS/VOLT (——)

RESISTIVITY IN OHM METRES (---)

Total Magnetic Field (Ŏ)



Topography & Geology
HEIGHT ABOVE SEA LEVEL - (Metres)



650476

GOLD FIELDS EXPLORATION PTY. LIMITED	
E.L.42/71 - CARBINE HILL GRID	
LINE 2600 N	
LOOKING N. Bl -218 Vol 5/4	
SCALE 1:2000 METRES	

DRAWN	P.K.
TRACED	S.F.
DATE	Mar.,84
SCALE	1:2000
FIG. NO.	56

055

I.P. DATA

MAGNETICS

Base Station at : approx. 2800E 3350S

Designated :

5 cm

GEOCHEMISTRY

Sn
Cu
Pb
Zn
As
Wo3

GEOLOGY

ROCK TYPE

- Shale
- Siltstone
- Sandstone
- Grits
- Conglomerate
- Rhyolitic tuffs
- Basic Tuffs

IGNEOUS - CAMBRIAN

- Melbo Spilites (basic Lavas)
- Ultra-mafics
- Gabbro

DEVONIAN

- Granite
- Quartz porphyry

FORMATION

- Cd Dundas Group (unasigned)
- Cfl Red Lead Conglomerate
- Cb Brewery Junction
- Cro Razorback
- Ch Hodge Slate
- Cfe Fernfield
- Cco Comet
- Cf Fernflow


30/60 Bedding

50/60 Cleavage


* All Bearings Magnetic

530


Geochemistry (P.P.M.)



V.L.F. - E.M.
Tx = Japan



V.L.F. - E.M.
Tx = N.W. Cape




Gradient Array I.P.

CHARGEABILITY IN MILLIVOLTS/VOLT (——)

RESISTIVITY IN OHM METRES (----)

Total Magnetic Field (Ŏ)



Topography & Geology
HEIGHT ABOVE SEA LEVEL - (Metres)



650477

GOLD FIELDS EXPLORATION PTY. LIMITED

E.L.42/71 - CARBINE HILL GRID

LINE 2800 N.

LOOKING N. 8-2-83 VSIS

SCALE 1:2000 METRES

DRAWN	P.K.
TRACED	S.F.
DATE	Mar.,84
SCALE	1:2000
FIG. NO.	57

056

I.P DATA

MAGNETICS

Base Station at : approx. 2800E 3350S

Designated :

5 cm

GEOCHEMISTRY

Sn
Cu
Pb
Zn
As
Wo3

GEOLOGY

ROCK TYPE

- Shale
- Siltstone
- Sandstone
- Grits
- Conglomerate
- Rhyolitic tuffs
- Basic Tuffs

IGNEOUS - CAMBRIAN

- Melba Spilites (basic Lavas)
- Ultra-mafics
- Gabbro

DEVONIAN

- Granite
- Quartz porphyry

FORMATION

- Cd Dundas Group (unasigned)
- Red Lead Conglomerate
- Cb Brewery Junction
- Razorback
- Hodge Slate
- Fernfield
- Comet
- Cf Fernflow

Bedding

Cleavage

* All Bearings Magnetic

056

Geochemistry (P.P.M.)

1000 · 800 · 600 · 400 · 300 · 200 · 100 · 80 · 60 · 40 · 20 · 10

1000 E · 1200 E · 1400 E · 1600 E · 1800 E

V.L.F. - E.M.
Tx = Japan

DIP ANGLE (——) · SMOOTHED DERIVATIVE (——)

30 · 20 · 10 · 0 · −10 · 50 · 40 · 30 · 20 · 10 · 0

1000 E · 1200 E · 1400 E · 1600 E · 1800 E

V.L.F. - E.M.
Tx = N.W. Cape

DIP ANGLE (——) · SMOOTHED DERIVATIVE (——)

30 · 20 · 10 · 0 · −10 · 50 · 40 · 30 · 20 · 10 · 0

1000 E · 1200 E · 1400 E · 1600 E · 1800 E

Gradient Array I.P.

CHARGEABILITY IN MILLIVOLTS/VOLT (——)

RESISTIVITY IN OHM METRES (- - -)

1000 E · 1200 E · 1400 E · 1600 E · 1800 E


Total Magnetic Field (δ)

62 160 · 62 120 · 62 080 · 62 040 · 62 000

1000 E · 1200 E · 1400 E · 1600 E · 1800 E

Topography & Geology
HEIGHT ABOVE SEA LEVEL - (Metres)

550 · 500 · 450 · 400 · 350 · 300 · 250 · 200 · 150 · 100



1000 E · 1200 E · 1400 E · 1600 E · 1800 E

650478

GOLD FIELDS EXPLORATION PTY. LIMITED

E.L. 42/71 – CARBINE HILL GRID
LINE 3000N.
LOOKING N. 55-283 VOLS/S

SCALE 1:2000 METRES

DRAWN	P.K.
TRACED	S.F.
DATE	Mar.84
SCALE	1:2000
FIG. NO.	58

057

I.P DATA

MAGNETICS

Base Station at: approx. 2800E 3350S

Designated:

5 cm

GEOCHEMISTRY

Sn · Cu · Pb · Zn · As · Wo3

GEOLOGY

ROCK TYPE

Shale · Siltstone · Sandstone · Grits · Conglomerate · Rhyolitic tuffs · Basic Tuffs

IGNEOUS - CAMBRIAN

Melbo Spilites (basic Lavas) · Ultra - mafics · Gabbro

DEVONIAN

Granite · Quartz porphyry


FORMATION

Cd Dundas Group (unasigned) · Cf/l Red Lead Conglomerate · Cb Brewery Junction · Cro Razorback · Ch Hodge Slate · Cfe Fernfield · Cco Comet · Cf Fernflow

30/60 Bedding · 50/80 Cleavage


* All Bearings Magnetic

Geochemistry (P.P.M.)




V.L.F. - E.M.

Tx = Japan




V.L.F. - E.M.

Tx = N.W. Cape



Gradient Array I.P.



Topography & Geology

HEIGHT ABOVE SEA LEVEL - (Metres)

650479

GOLD FIELDS EXPLORATION PTY. LIMITED

E.L.42/71 - CARBINE HILL GRID

LINE 3200 N.

LOOKING N. 34-263 VOLTS/V

SCALE 1:2000 METRES

DRAWN	P.K.
TRACED	S.F.
DATE	Mar. 64
SCALE	1:2000
FIG. NO.	59

058

I.P DATA

MAGNETICS

Base Station at approx. 2800E 3350S

Designated :

5 cm

GEOCHEMISTRY

Sn
Cu
Pb
Zn
As
We3

GEOLOGY

ROCK TYPE

- Shale
- Siltstone
- Sandstone
- Grits
- Conglomerate
- Rhyolitic tuffs
- Basic Tuffs

IGNEOUS - CAMBRIAN

- €ms — Melba Spilites (basic Lavas)
- €um — Ultra-mafics
- €g — Gabbro

DEVONIAN

- Dg — Granite
- Dqp — Quartz porphyry

FORMATION

- €d — Dundas Group (unasigned)
- €fl s — Red Lead Conglomerate
- €b — Brewery Junction
- €ro — Razorback
- €h — Hodge Slate
- €fe — Fernfield
- €co — Comet
- €f — Fernflow


30/60 Bedding

50/80 Cleavage


* All Bearings Magnetic

058


Geochemistry (P.P.M.)




V.L.F. - E.M.
Tx = Japan



V.L.F. - E.M.
Tx = N.W. Cape



Gradient Array I.P



Total Magnetic Field (δ)

Topography & Geology
HEIGHT ABOVE SEA LEVEL - (Metres)

650480

GOLD FIELDS EXPLORATION PTY. LIMITED	
E.L.42/71 – CARBINE HILL GRID	
LINE 3400 N	
LOOKING N.E. (-2.5° VOLTS)	
SCALE 1:2000 METRES	

DRAWN	P.K.
TRACED	S.F.
DATE	Mar.84
SCALE	1:2000
FIG. NO.	60

059

I.P. DATA

MAGNETICS
Base Station at : approx. 2800E 3350S
Designated :
5 cm

GEOCHEMISTRY
Sn
Cu
Pb
Zn
As
Wo3

GEOLOGY

ROCK TYPE
- Shale
- Siltstone
- Sandstone
- Grits
- Conglomerate
- Rhyolitic tuffs
- Basic Tuffs


IGNEOUS - CAMBRIAN
- Melba Spilites (basic Lavas)
- Ultra-mafics
- Gabbro

DEVONIAN
- Granite
- Quartz porphyry


FORMATION
- Dundas Group (unasigned)
- Red Lead Conglomerate
- Brewery Junction
- Razorback
- Hodge Slate
- Fernfield
- Comet
- Fernflow
- Bedding
- Cleavage
- *All Bearings Magnetic

650


Geochemistry (P.P.M.)




V.L.F. - E.M.
Tx = Japan




V.L.F. - E.M.
Tx = N.W. Cape



Gradient Array I.P.



Total Magnetic Field (γ)



Topography & Geology
HEIGHT ABOVE SEA LEVEL - (Metres)

650481

GOLD FIELDS EXPLORATION PTY. LIMITED

E.L.42/71 – CARBINE HILL GRID

LINE 3600 N

LOOKING N. RL=2453 VOLTS

SCALE 1:2000 METRES

40 0 40 80 120

DRAWN	P.K.
TRACED	S.F.
DATE	Mar.,84
SCALE	1:2000
FIG. NO.	61

060

I.P. DATA

MAGNETICS

Base Station at : approx. 2800E 3350S

Designated :

5 cm

GEOCHEMISTRY

Sn
Cu
Pb
Zn
As
Wo3

GEOLOGY

ROCK TYPE

- Shale
- Siltstone
- Sandstone
- Grits
- Conglomerate
- Rhyolitic tuffs
- Basic Tuffs

IGNEOUS - CAMBRIAN

- Melba Spilites (basic Lavas)
- Ultra-mafics
- Gabbro

DEVONIAN

- Granite
- Quartz porphyry

FORMATION

- Cd Dundas Group (unasigned)
- Cfl Red Lead Conglomerate
- Cb Brewery Junction
- Cfo Razorback
- Ch Hodge Slate
- Cfe Fernfield
- Cco Comet
- Cf Fernflow

60/30 Bedding

50/50 Cleavage

* All Bearings Magnetic

060

Airborne Geophysical Survey
and Compilation by

GEOEX PTY. LTD.

WEST COAST AREA

TASMANIA

EQUIPMENT SPECIFICATIONS

Cessna A185E Aircraft
SONOTEK 16551 SYSTEM
Q-INT MAGNETOMETER
256 CHANNEL SPECTROMETER
4"x4"x16" NaI(Tl) DETECTOR
KING KRA10 RADAR ALTIMETER
16mm Ground Tracking Camera
Industry Standard 9-track 32 Kb/mm Magnetic Tape
8 Channel Analogue Recorder
3 Channel Analogue Recorder for Magnetometer

The nominal flight line separation was 500m and the nominal tie-line bearing was 0 degrees. The observed mean sample interval in the flight direction was 41m, achieved with a nominal aircraft speed of 100 knots and a recording interval of 0.8 second. The mean sensor height was 135m using a towed bird configuration. The magnetometer accuracy is 1.0nT, and the resolution is 0.1nT.

The data presented is the residual magnetic intensity after subtracting the International Geomagnetic Reference Field from the observed total Magnetic Intensity.
The data was corrected for diurnal drift using a base station monitor at QUEENSTOWN Airfield,
Latitude 42.077°S
Longitude 145.529°E
Altitude 259m.
The sensor height was 3m. The adopted value for this location was 0.2164nT.
Final detailed levelling of this data was performed using tie-line crossover analysis. A simple 3 point filter was applied to the data, which was then gridded and contoured using a .125 by .125 mesh cell.
The CONTOUR INTERVAL is 5nT.

CONTOURS OF RESIDUAL TOTAL MAGNETIC INTENSITY

ZEEHAN B4 061
1:10,000
Ref: GFL / MG. 84/03 FIG. 62

650482 BL-2183 vol 5/5

SHEET B4

B1	B2
B3	B4

SHEET INDEX

5 cm

SCALE
0 100 200 400 600 800 1000
METRES
1 : 10000

Surveyed for Department of Mines, Tasmania, May, 1981. Project No. 81544

190